

CBased Environmental Pty Limited ABN 62 611 924 264



Calga Quarry

Environmental Monitoring

Dust Deposition Gauges, Surface and Ground Waters and Meteorological Station

December 2017

Colin Davies BSc MEIA CENVP

Environmental Scientist Date: 30 January 2018

Executive Summary

CBased Environmental is contracted by Hanson Quarry Products to conduct environmental monitoring at the Calga Sand Quarry.

The monitoring includes;

- Dust Deposition Gauges;
- Surface Waters:
- Groundwaters; and
- Meteorological Station.

This report was prepared by CBased Environmental and includes the following:

- Dust Deposition results for December 2017;
- Surface Water quality results for December 2017; and
- Meteorological report for December 2017.

The December 2017 dust deposition results for insoluble solids were generally low. There was one excessively contaminated dust gauge this month (CD3). All sites, on a rolling annual average basis, are currently below the Air Quality Management Plan exceedance level of $3.7g/m^2$.month. Results were found to be representative of dust levels as determined by the Australian Standard.

Monthly surface water samples were collected at sites A, C1, C2 and F. Sites B and D were dry at the time of sampling. The samples were collected and analysed for a monthly sampling event. Results show pH within the slightly acidic range, low Electrical Conductivity, low Total Dissolved Solids and low Total Suspended Solids. Oil and Grease was not detected at any sites in December 2017.

Bi-monthly groundwater monitoring is next scheduled for January 2018.

Data for December 2017 shows that rainfall recorded at the Calga Quarry was lower than the Gosford BOM mean rainfall and the Peats Ridge long term rainfall for December.

The rainfall comparison is provided below:

Calga Quarry

BOM Peats Ridge*

BOM Gosford*

BOM Peats Ridge Long term mean for December*

12.6 mm^

NA

61.8 mm

92.4 mm

NA = Not Available

BOM stations reporting rainfall at 9am and the Calga station recording rainfall at midnight.

[^]Rain data not based on a full set of data.

^{*}Data sourced from Bureau of Meteorology (BOM) website (www.bom.gov.au). **Note:** Differences in the daily rainfall readings between BOM and the Calga station may occur due to

Sampling Program

Hanson Calga Quarry conducts environmental monitoring in accordance to Development Consent, OEH (EPA) licence and Environmental Management Plans. CBased Environmental are contracted to undertake dust deposition gauge, surface and groundwater and meteorological monitoring for the project. CBased Environmental commenced monitoring from the April 2006 monitoring period.

Dust deposition gauges are operated to the Australian Standard <u>AS3580.10.1</u> "Methods for sampling and analysis of ambient air method. Determination of particulates- deposited matter- gravimetric Method". Sampling is undertaken every 30 +/- 2 days and each gauge is analysed for insoluble solids and ash residue. The results are reported as g/m^2 .month.

Surface waters are sampled in accordance with Australian Standards <u>AS5667.1</u> "Guidance on the design of sample programs, sampling techniques and the preservation and handling of samples", <u>AS5667.6</u> "Water quality sampling—guidance on sampling of rivers and streams" and <u>AS5667.4</u> "Water quality sampling—guidance on sampling from lakes, natural and man-made". Surface water monitoring sites include local streams and dams. Basic analysis including pH, Electrical Conductivity, Total Suspended Solids, Total Dissolved Solids and Total Oil and Grease is conducted monthly at Sites A and F (dams) and when Sites B, C and D are flowing. Additional samples are collected when daily rainfall exceeds 50mm.

Groundwaters are sampled in accordance with Australian Standards <u>AS5667.1</u> "Guidance on the design of sample programs, sampling techniques and the preservation and handling of samples" and <u>AS5667.11</u> "Water quality sampling—guidance on sampling of ground waters". Groundwater monitoring sites are sampled bi-monthly for depth and water quality. Groundwater monitoring loggers continuously record water levels in a selection of bores.

Meteorological monitoring is conducted at the quarry and displayed on the site computer with a real-time display. Metrological parameters are measured according to Australian Standard <u>AS3580.14</u> "Methods for sampling and analysis of ambient air. Meteorological monitoring for ambient air quality monitoring applications"

The weather stations have the following sensor configuration;

- Air temperature
- Humidity
- Rainfall
- Atmospheric pressure
- Evaporation
- Solar radiation
- Wind speed
- Wind direction

CBased Environmental continued to operate the monitoring equipment and utilise site collections at their existing locations.

The locations of monitoring points are provided in Figure 1.




Figure 1: Hanson Calga Quarry environmental monitoring locations

2.0 Monthly Results

2.1 Dust Deposition Gauges

Table 1 displays the results for December 2017 and the project 12-month rolling average. Results are in g/m².month.

Table 1: Dust Deposition results: 1 December 2017 – 2 January 2018 (32 days)

Site	Monthly Insoluble Solids (g/m².month)	Monthly Ash Residue (g/m².month)	Monthly Combustible Matter (g/m².month)	Monthly Ash Residue/ Insoluble Solids %	Rolling Annual Average Insoluble Solids (g/m².month)
CD1	2.8	2.2	0.6	79	2.9
CD2c	1.3	0.8	0.5	62	0.9
CD3	7.5*	0.8	6.7	11	1.1
CD4	0.5	0.2	0.3	40	0.6
CD5	0.6	0.4	0.2	67	0.6
CD6	0.8	0.5	0.3	63	0.8


Insoluble Solids marked with an * indicate an excessively contaminated gauge. Contamination can include bird droppings, vegetation (such as plant matter, algae, pollen and seeds) and insects. Results in bold indicate insoluble solids levels above 3.7 g/m².month; the Development Consent's annual average amenity criteria at residential locations. The current rolling annual average is calculated from December 2016 to November 2017.

NA= Not Available.

CD1 was installed on the 1 May 2006. CD2a was discontinued at the start of August 2006 due to quarry operations "mining out" the site of the gauge. The replacement gauge, Site CD2b, was located in a position adjacent to the boundary between B. Kashouli and F. & J. Gazzana in conformance with the Air Quality Management Plan. CD4 was installed on 3 October 2006, to gauge air quality impacts to the south of the site operations, as were CD5 and CD6 which were installed on the 14 December 2006. CD2b was discontinued at the end of January 2010 due to contamination of the gauge by non-quarry related vehicle movements on a track adjacent to the gauge. The replacement gauge, CD2c, was located on a rehabilitated section of land between the extraction area and adjacent resident.

Dust deposition charts for all dust gauge sites appear in **Figure 2** below. The laboratory analysis is provided in **Appendix 1**.

Figure 2: Dust Deposition Charts



2.2 Surface Water Monitoring

Monthly surface water monitoring was conducted on the 2 January 2018 and results are listed in **Table 2**. The laboratory analysis sheets are provided in **Appendix 1**.

Table 2: Monthly surface water monitoring - December grab sample results

Site	Observed Flow Rate	Water Colour	Turbidity	рН	EC (μS/cm)	TDS (mg/L)	TSS (mg/L)	Oil and Grease (mg/L)
Α	Dam	Brown	Slight	6.46	86	90	19	<5
В				Dry				
C1	Dam	Clear	Clear	6.99	99	68	18	<5
C2	Trickle	Clear	Clear	6.6	97	65	34	<5
D				Dry				
F	Dam	Clear	Clear	5.29	104	79	10	<5

Samples were collected at sites A, C1, C2 and F. Sites B and D were dry at the time of sampling. The samples were collected and analysed for a monthly sampling event. Results show pH within the slightly acidic range, low Electrical Conductivity, low Total Dissolved Solids and low Total Suspended Solids. Oil and Grease was not detected at any sites in December 2017.

2.2.1 Non-Routine Surface Water Sampling

No non-routine sampling was undertaken during December 2017.

2.3 Groundwater Monitoring

Bi-monthly groundwaters were sampled on 1 December 2017. Bi-monthly groundwater monitoring is next scheduled for January 2018.

2.4 Meteorological Monitoring

The Calga Quarry weather station data recovery in December 2017 was approximately 45%. No data was available from 1 – 5 and 20 – 31 December 2017.

The weather station data follows and includes:

- Monthly data numerical summary;
- Weather charts of air temperature, humidity, heat index and wind chill, atmospheric pressure, solar radiation, evapotranspiration, rain, wind speed and data reception; and
- Wind rose (frequency distribution diagram of wind speed and direction).

Monthly weather statistics from the nearby Bureau of Meteorology (BOM) at Peats Ridge station are no longer available. However, the long-term rainfall mean is available via a link on the Gosford BOM Daily Weather Observation page.

Data for December 2017 shows that rainfall recorded at the Calga Quarry was lower than the Gosford BOM mean rainfall and the Peats Ridge long term rainfall for December.

The rainfall comparison is provided below:

Calga Quarry

BOM Peats Ridge*

BOM Gosford*

BOM Peats Ridge Long term mean for December*

12.6 mm^

NA

61.8 mm

92.4 mm

NA = Not Available

[^]Rain data not based on a full set of data.

^{*}Data sourced from Bureau of Meteorology (BOM) website (www.bom.gov.au).


2.4.1 Monthly Meteorological Data Summary


Summary Dec-17 Hanson - Calga

Date	Min Temp	Av Temp	Max Temp	Min %RH	Av %RH	Max %RH	RAIN mm	ET mm	Min WS	AvWS	Max WS	Min wind chill	Max Heat index	Min Atm P	Av Atm P	Max Atm P	Min Solar Rad	Av Solar Rad	Max Solar Rad	Min Data %	Av data %	Max Data %
1/12/2017																						
2/12/2017																						
3/12/2017																						
4/12/2017																						
5/12/2017																						
6/12/2017	16.7	22.0	26.1	40.0	60.7	91.0	4.8	4.0	0.4	2.2	11.2	16.8	26.3	997.3	999.5	1003.0	0.0	372.0	1169.0	88.3	99.6	100.0
7/12/2017	16.4	23.6	32.4	21.0	52.1	84.0	0.2	7.8	0.9	3.0	11.2	16.4	31.4	1000.3	1002.3	1004.0	0.0	347.5	1209.0	97.5	99.9	100.0
8/12/2017	17.3	21.2	31.1	32.0	64.5	93.0	5.4	4.3	0.0	2.0	12.1	17.2	31.1	1001.5	1006.6	1013.1	0.0	197.7	1140.0	90.5	99.5	100.0
9/12/2017	16.1	19.3	24.9	53.0	74.4	93.0	0.2	4.2	0.0	2.4	8.9	16.1	25.1	1013.0	1015.5	1018.0	0.0	223.5	919.0	81.5	99.5	100.0
10/12/2017	14.6	20.3	27.7	48.0	74.4	95.0	0.0	5.9	0.0	2.4	9.8	14.6	28.2	1016.1	1018.0	1020.0	0.0	311.8	1236.0	100.0	100.0	100.0
11/12/2017	15.1	21.9	29.5	44.0	70.4	95.0	0.0	6.7	0.0	2.5	10.7	15.2	30.4	1012.4	1015.4	1017.6	0.0	341.6	1040.0	97.8	99.9	100.0
12/12/2017	18.1	22.7	28.6	50.0	72.9	91.0	0.0	6.8	0.0	3.6	11.6	18.1	29.8	1010.9	1013.7	1016.1	0.0	340.6	1077.0	95.7	99.8	100.0
13/12/2017	16.5	24.6	34.1	36.0	67.2	95.0	0.0	6.8	0.0	2.4	12.1	16.6	37.2	1005.7	1008.8	1012.3	0.0	304.7	1031.0	97.5	99.9	100.0
14/12/2017	19.6	28.6	41.2	16.0	50.8	82.0	0.0	8.1	0.0	3.0	10.3	19.7	40.4	1000.8	1003.9	1006.2	0.0	302.7	1044.0	91.1	99.3	100.0
15/12/2017	20.3	23.1	29.3	54.0	79.3	92.0	0.0	3.0	0.0	2.3	8.5	20.4	31.2	1004.0	1008.3	1011.0	0.0	139.7	702.0	98.5	100.0	100.0
16/12/2017	20.2	25.8	36.2	33.0	70.8	95.0	2.0	6.8	0.0	2.4	10.3	20.2	40.8	1006.4	1008.9	1011.4	0.0	322.7	1027.0	95.4	99.9	100.0
17/12/2017	20.9	22.9	29.2	57.0	83.3	92.0	0.0	4.0	0.0	2.4	8.5	20.9	32.9	1009.6	1011.3	1013.2	0.0	208.5	1011.0	99.4	100.0	100.0
18/12/2017	19.6	24.6	32.7	51.0	77.3	95.0	0.0	4.9	0.0	1.7	8.9	19.7	37.2	1004.8	1008.2	1012.0	0.0	251.2	1091.0	98.8	100.0	100.0
19/12/2017	21.2	22.3	25.5	75.0	89.1	93.0	0.0	0.4	0.0	0.3	4.0	21.2	28.8	1004.7	1005.7	1006.8	0.0	51.5	548.0	95.1	99.7	100.0
20/12/2017																						
21/12/2017																						
22/12/2017																						
23/12/2017																						
24/12/2017																						
25/12/2017																						
26/12/2017																						
27/12/2017																						
28/12/2017																						
29/12/2017																						
30/12/2017																						
Monthly	14.6	23.1	41.2	16	70	95	12.6	73.8	0	2.3	12.1	14.6	40.8	997.3	1009.0	1020	0	265.4	1236	81.5	99.8	100


No data

2.4.2 Monthly Weather Charts







Hanson Calga Quarry - December 2017 Hum idity




Hans on Calga Quarry - December 2017 Heat Index/Wind Chill




Hanson Calga Quarry - December 2017 Wind Speed




Hanson Calga Quarry - December 2017 Solar Radiation




Hanson Calga Quarry - De cember 2017 Atmospheric Pressure




Hanson Calga Quarry - December 2017 Rainfall



Hanson Calga Quarry - December 2017 Evapotranspiration




Hanson Calga Quarry - December 2017 Data Reception



2.4.3 Monthly Windrose Plot

Frequency plot of the average wind speed and average direction over each 15-minute sampling period. Wind is considered to be calm when at less than a 15-minute average of 1m/s.



00:15, 6 December 2017 – 09:00, 19 December 2017

The predominant and most frequent, strongest winds also from the E and ENE. The maximum wind speed was 12.1 m/s from the SE and NNE.

Appendix 1

Field Sheets

Chain of Custody

Laboratory Certificates



DEPOSITIONAL DUST MONITORING

Client: Hanson Calga Quarry

Collection Start Time: 9:40

Date Collected: 2-1-18

Collection Stop Time:

Sampling ID:

Site	Time	Water	Insolu	ble Material (✓ = s	slight, 🗸 🗸 = m	od etc)	Water	Water	Stand Level	Funnel Level	New Funnel	Comments	
CD1 (CD2C \CD3 \CD4 \CD5 \CD5 \CD5	Collected	Level (mL)	Insects	Bird droppings	Vegetation	Dust	Turbidity	Colour	(Y/N)	(Y/N)	Diameter (mm)		
CD1	1040	800	1				ØST	O Bn Gn Gy	V	V			
CD2C	10:25	1200	1		JJJ		(c)s T	⊘ O Bn Gn Gy	V	4			
CD3	9:45	1300			1//		CST	COBn Gn Gy	Y	7		SURPONDO	By
CD4	10:10	600			111	1	6 s т	O Bn Gn Gy	_	V		1.00	-
CD5	10:05	1300	1			/	©s T	O Bn Gn Gy	Ý	V			
CD6	10:00	1200				/	Овт	O Bn Gn Gy	Y	Y			
							CST	C O Bn Gn Gy			1		
							CST	C O Bn Gn Gy					
							CST	C O Bn Gn Gy					
							CST	C O Bn Gn Gy					
							CST	C O Bn Gn Gy					
							CST	C O Bn Gn Gy					
							CST	C O Bn Gn Gy					
							CST	C O Bn Gn Gy		4 -	11.		
1,		CST COBn Gn Gy CST COBn											
							CST	C O Bn Gn Gy					
							CST	C O Bn Gn Gy	1				
							CST	C O Bn Gn Gy					
							CST	C O Bn Gn Gy					
		4					CST	C O Bn Gn Gy					

Turbidity: C=Clear, S= Slight, T=Turbid (CIRCLE)

Colour: C=Clear, O=Orange, Bn=Brown, Gn=Green, Gy = Grey (CIRCLE)

Report broken funnels and replacement diameters

CHAIN OF CUSTO	DY DC	CUMI	ENTAT	TON																	Australia	n Laboratory	
CLIENT: CBased Environmental Pty L						LAB	ORA	TOF	RY BA	TCH NO):	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		ner is	A. 17 (19)	17.17	1,2 3	102738	P - 19 (5)		A COLUMN TO A COLU	Services Pty Ltd	
POSTAL ADDRESS: 47 Boomerang S	St CESSNOCE	NSW 2325	;				SAMPLERS:CBased Environmental Pty Ltd									ACCOUNT.							
SEND REPORT TO: monitoringresults@cbased.com.au			OICE TO: ad	dmin@cbased.com.au, com.au			PHONE: 0265713334 E-MAIL: monitoringresults@cbased.com.au																
DATA NEEDED BY: 7 working days		REPORT I	NEEDED BY:	7 working days		REF	REPORT FORMAT: HARD: Yes FAX: DISK: BULLETIN BOARD.							F-M	AIL: Yes								
PROJECT ID: Hanson Calga Dusts	QUOTE NO .:					QCI			_	QCS1:			QCS2		QCS3		JOAN	-	QCS		in the second		
P.O. NO.:	COMMENTS	/SPECIAL H	ANDLING/S7	TORAGE OR DIPOSAL:											ANALY		OUIRFI)	400			1	
FOR LAB USE ONLY						Soldi		- 1	att														
COOLER SEAL							41	ne	Combustable Mat														
Yes No	Total unless	specified				nsoluable		Residue	stab	1							1						
Broken Intact						7			ngu	- 11													
COOLER TEMP: deg.C						- Sul		Ash	Co				4								l NC	TES	
SAMP	LE DATA			CONTAINER I	DATA		1															1	
SAMPLE ID	MATRIX	DATE ON	DATE OFF	TYPE & PRESERVATIVE	NO.				= 1		1							1. 4				1	
CD1	Dust	1 -12-17	12-1-18			х	×	x	х												1000		
CD2c	Dust					×	×	x	x								+		-				
CD3	Dust					X	X	-	x								+			-			
CD4	Dust					×	×	-	x					100		=	+						
CD5	Dust					x	×	_	x							-	-						
CD6	Dust					х	×	-	x								+		-				
																	+						
																	-		-				
		K																					
							1										+		-			1	
										- 1/			1 - 1										
					THE PART														_				
			12 - 1																				
					1 = 515																		
											7								_			1	
,								1														1	
Leesa	./ F	RELINQUISH	ED BY:					$\overline{}$	1		-	RE	CEIVED	BY			- 1	1.			METHO	OF SHIPMENT	
NAME :	King	DA	ATE:	2-1-18		NAM	1E :	1	2)						DATE	21	1///				NMENT NOTE NO	
OF: CBased Environmental)		TIME:	7-6	\sim	OF:			AI	1						TIM			45	an	0011010	THE TE THE	
NAME :				DATE:		NAM	1E:									DATE		12	411		TRANSE	ORT CO. NAME.	
OF:				TIME:		OF:					-					TIM					TIVITO	OTT OO. TWINE.	
*Container Type and Preservative Co	des: P = Neut	ral Plastic: N	= Nitric Acid	Preserved: C = Sodium Hvd	troxide Pres	served: .l =	Solve	rent \	Wash	ed Acid	Rinced	Jar S	= Solver	nt Wached	Acid Pino								

AUSTRALIAN LABORATORY SERVICES P/L

O = Other.

Environmental Division Newcastle Work Order Reference EN1801017



Telephone: +61 2 4014 2500



CERTIFICATE OF ANALYSIS

Work Order

EN1801017

Client

CBASED ENVIRONMENTAL PTY LTD

Contact

All Deliverables

Address

47 BOOMERANG ST

CESSNOCK NSW, AUSTRALIA 2325

Telephone

+61 02 6571 3334 Hanson Calga Dusts

Project
Order number

1 ----

C-O-C number Sampler

Site

Quote number

SYBQ/222/16 and PLANNED EVENTS

No. of samples received 6

No. of samples analysed 6

Page

: 1 of 4

Laboratory

Contact

Address

Environmental Division Newcastle

S

5/585 Maitland Road Mayfield West NSW Australia 2304

Telephone

+61 2 4014 2500 02-Jan-2018 12:45

Date Samples Received

Date Analysis Commenced

04-Jan-2018

Issue Date

09-Jan-2018 17:12



NATA
Accreditation No. 825

Accredited for compliance with ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories

Position

Accreditation Category

Dianne Blane

Laboratory Coordinator (2IC)

Newcastle - Inorganics, Mayfield West, NSW

Page 2 of 4
Work Order EN1801017

Client CBASED ENVIRONMENTAL PTY LTD

Project Hanson Calga Dusts

ALS

General Comments

Key:

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details,

CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

^ = This result is computed from individual analyte detections at or above the level of reporting

ø = ALS is not NATA accredited for these tests.

~ = Indicates an estimated value.

Analysis as per AS3580.10.1-2016. Samples passed through a 1mm sieve prior to analysis. NATA accreditation does not apply for results reported in g/m².mth as sampling data was provided by the client.

Page 3 of 4 Work Order EN1801017


EA141: Total Insoluble Matter Total Insoluble Matter

Total Insoluble Matter (mg)

Client CBASED ENVIRONMENTAL PTY LTD

Project Hanson Calga Dusts

Analytical Results



1.3

24

7.5

142

0.5

9

g/m².month

mg

2.8

53

0.1

1



0.6

12

Page 4 of 4 Work Order EN1801017

Client : CBASED ENVIRONMENTAL PTY LTD

Project Hanson Calga Dusts

Analytical Results

Total Insoluble Matter (mg)



mg

16



CBASED ENVIRONMENTAL PTY LIMITED



Date: 2-1-1 &

Todays	Collection
Time Start:	9:15
Time Finish:	10:40

Client:

Hanson Calga

Project:

SURFACE WATERS

Site	Flow Rate	Odour	Sampling Time	Bottles	Water Turbidity	Water Colour	Comments
A	DAM	7	9:35	1x 250ml GP, 1x 500mL GP, 1x PG	CST	CLOOBG	
В	DRY		9:20	1x 250ml GP, 1x 500mL GP, 1x PG	CST	CLOOBG	
C1	DAM	N	10:30	1x 250ml GP, 1x 500mL GP, 1x PG	Øs T	€)LO O B G	
C2	TRICKLE	N	10:35	1x 250ml GP, 1x 500mL GP, 1x PG	©S T	ØLO O B G	
D	DRY		9:55	1x 250ml GP, 1x 500mL GP, 1x PG	CST	CLOOBG	
F	DAM	7	9125	1x 250ml GP, 1x 500mL GP, 1x PG	O ST	()LOOBG	
					CST	CLOOBG	
					CST	CLOOBG	
					CST	CLOOBG	
					CST	CLOOBG	
					CST	CLOOBG	

Turbidity: C=Clear, S= Slight, T=Turbid (CIRCLE)

Signed:

Colour: C=Clear, LO=Light Orange, O=Orange, B=Brown, G=Green (CIRCLE)

Sampled by: U. Marrian L. Kva.

CHAIN OF CUST	ODY D	OCUI	MEN.	TATION									-		A	
CLIENT: CBased Environmental Pt	y Ltd				LAB	ORA	ORY	BATC	H NO.:	44.24				1	Australian Laboratory Services Pty Ltd	
POSTAL ADDRESS: PO Box 245	CESSNOCK N	SW 2325				-		-	A STATE OF THE PARTY OF THE PAR	The second second	Ptv Ltd	Committee of the Commit			- Corvious rty Eta	
SEND REPORT TO: monitoringresults@cbased.com.au		SEND IN	OICE TO	: renae.mikka@cbased.com.au			2657					nitoringresul	ts@cbased.com.au			
DATA NEEDED BY: 5 working days	S			BY: 5 working days					HARD:	Yes	FAX:	DISK:	BULLETIN BOARD:	E-MAIL: Ye	•	
PROJECT ID: Hanson Quarry SW	QUOTE NO.			and the same of th	_	EVE			QCS1:		QCS2:		QCS3: Yes	QCS4:	5	
P.O. NO.:				G/STORAGE OR DIPOSAL:							Q002.		NALYSIS REQUIRED	QC54.		
FOR LAB USE ONLY COOLER SEAL													VAL TOTO REQUIRED			
Yes 25 \ No	Total unless	specified			1				g							
COOLER TEMP: deg.C					- E	C	TSS	TDS	+						LIOTEO	
	E DATA			*CONTAINER DATA	1 "	ш	-	-	9	-					NOTES	
SAMPLE ID	MATRIX	DATE	TIME	TYPE & PRESERVATIVE NO.		1									++	
Α	Water	2-1-18		1x 250mlGP,1x 500mLGP,1xPG	х	v	х	~	_							
В	Water	1	9-20	1x 250mlGP,1x 500mLGP,1xPG	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	X		X	X						Division	
C1	Water			1x 250mlGP,1x 500mLGP,1xPG	X	X	_	X	X					Envii	onmental Division	
C2	Water	100		1x 250mIGP,1x 500mLGP,1xPG	x	X	_	X	X			-		Sydr	ley Deference	
-D	Water		9.55	1x 250ml@P,1x 500mLGP,1xPG	-x-	_X	_x_	_x_						- W	ork Order Released 1	
F	Water		9.25	1x 250mlGP,1x 500mLGP,1xPG	x	x	x	x	x						ork Order Reference \$1801011	
								63								
														Tele	phone: + 61-2-8784 8555	
		-	-												· ·	
		-	-	TOTAL POTTLES	-									I		
		INOLUGUES.		TOTAL BOTTLES:	-	_		0								
NAME: Leesa	KEL /	INQUISHE	DRA:	DATE: 2-1-18			1	15			RECEIVED B	Υ	0.1/	XX	METHOD OF SHIPMENT	
OF: CBased Environmental	way .			TIME: 7-50	NAM OF:	E: (DI	7				DATE: 2///	0	CONSIGNMENT NOTE N	
NAME :				DATE:	NAM	E .		71	_ر					45300		
OF:				TIME:	OF:	<u> </u>			_	_			DATE:		TRANSPORT CO. NAME	
*Container Type and Preservative C VC = Hydrochloric Acid Preserved V O = Other.	odes: P = Neut /ial; VS = Sulfu	tral Plastic; l ric Acid Pre	N = Nitric A served Via	Acid Preserved; C = Sodium Hydroxide al; BS = Sulfuric Acid Preserved Glass	Preserv	ed; J Z = Z	= Solvinc Ac	ent Wetate f	/ashed Presen	Acid R ed Bot	inced Jar; S = tle; E = EDTA	Solvent Wa	TIME: shed Acid Rinced Glass E ottles; ST = Sterile Bottle;	I Bottle;		

AUSTRALIAN LABORATORY SERVICES P/L



CERTIFICATE OF ANALYSIS

Work Order : ES1801011

Client : CBASED ENVIRONMENTAL PTY LTD

Contact All Deliverables

Address 47 BOOMERANG ST

CESSNOCK NSW. AUSTRALIA 2325

Telephone : +61 02 6571 3334

Project : HANSON QUARRY SW

Order number : ----

Sampler CARBON BASED ENVIRONMENTAL PTY LTD

Site

Quote number SYBQ/222/16 and PLANNED EVENTS

No. of samples received 4

No. of samples analysed 4

Page 1 of 2

Laboratory Environmental Division Sydney

Contact Customer Services ES

Address 277-289 Woodpark Road Smithfield NSW Australia 2164

Telephone +61-2-8784 8555

Date Samples Received : 02-Jan-2018 12:49

Date Analysis Commenced : 02-Jan-2018
Issue Date : 10- Jan-2018 10

10-Jan-2018 16:52



Accredited for compliance with ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories Position Accreditation Category

Ankit Joshi Inorganic Chemist Sydney Inorganics, Smithfield, NSW Neil Martin Sydney Inorganics, Smithfield, NSW Chemistry, Newcastle West, NSW

Page 2 of 2
Work Order ES1801011

Client : CBASED ENVIRONMENTAL PTY LTD

Project HANSON QUARRY SW

ALS

General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis,

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details,

CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

^ = This result is computed from individual analyte detections at or above the level of reporting

ø = ALS is not NATA accredited for these tests.

~ = Indicates an estimated value.

• TDS by method EA-015 may bias high for sample 1 due to the presence of fine particulate matter, which may pass through the prescribed GF/C paper.

Analytical Results

Key:

Sub-Matrix: WATER (Matrix: WATER)		Clie	ent sample ID	Α	C1	C2	F		
	Cli	ent sampli	ng date / time	02-Jan-2018 09:35	02-Jan-2018 10:30	02-Jan-2018 10:35	02-Jan-2018 09:25		
Compound	CAS Number	LOR	Unit	ES1801011-001	ES1801011-002	ES1801011-003	ES1801011-004		
				Result	Result	Result	Result		
EA005: pH									
pH Value		0.01	pH Unit	6.46	6.99	6.60	5.29		
EA010P: Conductivity by PC Titrator				MEDICAL PROPERTY.			di torra una reconsecuenti esti esti pui tra commune esta esti a securi ament este espaniole e fin	artika kepitan malaksi. Ali meksik milima arkiya mimakeya arkin da kepitan da kepitan da kepitan da kepitan da	
Electrical Conductivity @ 25°C		1	μS/cm	86	99	97	104	TO COMPANIE THE PROPERTY OF A STATE OF THE PROPERTY OF THE PRO	
EA015: Total Dissolved Solids dried a	t 180 ± 5 °C							ten i de la latina de la compositorio della composi	
Total Dissolved Solids @180°C		10	mg/L	90	68	65	79		
EA025: Total Suspended Solids dried	at 104 ± 2°C						обительно-поможення решене в непоста на ченов на поста по не на продоста на поста на поста на поста на поста н Поста на поста на по	netwickerschiede Australia (Australia verbaren) en den den server e	
Suspended Solids (SS)		5	mg/L	19	18	34	10	The second secon	
EP020: Oil and Grease (O&G)								AND THE RESERVE OF THE PROPERTY OF THE PROPERT	
Oil & Grease		5	mg/L	<5	<5	<5	<5		