

SERVICE CHARGES

Area - Tasmania Effective Date - 1 January 2024

Expires - 30 June 2024*
*Subject to changes with 30 days notice

ITEM	DESCRIPTION	CHARGE
		All rates are exclusive of GST
	Monday to Friday – 6:00am to 5:00pm Saturday – 6:00am to 12:00 noon	Not applicable
as a Sunday	Mandauta Friday, 4:00an ta 0:00an	\$0.00/m ³ (min about a of \$00.00)
Outside Hours Charge Note: Rates are applied as "On site	Monday to Friday – 4:00am to 6:00am Monday to Friday – 5:00pm to 6:00pm	\$9.00/m³ (min charge of \$36.00) \$9.00/m³ (min charge of \$36.00)
times"	Monday to Friday – 6:00pm to 4:00am*	\$54.00/m³ (min charge of \$216.00)
	*including to 4:00am Saturday	ψο 4.00/11 (11111 σπαι ge στ φ2 το.00)
	Saturday – 4:00am to 6:00am	\$9.00/m³ (min charge of \$36.00)
	Saturday – 12:00noon to 4:00pm	\$36.00/m³ (min charge of \$144.00)
	Saturday – 4:00pm to Monday 4:00am	\$54.00/m³ (min charge of \$216.00)
Plant After Hours	Applies to any supply outside Normal Operating Hours.	\$4,000 per event
Service Fee	Note: In addition Outside Hours Charge will also apply.	(includes one plant, one batcher and
Note: A minimum of 48 hours notice	Minimum of 48 hours notice required for all cancellations otherwise fee will be	one truck for a period of 4 hours)
is required prior to delivery	charged regardless of supply.	Over 4 hours \$1,000/hour or part thereof
		Extra truck hire \$200/hour with a
		minimum charge of 4 hours per event
Order Cancellation	Applies when a pour less than 50m³ is cancelled after 12.00pm on the day prior to the pour.	\$1,590 per event
	Applies when a pour greater than 50m³ is cancelled after 12.00pm on the day prior to the pour	\$3,180 per event
Excess Discharge Time	Applies after first 45 minutes on site	
(Waiting Time)	- Normal Operating Hours	\$3.00/minute after 45 minutes
	- Outside normal Operating Hours	\$6.00/minute after 45 minutes
Truck Standby Fee	Applies outside Normal Operating Hours when an order does not proceed at the original booked time or when delays occur in excess of one hour (with less than 24 hour notice)	\$286.00/hour/truck on a pro rata basis after first hour
Distance Charge	Applies to loads delivered outside the nominated town area. (For details of nominated town area, contact the local plant)	\$2.00/m³/km
Minimum Load Charge	Applies to Maxi loads less than 4.0m ³	\$70.00 per undelivered m ³ (or part thereof) less than 4.0 m ³
	For loads less than 4.0m³ delivered outside nominated town area	\$2.00/m³/km
	(This charge is in addition to the Distance charge above)	·
Mini Trucks Deliveries	All loads requested to be delivered in a mini truck will be charged a Load Fee per truck load (in lieu of minimum load charge)	\$180.00 per load
Returned Product	Applies to any unused concrete returned from site. On all occasions,	
Handling Fee	customers will be given the choice of taking excess concrete on their site, or	
	have it returned to Hanson for disposal at the following costs.	
	0.1m ³ – 3.0m ³	\$510.00
	3.1m³ - 4.0m³	\$680.00
	$4.1 \text{m}^3 - 5.0 \text{m}^3$	\$850.00
	$5.1 \text{m}^3 - 6.0 \text{m}^3$	\$1,020.00
	$6.1 \text{m}^3 - 7.0 \text{m}^3$	\$1,190.00
	$7.1 \text{m}^3 - 8.0 \text{m}^3$	\$1,360.00
	8.1m³ – 9.0m³	\$1,530.00
	9.1m³ – 10.0m³	\$1,700.00
	10.1m³ – 11.0m³	\$1,870.00
	11.1m³ – 12.0m³	\$2,040.00
Slump Modification	For increased slump greater than 80mm a charge per additional 20mm applies.No deductions apply for slumps less than 80mm	\$4.00 per 20mm of slump (or part thereof)
	Easycrete - Slump 120-160mm	\$6.00/m³
Manual Additions	All manual additions made at Hanson concrete plant to be added by Hanson Staff only on top of the ordered mix recipe. Product disclaimers will apply.	POA
	Site Induction Fee	\$150/hr/person
Blowback	When pump lines are cleared into the back of a concrete truck (subject to prior approval in writing with OH&S compliance only) - Charge to include returned product handing fee	POA



SERVICE CHARGES

Area - Tasmania Effective Date - 1 January 2024

Expires - 30 June 2024*
*Subject to changes with 30 days notice

ITEM	DESCRIPTION	CHARGE
		All rates are exclusive of GST
Sure-set	Gold	\$27.00/m³
	Silver	\$11.00/m ³
	Bronze	\$7.00/m ³
Small Aggregate	7mm stone or smaller	\$24.00/m ³
	10mm	\$12.00/m ³
Plant Delay Fees	Delays to the Hanson production process due to:	Hanson reserves the right to recover
	1. Changes to the agreed starting time, or	costs up to
	2. Changes to the agreed consumption rate, or	\$17,490 per hour
	3. Holding trucks on site in excess of 60 minutes	
Quarry Opening Fee		\$26,500 per event
Administration Fee	Replacement invoices or delivery dockets	\$9.00/copy
Temperature Control	Compliance with any temperature specification is not included, however temper	ature
Concrete Testing	Refer Technical Services Charges attached or provided separately include mix of	design fee
ORDER CANCELLATION		
Quarries	Applies when an order for delivered material of 500 to 999T is cancelled after 3pm the day prior to delivery	\$2500 per event
	Applies when an order for delivered material of 1000T or more is cancelled after 3pm the day prior to delivery	\$5000 per event
	Applies when an order for delivered material is cancelled the day of confirmed	\$200 per hour per truck allocated,
	supply or delivery is deferred	minimum 4 hours charged
		greater than 2 hours by recipient
Cement Treated Crushed Rock	Applies to all Cement Treated Crushed Rock orders	\$400 per event
Quarry non receipt	Applies to returned loads due to inability of site to accept	Full delivered price + 100%

Please note: all service charges and testing charges will be applied over and above rates charged for concrete. All charges are subject to change without notice.

Product Testing

 Please note testing may be sub contracted. The ordering of testing by the customer is taken as approval to use alternative NATA approved contractors.

Imagecreteexpose® (Exposed Aggregate Concrete) and Imagecretepolish® (Polished Concrete)

- For Quality Assurance purposes, Imagecreteexpose and Imagecretepolish will be batched and sold as a 1.0m³ minimum with 0.1m³ increments.
- Pumpability of Imagecreteexpose® and Imagecretepolish® is not guaranteed and we recommend that alternate methods of placement be used (eg crane and kibble).
- Raw materials used in the Imagecreteexpose® and Imagecretepolish® range are
 products of nature and therefore subject to variation in consistency, appearance,
 quality and texture. Any samples shown in brochures or at displays are indicative
 and illustrative only of the type of finish expected.
- Displays are typically shown with a full exposure and customers must advise their concretor as to the desired finish they require (ie. Full, Medium or Light Exposure).
- No guarantee of product colour or textured finish is given or implied. Aggregates may contain natural impurities such as ironstone, which may cause rust staining.
 To reduce the impact of these variations we recommend this product be sealed.
- Minimum 72 hours notice is required prior to delivery excluding standard range.

Imagecretecolour® (Coloured Concrete)

- For Quality Assurance purposes, Imagecretecolour® or concrete containing liquid colour will be batched and sold as a 1.0m³ minimum with 0.1 m³ increments thereafter.
- Concrete containing coloured oxide will be batched and sold in 1.0 m³ increments only.
- Minimum 72 hours notice is required prior to delivery

Delivery Notice - Special Mixes

• For all special mixes not mentioned above a minimum of 72 hours notice is required prior to delivery.

Waterproof Concrete

- Hanson does not guarantee waterproofness or impermeability of concrete or any resultant structure when a specification calls for the inclusion into a mix of a permeability reducing admixture or water proof admixture treated concrete.
- Minimum 72 hours notice is required prior to delivery

Load Size Restrictions

- To comply with quality assurance certain standard products will be sold and batched with a minimum load size of 1.0m³ and quantity increments will apply.
- For certain non-standard products, and all products above 50MPa will be sold and batched with a minimum load size of 2.0m³ and quantity increments will apply.
- These load size restrictions may change periodically. For further information please contact your Hanson representative.

Shrinkage Specification

 Shrinkage specification is based on laboratory test results as per AS1012. Site testing could result in variations in test results of up to ±150 microstrain.

Contract Documents

 Hanson reserves the right to negotiate all conditions contained in any contract/ agreement documentation. Until such negotiations have taken place Hanson Terms and Conditions of Sale, which have been included with this submission, will take precedence.

Raw Material Changes

• Industry supply constraints may require any submitted mix designs to vary without notice. Changes in available quantities of Cement, Fly Ash, Sand and Aggregate may mean mix designs are modified in order to maintain supply of concrete to your project and are therefore unavoidable. Our technical team will ensure mix designs are varied using raw materials with similar physical and performance characteristics complying with relevant specification and performance standards.

Steel Fibres

- Supply and price of concrete that includes steel fibres is dependent on the availability and raw material cost at time of order placement.
- Therefore, Hanson cannot provide fixed price or guarantee of delivery for this type of concrete

Payment Terms and GST

- Cash sales payment required prior to delivery
- Credit accounts within any credit period granted in writing by Hanson
- All rates are exclusive of GST

Credit Card Payments

Hanson has the option for account customers to pay their invoices via credit card.
 This payment method will attract a surcharge of 1.0% for MasterCard and Visa and 2.04% for AMEX.



TECHNICAL SERVICES CHARGES

Area - Tasmania Effective Date - 1 January 2024

Expires - 30 June 2024*
*Subject to changes with 30 days notice

		*Subject to changes	with 30 days notice
STANDARD TESTING SERVICES	TEST	CHARGE	BILLING UNIT
Monday to Friday between 6:00 am and 4:00 pm	METHOD	All rates are	
Note: All public holidays are treated as a Sunday		exclusive of GST	
Standard Compression Test - 100mm cylinders - (minimum of 3 cylinders, includes one slump)	AS1012	\$285.00	per test
Extra Compression Test - 100mm cylinders	AS 1012.9	\$85.00	per cylinder
Extra Compression Test - 100mm cylinders (to be tested within 28 hours of sample)	AS 1012.9	\$125.00	per cylinder
Extra Slump Test (if already on site)	AS 1012.3.1	\$52.00	per slump
ADDITIONAL TESTING AND OTHER ITEMS			
Slump Flow Test	AS 1012.3.5	\$70.00	per flow
I-Ring Test	AS 1012.3.5	\$78.00	per test
T-500 Test	AS 1012.3.5	\$78.00	per test
Air Content (if already on site)	AS 1012.4.2	\$90.00	per test
Apparent Volume of Permeable Voids (AVPV)	AS 1012.21	\$350.00	per test
Chloride and sulphate test on hardened concrete - price subject to 6 monthly review	AS 1012.20	\$315.00	per test
Cube/Grout Cube cure and crush only (delivered to laboratory)	AS 1012.9	\$60.00	per cube
Drying Shrinkage (set of 3) Cast and measure	AS 1012.8.4/13	\$565.00	per test
Density of hardened concrete (Method 1)	AS 1012.12.1	\$65.00	per test
Site Establishment Fee (for testing where tester is not already on site unless listed in		\$120.00	per site
price)		•	,
STANDARD AGGREGATE TESTING SERVICES (AS 1141)			
Bulk Density of Aggregate	AS 1141.4	\$145.00	per test
Particle Density & Water Absorption	AS 1141.5/6.1	\$210.00	per test
Particle Size Distribution by sieving	AS 1141.11.1/12	\$165.00	per test
Particle Shape by Proportional Calliper (inc. PSD)	AS 1141.14	\$290.00	per test
Flakiness Index (inc. PSD)	AS 1141.15	\$290.00	per test
Average Least Dimension, exc. PSD	AS 1141.20.1/3	\$175.00	per test
Average Least Dimension, exc. PSD (Calculation)	AS 1141.20.3	\$60.00	per test
Vet Dry Strength Variation	AS 1141.22	\$470.00	per test
os Angeles Value	AS 1141.23	\$385.00	per test
Neak Particles in Coarse Aggregates	AS 1141.32	\$140.00	per test
Degradation Factor - Fine	AS 1141.25.3	\$200.00	per test
Clay & Fine Silt (settling method)	AS 1141.33	\$75.00	per test
Organic Impurities Other Than Sugar	AS 1141.34	\$75.00	per test
STANDARD SOIL TESTING SERVICES (AS 1289)			
Soil Moisture Content - Oven / Frypan drying method	AS 1289.2.1.1 / 2.1.6	\$55.00	per test
Determination of the Liquid Limit of a Soil (Four point Casagrande)	AS 1289 3.1.1	\$240.00	per test
Determination of the Liquid Limit of a Soil (One point Casagrande)	AS 1289 3.1.2	\$210.00	per test
Particle Size Distribution of a Soil or Roadbase material	AS 1289.3.6.1	\$255.00	per test
Particle Size Distribution of a Soil or Roadbase material – HIGH PI clay soils	AS 1289.3.6.1	\$270.00	per test
Sand Equivalent of a material	AS 1289.3.7.1	\$185.00	per test
Maximum Dry Density of a Soil - Standard Compaction	AS 1289.5.1.1	\$235.00	per test
Maximum Dry Density of a Soil - Modified Compaction	AS 1289.5.2.1	\$275.00	per test
California Bearing Ratio	AS 1289.6.1.1	\$295.00 Sta \$305.00 Mo	ndard per test
Preparation of Silt/Clay soils for M.D.D test		\$105.00	per test
Toparation of only sons for missis test		φ100.00	per test



TECHNICAL SERVICES CHARGES

Area - Tasmania Effective Date - 1 January 2024

Expires 30 June 2024* *Subject to changes with 30 days notice

		Subject to changes with 30 days notice		
Monday to Friday between 6:00 am and 4:00 pm	TEST	CHARGE	BILLING UNIT	
Note: All public holidays are treated as a Sunday	METHOD	All rates are		
		exclusive of GST		
NON DESTRUCTIVE TESTING CHARGES				
Concrete Maturity Sensor	ASTM C 1074	\$255.00	per senso	
Site Visit	ASTM C 1074	\$195.00	per visi	
NATA Endorsed Maturity Report	ASTM C 1074	\$60.00	per repor	
Schmidt Hammer Test and Report		\$450.00	per visit	
(Additional hourly charges may apply if more sample points are required)		•	,	
Site Investigation incl. Formal Report		\$195.00	per visit	
AFTER HOURS AND EXTRA CHARGES				
Laboratory Opening fee - Outside normal working hours (plus relevant testing charges)		\$600.00	per item	
After Hours Call Out Fee (does not include testing charges)		\$475.00	per even	
After Hours Testing Surcharge (Weekdays between 4:00 pm and 6:00 pm)		Standard Rate plus 50%		
After Hours Testing Surcharge (Saturdays between 6:00 am and 12:00 pm)		Standard Rate plus 50%		
After Hours Testing Surcharge (Weekdays between 6:00 pm and 6:00 am, Saturdays before 6:00 am or after 12:00 pm, Sunday and Public Holidays)		Standard Rate plus 100%		
Slow Testing Surcharge/Waiting time (less than 1 standard compression tests pedelays, or delays to original start time)	er hour due to site	\$130.00	per hou	
Travel Charge (if more than 25km from Laboratory location)		\$2.00	per km	
Cancellation of Testing within 1 hour of test booked - normal hours (6:00 am to	4:00 pm)	\$265.00	per even	
Re-issue / re-print of test certificates		\$35.00	per repor	
Technical Manager / Specialist Hourly Rate		\$170.00	per hou	
Test Report Upload to Client System		\$15.00	per repor	

For other test types and charges, please refer to the local Hanson Technical Service Centre for further details.

Product Testing

. Please note testing may be sub contracted. The ordering of testing by the customer is taken as approval to use alternative NATA approved contractors.