



**CBased Environmental
Pty Limited**
ABN 62 611 924 264



Calga Quarry

Environmental Monitoring

**Dust Deposition Gauges, Surface and Ground
Waters and Meteorological Station**

October 2016

Colin Davies BSc MEIA CEnvP
Environmental Scientist
Date: 25 November 2016

Executive Summary

CBased Environmental is contracted by Hanson Quarry Products to conduct environmental monitoring at the Calga Sand Quarry.

The monitoring includes;

- Dust Deposition Gauges;
- Surface Waters;
- Groundwaters; and
- Meteorological Station.

This report was prepared by CBased Environmental and includes the following;

- Dust Deposition results for October 2016;
- Surface Water quality results for October 2016;
- Ground Water quality results for October 2016; and
- Meteorological report for October 2016.

The October 2016 dust deposition results for insoluble solids were generally low and free of major contamination. All sites, on a rolling annual average basis, are currently below the Air Quality Management Plan exceedance level of 3.7g/m².month. Results were found to be representative of dust levels as determined by the Australian Standard.

Surface water samples were collected on 1 November 2016 at sites A, C1, C2 and F. Site B and D were dry or not flowing and unable to be sampled this month. The samples were collected and analysed for a monthly sampling event. Results show pH within the slightly acidic range, low Electrical Conductivity, low Total Dissolved Solids and low Total Suspended Solids. Oil and Grease was detected at site A in October 2016.

Bi-monthly groundwater monitoring is next scheduled for October 2016.

Data for October 2016 shows that rainfall recorded at the Calga Quarry was lower than the Gosford BOM mean rainfall and the Peats Ridge long term rainfall for October.

The rainfall comparison is provided below:

Calga Quarry	30.4 mm
BOM Peats Ridge*	NA
BOM Gosford*	39.8 mm
BOM Peats Ridge Long term mean for October*	85.3 mm

NA = Not Available

*Data sourced from Bureau of Meteorology (BOM) website (www.bom.gov.au).

Note: Differences in the daily rainfall readings between BOM and the Calga station may occur due to BOM stations reporting rainfall at 9am and the Calga station recording rainfall at midnight.

Sampling Program

Hanson Calga Quarry conducts environmental monitoring in accordance to Development Consent, OEH (EPA) licence and Environmental Management Plans. CBased Environmental are contracted to undertake dust deposition gauge, surface and groundwater and meteorological monitoring for the project. CBased Environmental commenced monitoring from the April 2006 monitoring period.

Dust deposition gauges are operated to the Australian Standard AS3580.10.1 "Methods for sampling and analysis of ambient air method. Determination of particulates- deposited matter- gravimetric Method". Sampling is undertaken every 30 +/- 2 days and each gauge is analysed for insoluble solids and ash residue. The results are reported as g/m².month.

Surface waters are sampled in accordance with Australian Standards AS5667.1 "Guidance on the design of sample programs, sampling techniques and the preservation and handling of samples", AS5667.6 "Water quality sampling—guidance on sampling of rivers and streams" and AS5667.4 "Water quality sampling—guidance on sampling from lakes, natural and man-made". Surface water monitoring sites include local streams and dams. Basic analysis including pH, Electrical Conductivity, Total Suspended Solids, Total Dissolved Solids and Total Oil and Grease is conducted monthly at Sites A and F (dams) and when Sites B, C and D are flowing. Additional samples are collected when daily rainfall exceeds 50mm.

Groundwaters are sampled in accordance with Australian Standards AS5667.1 "Guidance on the design of sample programs, sampling techniques and the preservation and handling of samples" and AS5667.11 "Water quality sampling—guidance on sampling of ground waters". Groundwater monitoring sites are sampled bi-monthly for depth and water quality. Groundwater monitoring loggers continuously record water levels in a selection of bores.

Meteorological monitoring is conducted at the quarry and displayed on the site computer with a real time display. Metrological parameters are measured according to Australian Standard AS3580.14 "Methods for sampling and analysis of ambient air. Meteorological monitoring for ambient air quality monitoring applications"

The weather stations have the following sensor configuration;

- Air temperature
- Humidity
- Rainfall
- Atmospheric pressure
- Evaporation
- Solar radiation
- Wind speed
- Wind direction

CBased Environmental continued to operate the monitoring equipment and utilise site collections at their existing locations.

The locations of monitoring points are provided in **Figure 1**.




Figure 1: Hanson Calga Quarry environmental monitoring locations

2.0 Monthly Results

2.1 Dust Deposition Gauges

Table 1 displays the results for October 2016 and the project 12 month rolling average. Results are in g/m².month.

Table 1: Dust Deposition results: 4 October 2016 – 1 November 2016 (31 days)

Site	Monthly Insoluble Solids g/m ² .month	Monthly Ash Residue g/m ² .month	Monthly Combustible Matter g/m ² .month	Monthly Ash Residue/ Insoluble Solids %	Rolling Annual Average Insoluble Solids g/m ² .month
CD1	1.3	1.0	0.3	77	1.1
CD2c	0.8	0.5	0.3	63	0.9
CD3	1.5	1.1	0.4	73	1.0
CD4	0.4	0.1	0.3	25	0.6
CD5	0.4	0.2	0.2	50	0.5
CD6	0.8	0.4	0.4	50	0.9


Insoluble Solids marked with an * indicate an excessively contaminated gauge. Contamination can include bird droppings, vegetation (such as plant matter, algae, pollen and seeds) and insects. Results in bold indicate insoluble solids levels above 3.7 g/m².month; the Development Consent's annual average amenity criteria at residential locations. The current rolling annual average is calculated from July 2015 to June 2016.

NA= Not Available.

CD1 was installed on the 1 May 2006. CD2a was discontinued at the start of August 2006 due to quarry operations "mining out" the site of the gauge. The replacement gauge, Site CD2b, was located in a position adjacent to the boundary between B. Kashouli and F. & J. Gazzana in conformance with the Air Quality Management Plan. CD4 was installed on 3 October 2006, to gauge air quality impacts to the south of the site operations, as were CD5 and CD6 which were installed on the 14 December 2006. CD2b was discontinued at the end of January 2010 due to contamination of the gauge by non-quarry related vehicle movements on a track adjacent to the gauge. The replacement gauge, CD2c, was located on a rehabilitated section of land between the extraction area and adjacent resident.

Dust deposition charts for all dust gauge sites appear in **Figure 2** below. The laboratory analysis is provided in **Appendix 1**.

Figure 2: Dust Deposition Charts



2.2 Surface Water Monitoring

Monthly surface water monitoring was conducted on the 1 November 2016 and results are listed in **Table 2**. The laboratory analysis sheets are provided in **Appendix 1**.

Table 2: Monthly surface water monitoring – October grab sample results

Site	Observed Flow Rate	Water Colour	Turbidity	pH	EC (µS/cm)	TDS (mg/L)	TSS (mg/L)	Oil and Grease (mg/L)
A	Dam	Clear	Clear	5.72	82	62	8	7
B	No flow							
C1	Dam	Clear	Clear	6.69	99	63	8	<5
C2	Slow	Clear	Clear	6.00	102	71	9	<5
D	Dry							
F	Dam	Clear	Clear	5.68	87	66	8	<5

Samples were collected at sites A, C1, C2 and F. Site B and D were dry or not flowing and unable to be sampled this month. The samples were collected and analysed for a monthly sampling event. Results show pH within the slightly acidic range, low Electrical Conductivity, low Total Dissolved Solids and low Total Suspended Solids. Oil and Grease was detected at site A in October 2016.

2.2.1 Non-Routine Surface Water Sampling

No non routine sampling was undertaken during October 2016.

2.3 Groundwater Monitoring

Bi-monthly groundwater monitoring is next scheduled for October 2016

2.4 Meteorological Monitoring

The Calga Quarry weather station data recovery in October 2016 was approximately 100%.

The weather station data follows and includes;

- Monthly data numerical summary;
- Weather charts of air temperature, humidity, heat index and wind chill, atmospheric pressure, solar radiation, evapotranspiration, rain, wind speed and data reception; and
- Wind rose (frequency distribution diagram of wind speed and direction).

Monthly weather statistics from the nearby Bureau of Meteorology (BOM) at Peats Ridge station are no longer available. However, the long term rainfall mean is available via a link on the Gosford BOM Daily Weather Observation page.

Data for October 2016 shows that rainfall recorded at the Calga Quarry was lower than the Gosford BOM mean rainfall and the Peats Ridge long term rainfall for October.

The rainfall comparison is provided below:

Calga Quarry	30.4 mm
BOM Peats Ridge*	NA
BOM Gosford*	39.8 mm
BOM Peats Ridge Long term mean for October*	85.3 mm

NA = Not Available




*Data sourced from Bureau of Meteorology (BOM) website (www.bom.gov.au).



2.4.1 Monthly Meteorological Data Summary

Summary Oct-16 Hanson - Calga


Date	Min Temp	Av Temp	Max Temp	Min %RH	Av %RH	Max %RH	RAIN mm	Min WS	Av WS	Max WS	Min wind chill	Max Heat index	Min Atm P	Av Atm P	Max Atm P	Min Data %	Av data %	Max Data %
1/10/2016	11.9	15.6	18.8	44.0	56.0	68.0	0.0	0.0	4.1	15.6	11.0	18.0	1003.0	1007.8	1012.4	75.7	96.1	98.0
2/10/2016	12.4	18.8	26.6	29.0	51.1	70.0	0.0	0.0	0.6	8.0	12.4	25.6	1006.7	1010.8	1014.6	96.8	97.8	98.0
3/10/2016	14.9	18.6	22.9	29.0	46.2	62.0	0.0	0.0	4.1	15.2	13.4	23.2	999.5	1002.7	1006.5	97.4	97.9	98.0
4/10/2016	12.7	17.0	22.1	34.0	45.4	69.0	0.0	0.4	4.9	14.8	11.2	20.9	1004.4	1007.5	1011.0	83.9	95.6	98.0
5/10/2016	11.0	16.1	21.7	22.0	37.9	62.0	0.0	1.3	5.1	14.3	9.1	19.7	1010.8	1015.7	1018.1	84.5	95.5	98.0
6/10/2016	12.9	19.6	27.7	20.0	38.9	55.0	0.0	0.0	1.3	8.9	12.9	26.3	1017.9	1019.5	1022.0	76.6	96.1	98.0
7/10/2016	15.6	22.1	30.1	20.0	45.4	68.0	0.0	0.0	1.3	9.8	15.7	28.5	1015.8	1019.5	1022.8	86.0	96.4	98.0
8/10/2016	14.1	18.5	23.2	40.0	60.5	80.0	0.0	0.0	1.0	8.9	14.2	22.9	1015.0	1018.5	1023.9	95.6	97.7	98.0
9/10/2016	11.7	16.6	23.2	42.0	66.7	84.0	0.0	0.0	1.2	10.3	11.7	23.1	1014.0	1020.4	1024.2	97.1	97.9	98.0
10/10/2016	14.3	22.4	32.3	28.0	52.5	81.0	0.0	0.0	3.4	16.5	14.3	32.1	1004.7	1008.9	1013.8	90.6	96.9	98.0
11/10/2016	8.9	14.1	19.8	23.0	53.5	89.0	4.2	0.0	2.6	14.8	7.6	18.0	1011.1	1014.9	1018.8	91.2	97.5	98.0
12/10/2016	7.2	14.1	22.4	30.0	56.3	76.0	0.0	0.0	0.5	6.7	7.2	21.8	1012.6	1016.1	1017.9	78.1	96.7	98.0
13/10/2016	8.6	12.6	16.4	56.0	71.0	91.0	0.2	0.0	1.4	12.1	8.6	16.2	1017.2	1022.5	1026.6	93.9	97.3	98.0
14/10/2016	6.8	13.1	20.7	45.0	68.6	89.0	0.0	0.0	0.8	6.7	6.8	19.8	1023.5	1025.3	1027.4	86.8	96.5	98.0
15/10/2016	8.5	17.1	26.4	22.0	55.7	92.0	0.0	0.0	0.6	8.0	8.6	25.6	1016.4	1020.6	1024.7	90.1	97.4	98.0
16/10/2016	14.3	21.4	28.5	28.0	43.3	60.0	0.0	0.0	1.0	9.8	14.3	28.1	1007.0	1012.4	1016.8	96.8	97.9	98.0
17/10/2016	11.5	16.5	21.9	39.0	64.4	92.0	6.2	0.0	2.1	13.4	10.9	20.9	1004.1	1008.7	1014.8	82.7	97.5	98.0
18/10/2016	9.4	16.8	24.3	30.0	54.0	82.0	0.0	0.0	1.4	10.7	9.4	23.7	1012.0	1014.4	1016.3	78.4	95.3	98.0
19/10/2016	11.3	16.2	23.1	26.0	58.7	84.0	0.0	0.0	0.7	8.9	11.3	22.4	1014.1	1018.8	1024.1	88.6	97.2	98.0
20/10/2016	11.3	16.0	21.0	54.0	73.1	89.0	0.0	0.0	2.4	11.6	11.3	20.3	1021.1	1023.0	1025.3	93.0	97.3	98.0
21/10/2016	11.1	19.3	27.5	40.0	72.4	96.0	2.6	0.0	0.8	13.4	11.2	27.4	1011.6	1016.4	1021.8	83.6	96.9	98.0
22/10/2016	10.8	15.6	18.1	47.0	83.0	96.0	7.8	0.0	0.7	11.2	10.2	18.6	1008.0	1011.8	1016.7	94.7	97.6	98.0
23/10/2016	8.6	12.5	17.6	42.0	63.4	85.0	0.0	0.0	1.5	10.7	7.1	16.9	1015.8	1018.9	1021.2	96.8	97.7	98.0
24/10/2016	7.4	13.3	20.5	37.0	70.1	92.0	0.0	0.0	0.7	8.0	7.4	19.3	1016.9	1019.3	1020.9	83.0	97.0	98.0
25/10/2016	9.0	17.4	27.6	23.0	64.8	93.0	0.0	0.0	0.7	9.8	9.0	26.3	1013.8	1017.6	1020.2	57.9	93.0	98.0
26/10/2016	14.7	21.7	29.6	24.0	43.5	64.0	0.0	0.0	0.6	9.4	14.8	28.2	1012.8	1015.3	1017.9	82.5	96.4	98.0
27/10/2016	13.6	18.7	22.7	40.0	69.4	95.0	5.2	0.0	0.9	8.5	13.6	23.3	1012.3	1016.5	1021.3	82.5	95.8	98.0
28/10/2016	12.7	15.3	19.2	66.0	88.6	97.0	1.6	0.0	0.3	4.5	12.8	19.4	1018.8	1020.3	1022.4	81.9	95.2	98.0
29/10/2016	14.8	18.5	24.2	63.0	87.8	98.0	1.2	0.0	1.6	9.4	14.9	25.1	1017.3	1018.9	1021.3	94.2	97.7	98.0
30/10/2016	16.1	21.0	27.1	54.0	79.1	97.0	1.2	0.0	1.0	10.7	16.1	27.9	1006.4	1011.5	1017.3	97.1	97.9	98.0
31/10/2016	11.9	18.2	21.2	34.0	56.7	84.0	0.2	0.0	1.1	9.4	12.0	20.9	1005.3	1010.9	1016.1	90.6	97.4	98.0
Monthly	6.8	17.3	32.3	20	61	98	30.4	0	1.6	16.5	6.8	32.1	999.5	1015.7	1027.4	57.9	96.8	98

2.4.2 Monthly Weather Charts






Hanson Calga Quarry - October 2016
Rainfall




Hanson Calga Quarry - October 2016
Data Reception



2.4.3 Monthly Windrose Plot

Frequency plot of the average wind speed and average direction over each 15 minute sampling period. Wind is considered to be calm when at less than a 15 minute average of 1m/s.

00:15, 1 October 2016 – 23:45, 31 October 2016



The predominant winds were from the W, with most frequent, strongest winds from the W and WSW. The maximum wind speed was 16.5 m/s from the W.

Appendix 1

Field Sheets

Chain of Custody

Laboratory Certificates

DEPOSITIONAL DUST MONITORING

Client: Rocla Calga Quarry

Date Installed: 4.10.16

Collection Start Time: 12-05

Sampled By: Jim Ellis

Date Collected: 1.11.16

Collection Stop Time: 1.05

Sampling ID:

[illegible]

Turbidity: C=Clear, S= Slight, T=Turbid (CIRCLE)

Colour: C=Clear, O=Orange, Bn=Brown, Gn=Green, Gy = Grey (CIRCLE)

Report broken funnels and replacement diameters

Signed:

CHAIN OF CUSTODY DOCUMENTATION										Australian Laboratory Services Pty Ltd														
CLIENT: Carbon Based Environmental Pty Ltd					LABORATORY BATCH NO.:																			
POSTAL ADDRESS: 47 Boomerang St CESSNOCK NSW 2325					SAMPLERS: Carbon Based Environmental Pty Ltd																			
SEND REPORT TO: monitoringresults@cbased.com.au					SEND INVOICE TO: cbased@bigpond.com, renae.mikka@cbased.com.au					PHONE: 0265713334 FAX: 0249904442 E-MAIL: monitoringresults@cbased.com.au														
DATA NEEDED BY: 7 working days					REPORT NEEDED BY: 7 working days					REPORT FORMAT: HARD: Yes FAX: DISK: BULLETIN BOARD: E-MAIL: Yes														
PROJECT ID: Rocla Calga Dusts					QUOTE NO.: SY/269/10					QC LEVEL: QCS1: QCS2: QCS3: Yes QCS4:														
P.O. NO.:					COMMENTS/SPECIAL HANDLING/STORAGE OR DIPOSAL:					ANALYSIS REQUIRED														
FOR LAB USE ONLY COOLER SEAL Yes No Broken Intact COOLER TEMP: deg.C					Total unless specified					Insoluble Solids														
										Ash Residue														
										Combustible Matter														
										NOTES														
SAMPLE DATA					CONTAINER DATA																			
SAMPLE ID		MATRIX	DATE ON	DATE OFF	TYPE & PRESERVATIVE		NO.																	
CD1		Dust	4-10-16	1-11-16				x	x	x														
CD2c		Dust	1	1				x	x	x														
CD3		Dust	1	1				x	x	x														
CD4		Dust	1	1				x	x	x														
CD5		Dust	1	1				x	x	x														
CD6		Dust	1	1				x	x	x														
RELINQUISHED BY:					RECEIVED BY					METHOD OF SHIPMENT														
NAME : Colin Davies					DATE: 1-11-16					NAME: [Signature]					DATE: 1/11/16					CONSIGNMENT NOTE NO.				
OF: Carbon Based Environmental					TIME: 2-05					OF: [Signature]					TIME: 14:05									
NAME :					DATE:					NAME :					DATE:					TRANSPORT CO. NAME.				
OF:					TIME:					OF:					TIME:									
*Container Type and Preservative Codes: P = Neutral Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Acid Preserved Vial; VS = Sulfuric Acid Preserved Vial; BS = Sulfuric Acid Preserved Glass Bottle; Z = Zinc Acetate Preserved Bottle; E = EDTA Preserved Bottles; ST = Sterile Bottle; O = Other.																								
Environmental Division																								

Environmental Division
Newcastle
Work Order Reference
EN1604039



Telephone · + 61 2 4014 2500

CERTIFICATE OF ANALYSIS

Work Order : **EN1604039**
Client : **CBASED ENVIRONMENTAL PTY LTD**
Contact : **MR COLIN DAVIES (cbased)**
Address : **47 BOOMERANG ST**
CESSNOCK NSW, AUSTRALIA 2325
Telephone : **+61 49904443**
Project : **---**
Order number : **---**
C-O-C number : **---**
Sampler : **---**
Site : **---**
Quote number : **---**
No. of samples received : **6**
No. of samples analysed : **6**

Page : **1 of 4**
Laboratory : **Environmental Division Newcastle**
Contact : **---**
Address : **5/585 Maitland Road Mayfield West NSW Australia 2304**
Telephone : **+61 2 4014 2500**
Date Samples Received : **01-Nov-2016 14:05**
Date Analysis Commenced : **02-Nov-2016**
Issue Date : **09-Nov-2016 16:32**



Accreditation No. 825
 Accredited for compliance with
 ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories

Position

Accreditation Category

Dianne Blane

Laboratory Coordinator (2IC)

Newcastle - Inorganics, Mayfield West, NSW



General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

^ = This result is computed from individual analyte detections at or above the level of reporting

Ø = ALS is not NATA accredited for these tests.

~ = Indicates an estimated value.

- Analysis as per AS3580.10.1-2003. Samples passed through a 1mm sieve prior to analysis. NATA accreditation does not apply for results reported in g/m².mth as sampling data was provided by the client.



Analytical Results

Sub-Matrix: DEPOSITIONAL DUST
(Matrix: AIR)

Client sample ID

				CD1 04/10/16 - 01/11/16	CD2c 04/10/16 - 01/11/16	CD3 04/10/16 - 01/11/16	CD4 04/10/16 - 01/11/16	CD5 04/10/16 - 01/11/16
Client sampling date / time				[01-Nov-2016]	[01-Nov-2016]	[01-Nov-2016]	[01-Nov-2016]	[01-Nov-2016]
Compound	CAS Number	LOR	Unit	EN1604039-001	EN1604039-002	EN1604039-003	EN1604039-004	EN1604039-005
				Result	Result	Result	Result	Result
EA120: Ash Content								
Ash Content	----	0.1	g/m ² .month	1.0	0.5	1.1	0.1	0.2
Ash Content (mg)	----	1	mg	17	9	18	2	3
EA125: Combustible Matter								
Combustible Matter	----	0.1	g/m ² .month	0.3	0.3	0.4	0.3	0.2
Combustible Matter (mg)	----	1	mg	4	4	7	4	3
EA141: Total Insoluble Matter								
Total Insoluble Matter	----	0.1	g/m ² .month	1.3	0.8	1.5	0.4	0.4
Total Insoluble Matter (mg)	----	1	mg	21	13	25	6	6



Analytical Results

Sub-Matrix: **DEPOSITIONAL DUST**
 (Matrix: **AIR**)

Client sample ID

				CD6	----	----	----	----
				04/10/16 - 01/11/16	----	----	----	----
				[01-Nov-2016]	----	----	----	----
				EN1604039-006	-----	-----	-----	-----
				Result	---	---	---	---
EA120: Ash Content								
Ash Content	----	0.1	g/m ² .month	0.4	----	----	----	----
Ash Content (mg)	----	1	mg	7	----	----	----	----
EA125: Combustible Matter								
Combustible Matter	----	0.1	g/m ² .month	0.4	----	----	----	----
Combustible Matter (mg)	----	1	mg	7	----	----	----	----
EA141: Total Insoluble Matter								
Total Insoluble Matter	----	0.1	g/m ² .month	0.8	----	----	----	----
Total Insoluble Matter (mg)	----	1	mg	14	----	----	----	----



Date: 1.11.16

Todays Collection	
Time Start:	11.10
Time Finish:	1.00

Client :
Project :

Rocla Calga

SURFACE WATERS

Site	Flow Rate	Odour	Sampling Time	Bottles	Water Turbidity	Water Colour	Comments
A	dam	No	11.20	1x 250ml GP, 1x 500mL GP, 1x PG	0ST	0LO0BG	
B	North Bulgaing	No	11.58	1x 250ml GP, 1x 500mL GP, 1x PG	CST	CLO0BG	Not Flowing.
C1	dam	No	1.00	1x 250ml GP, 1x 500mL GP, 1x PG	0ST	0LO0BG	
C2	steady	No	12.50	1x 250ml GP, 1x 500mL GP, 1x PG	0ST	0LO0BG	
D	DRY			1x 250ml GP, 1x 500mL GP, 1x PG	CST	CLO0BG	dry
F	dam	No	11.10	1x 250ml GP, 1x 500mL GP, 1x PG	0ST	0LO0BG	
					CST	CLO0BG	
					CST	CLO0BG	
					CST	CLO0BG	
					CST	CLO0BG	
					CST	CLO0BG	

Turbidity: C=Clear, S= Slight, T=Turbid (CIRCLE)

Colour: C=Clear, LO=Light Orange, O=Orange, B=Brown, G=Green (CIRCLE)

Signed: LijSampled by: Leesa + Jill

CERTIFICATE OF ANALYSIS

Work Order	: ES1624685	Page	: 1 of 2
Client	: CBASED ENVIRONMENTAL PTY LTD	Laboratory	: Environmental Division Sydney
Contact	: MR COLIN DAVIES (cbased)	Contact	: Customer Services ES
Address	: 47 BOOMERANG ST CESSNOCK NSW, AUSTRALIA 2325	Address	: 277-289 Woodpark Road Smithfield NSW Australia 2164
Telephone	: +61 49904443	Telephone	: +61-2-8784 8555
Project	: ROCLA QUARRY	Date Samples Received	: 01-Nov-2016 14:07
Order number	: ---	Date Analysis Commenced	: 01-Nov-2016
C-O-C number	: ---	Issue Date	: 08-Nov-2016 10:49
Sampler	: CARBON BASED ENVIRONMENTAL PTY LTD		
Site	: ---		
Quote number	: ---		
No. of samples received	: 4		
No. of samples analysed	: 4		



Accreditation No. 825
Accredited for compliance with
ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Ankit Joshi	Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Ashesh Patel	Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Neil Martin	Team Leader - Chemistry	Chemistry, Newcastle West, NSW



General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

^ = This result is computed from individual analyte detections at or above the level of reporting

ø = ALS is not NATA accredited for these tests.

~ = Indicates an estimated value.

Analytical Results

Sub-Matrix: **WATER**
 (Matrix: **WATER**)

Client sample ID

				A	C1	C2	F	---
Client sampling date / time				01-Nov-2016 11:20	01-Nov-2016 13:00	01-Nov-2016 12:50	01-Nov-2016 11:10	---
Compound	CAS Number	LOR	Unit	ES1624685-001	ES1624685-002	ES1624685-003	ES1624685-004	-----
				Result	Result	Result	Result	---
EA005: pH								
pH Value	---	0.01	pH Unit	5.72	6.69	6.00	5.68	---
EA010P: Conductivity by PC Titrator								
Electrical Conductivity @ 25°C	---	1	µS/cm	82	99	102	87	---
EA015: Total Dissolved Solids dried at 180 ± 5 °C								
Total Dissolved Solids @180°C	---	10	mg/L	62	63	71	66	---
EA025: Total Suspended Solids dried at 104 ± 2°C								
Suspended Solids (SS)	---	5	mg/L	8	8	<5	8	---
EP020: Oil and Grease (O&G)								
Oil & Grease	---	5	mg/L	7	<5	9	<5	---