

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 3	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 5	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 5	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 5	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 5 Total water discharged for January 2017 NIL ML	
Jan-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Insoluble Solids (gms/sqm/mth)	1.4	No of days 29 Calculated rain 68mm	
Jan-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Ash (gms/sqm/mth)	1		
Jan-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Combustable Material	0.4		
Jan-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Insoluble Solids (gms/sqm/mth)	1.4	No of days 29 Calculated rain 49mm	
Jan-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Ash (gms/sqm/mth)	0.8		
Jan-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Combustable Material	0.6		
Jan-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Insoluble Solids (gms/sqm/mth)	2.9	No of days 29 Calculated rain 57mm	
Jan-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Ash (gms/sqm/mth)	2.2		
Jan-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Combustable Material	0.7		
Feb-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Feb-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Feb-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Feb-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Feb-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Feb-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Feb-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Feb-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Feb-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
Feb-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Feb-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Feb-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 3	
Feb-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Feb-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Feb-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Feb-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4 Total water discharged for February 2017 NIL ML	
Feb-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Insoluble Solids (gms/sqm/mth)	1.5	No of days 29 Calculated rain 115mm	
Feb-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Ash (gms/sqm/mth)	0.9		
Feb-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Combustable Material	0.6		
Feb-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Insoluble Solids (gms/sqm/mth)	2.9	No of days 29 Calculated rain 116mm	
Feb-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Ash (gms/sqm/mth)	2.2		

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
Feb-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Combustable Material	0.7		
Feb-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Insoluble Solids (gms/sqm/mth)	2.5	No of days 29 Calculated rain 116mm	
Feb-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Ash (gms/sqm/mth)	1.9		
Feb-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Combustable Material	0.6		
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 3	Storm event, Rain heavy at times
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.6	WK 3	
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	5	WK 3	
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	6.8	WK 3	
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 4	Ongoing rain
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.8	WK 4	
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	13	WK 4	
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	29	WK 4	
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 5	Ongoing rain
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7	WK 5	
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	16	WK 5	
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	32	WK 5 Total water discharged for March 2017 4.36 ML	
Mar-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Insoluble Solids (gms/sqm/mth)	0.7	No of days 32 Calculated rain 115mm	
Mar-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Ash (gms/sqm/mth)	0.3		
Mar-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Combustable Material	0.4		
Mar-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Insoluble Solids (gms/sqm/mth)	4.9	No of days 32 Calculated rain 116mm	
Mar-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Ash (gms/sqm/mth)	4		
Mar-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Combustable Material	0.9		
Mar-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Insoluble Solids (gms/sqm/mth)	0.8	No of days 32 Calculated rain 116mm	
Mar-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Ash (gms/sqm/mth)	0.4		
Mar-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Combustable Material	0.4		
Apr-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 1	
Apr-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.1	WK 1	
Apr-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	15	WK 1	
Apr-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	25	WK 1	
Apr-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 2	
Apr-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.2	WK 2	
Apr-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	14	WK 2	
Apr-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	26	WK 2	
Apr-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
Apr-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Apr-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Apr-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 3	
Apr-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 4	
Apr-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.5	WK 4	
Apr-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	17	WK 4	
Apr-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	25	WK 4 Total water discharged for April 2017 3.03 ML	

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
Apr-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Insoluble Solids (gms/sqm/mth)	0.5	No of days 28 Calculated rain 79mm	
Apr-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Ash (gms/sqm/mth)	0.2		
Apr-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Combustable Material	0.3		
Apr-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Insoluble Solids (gms/sqm/mth)	1.4	No of days 28 Calculated rain 90mm	
Apr-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Ash (gms/sqm/mth)	1		
Apr-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Combustable Material	0.4		
Apr-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Insoluble Solids (gms/sqm/mth)	0.6	No of days 28 Calculated rain 87mm	
Apr-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Ash (gms/sqm/mth)	0.4		
Apr-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Combustable Material	0.2		
May-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 1	
May-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.4	WK 1	
May-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	5	WK 1	
May-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	5	WK 1	
May-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
May-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
May-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
May-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
May-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
May-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
May-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
May-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 3	
May-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
May-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
May-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
May-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4	
May-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 5	
May-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.1	WK 5	
May-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	4	WK 5	
May-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	7.6	WK 5 Total water discharged for May 2017 1.21 ML	
May-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Insoluble Solids (gms/sqm/mth)	0.5	No of days 28 Calculated rain 25mm	
May-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Ash (gms/sqm/mth)	0.3		
May-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Combustable Material	0.2		
May-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Insoluble Solids (gms/sqm/mth)	2	No of days 28 Calculated rain 25mm	
May-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Ash (gms/sqm/mth)	1.5		
May-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Combustable Material	0.5		
May-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Insoluble Solids (gms/sqm/mth)	1.2	No of days 28 Calculated rain 21mm	
May-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Ash (gms/sqm/mth)	0.8		
May-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Combustable Material	0.4		
Jun-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 1	
Jun-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.3	WK 1	
Jun-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	19	WK 1	
Jun-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	30	WK 1	
Jun-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Jun-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Jun-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Jun-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Jun-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 3	
Jun-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7	WK 3	
Jun-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	10	WK 3	

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
Jun-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	16	WK 3	
Jun-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 4	
Jun-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7	WK 4	
Jun-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	8.1	WK 4	
Jun-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	6.9	WK 4 Total water discharged for June 2017 2.62 ML	
Jun-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Insoluble Solids (gms/sqm/mth)	1.5	No of days 28, Calculated rain 115 mm	
Jun-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Ash (gms/sqm/mth)	0.2		
Jun-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Combustable Material	1.3		
Jun-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Insoluble Solids (gms/sqm/mth)	1	No of days 28, Calculated rain 115 mm	
Jun-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Ash (gms/sqm/mth)	0.8		
Jun-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Combustable Material	0.2		
Jun-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Insoluble Solids (gms/sqm/mth)	4.9	No of days 28, Calculated rain 111 mm	
Jun-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Ash (gms/sqm/mth)	4.2	Neighbour excavating dirt, building dam across the road from D3, NW winds blowing.	
Jun-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Combustable Material	0.7		
Jul-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Jul-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Jul-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Jul-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Jul-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Jul-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Jul-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Jul-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Jul-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
Jul-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Jul-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Jul-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 3	
Jul-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Jul-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Jul-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Jul-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4 Total water discharged for July 2017 0 ML	
Jul-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Insoluble Solids (gms/sqm/mth)	0.6	No of days 28, Calculated rain <1mm	
Jul-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Ash (gms/sqm/mth)	0.3		
Jul-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Combustable Material	0.3		
Jul-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Insoluble Solids (gms/sqm/mth)	2	No of days 28, Calculated rain 9mm	
Jul-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Ash (gms/sqm/mth)	1.5		
Jul-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Combustable Material	0.5		
Jul-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Insoluble Solids (gms/sqm/mth)	0.5	No of days 28, Calculated rain 2mm	
Jul-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Ash (gms/sqm/mth)	<0.1		
Jul-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Combustable Material	0.5		
Aug-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Aug-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Aug-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Aug-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Aug-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Aug-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Aug-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Aug-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Aug-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 3	
Aug-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.9	WK 3	

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
Aug-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	1	WK 3	
Aug-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	1.4	WK 3	
Aug-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 4	
Aug-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7	WK 4	
Aug-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	5	WK 4	
Aug-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	4.6	WK 4 Total water discharged for August 2017 17.30 ML	
Aug-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Insoluble Solids (gms/sqm/mth)	1.5	No of days 28, Calculated rain 10mm	
Aug-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Ash (gms/sqm/mth)	1.0		
Aug-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Combustable Material	0.5		
Aug-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Insoluble Solids (gms/sqm/mth)	5.4	No of days 28, Calculated rain 13mm	
Aug-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Ash (gms/sqm/mth)	5.0		
Aug-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Combustable Material	0.4		
Aug-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Insoluble Solids (gms/sqm/mth)	4.1	No of days 28, Calculated rain 9mm	
Aug-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Ash (gms/sqm/mth)	3.2		
Aug-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Combustable Material	0.9		
Sep-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Sep-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Sep-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Sep-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Sep-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Sep-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Sep-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Sep-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Sep-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 3	
Sep-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	8	WK 3	
Sep-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	1	WK 3	
Sep-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	1	WK 3	
Sep-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Sep-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Sep-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Sep-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4 Total water discharged for September 2017 13.22 ML	
Sep-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Insoluble Solids (gms/sqm/mth)	0.8	No of days 28, Calculated rain 3mm	
Sep-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Ash (gms/sqm/mth)	0.7		
Sep-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Combustable Material	0.1		
Sep-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Insoluble Solids (gms/sqm/mth)	2.7	No of days 28, Calculated rain 5mm	
Sep-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Ash (gms/sqm/mth)	2.5		
Sep-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Combustable Material	0.3		
Sep-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Insoluble Solids (gms/sqm/mth)	0.9	No of days 28, Calculated rain 1mm	
Sep-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Ash (gms/sqm/mth)	0.8		
Sep-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Combustable Material	0.1		
Oct-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Oct-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Oct-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Oct-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Oct-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Oct-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Oct-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Oct-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Oct-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
Oct-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Oct-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Oct-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 3	
Oct-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Oct-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Oct-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Oct-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4 Total water discharged for October 2017 0 ML	
Oct-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Insoluble Solids (gms/sqm/mth)	1.4	No of days 28, Calculated rain 40mm	
Oct-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Ash (gms/sqm/mth)	0.9		
Oct-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Combustable Material	0.5		
Oct-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Insoluble Solids (gms/sqm/mth)	3.1	No of days 28, Calculated rain 34mm	
Oct-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Ash (gms/sqm/mth)	2.7		
Oct-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Combustable Material	0.4		
Oct-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Insoluble Solids (gms/sqm/mth)	5.3	No of days 28, Calculated rain 31mm	
Oct-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Ash (gms/sqm/mth)	4.8		
Oct-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Combustable Material	0.5		
Nov-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Nov-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Nov-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Nov-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Nov-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Nov-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Nov-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Nov-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Nov-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
Nov-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Nov-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Nov-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 3	
Nov-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Nov-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Nov-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Nov-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4 Total water discharged for November 2017 0 ML	
Nov-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Insoluble Solids (gms/sqm/mth)	4	No of days 28, Calculated rain 115mm	
Nov-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Ash (gms/sqm/mth)	3		
Nov-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Combustable Material	1		
Nov-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Insoluble Solids (gms/sqm/mth)	1.6	No of days 28, Calculated rain 112mm	
Nov-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Ash (gms/sqm/mth)	1.2		
Nov-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Combustable Material	0.4		
Nov-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Insoluble Solids (gms/sqm/mth)	4.2	No of days 28, Calculated rain 100mm	
Nov-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Ash (gms/sqm/mth)	3.7		
Nov-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Combustable Material	0.5		
Dec-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Dec-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Dec-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Dec-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Dec-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Dec-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Dec-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Dec-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
Dec-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
Dec-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Dec-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Dec-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 3	
Dec-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Dec-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Dec-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Dec-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4 Total water discharged for December 2017 0 ML	
Dec-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Insoluble Solids (gms/sqm/mth)	1.7	No of days 28, Calculated rain 53 mm	
Dec-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Ash (gms/sqm/mth)	0.8		
Dec-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Combustable Material	0.9		
Dec-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Insoluble Solids (gms/sqm/mth)	1.8	No of days 28, Calculated rain 50 mm	
Dec-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Ash (gms/sqm/mth)	1.3		
Dec-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Combustable Material	0.5		
Dec-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Insoluble Solids (gms/sqm/mth)	0.8	No of days 28, Calculated rain 33 mm	
Dec-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Ash (gms/sqm/mth)	0.4		
Dec-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Combustable Material	0.4		