

HANSON EPA LICENSE CONDITIONS - PUBLIC MONITORING REGISTER

Date	Licence No & Site Name	Monitoring	Test Type	Result	Comment	EPA contact
Aug-13	3751 Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 1 Lab result	
Aug-13	3751 Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.2	WK 1 Lab result	
Aug-13	3751 Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	<5	WK 1 Lab result	
Aug-13	3751 Central Coast Sands	Point 2	B2 Water - Turbidity	9	WK 1	
Aug-13	3751 Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Aug-13	3751 Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Aug-13	3751 Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Aug-13	3751 Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
Aug-13	3751 Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Aug-13	3751 Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Aug-13	3751 Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Aug-13	3751 Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Aug-13	3751 Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Aug-13	3751 Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 5	
Aug-13	3751 Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 5	
Aug-13	3751 Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 5	
Sep-13	3751 Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Sep-13	3751 Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	

Sep-13	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Sep-13	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 2	
Sep-13	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	7.1	WK 2	
Sep-13	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	<5	WK 2	
Sep-13	3751 Sands	Central Coast	Point 2	B2 Water - Turbidity	9	WK 2	
Sep-13	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 3	
Sep-13	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	6.7	WK 3	
Sep-13	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	<5	WK 3	
Sep-13	3751 Sands	Central Coast	Point 2	B2 Water - Turbidity	6	WK 3	
Sep-13	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Sep-13	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Sep-13	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Oct-13	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Oct-13	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Oct-13	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Oct-13	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Oct-13	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Oct-13	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Oct-13	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
Oct-13	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Oct-13	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Oct-13	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Oct-13	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Oct-13	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	

Oct-13	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 5	
Oct-13	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 5	
Oct-13	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 5	
Nov-13	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Nov-13	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Nov-13	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Nov-13	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Nov-13	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Nov-13	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Nov-13	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 3	
Nov-13	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	7.01	WK 3	
Nov-13	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	21	WK 3	
Nov-13	3751 Sands	Central Coast	Point 2	B2 Water - Turbidity	22	WK 3	
Nov-13	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Nov-13	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Nov-13	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Dec-13	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Dec-13	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Dec-13	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Dec-13	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Dec-13	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Dec-13	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Dec-13	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
Dec-13	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	

Dec-13	3751 Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Dec-13	3751 Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Dec-13	3751 Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Dec-13	3751 Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Jan-14	3751 Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Jan-14	3751 Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Jan-14	3751 Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Jan-14	3751 Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Jan-14	3751 Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Jan-14	3751 Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Jan-14	3751 Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
Jan-14	3751 Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Jan-14	3751 Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Jan-14	3751 Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Jan-14	3751 Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Jan-14	3751 Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Jan-14	3751 Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 5	
Jan-14	3751 Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 5	
Jan-14	3751 Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 5	
Feb-14	3751 Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Feb-14	3751 Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Feb-14	3751 Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Feb-14	3751 Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Feb-14	3751 Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	

Feb-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Feb-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
Feb-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Feb-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Feb-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Feb-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Feb-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Mar-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 1	
Mar-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	8.7	WK 1	
Mar-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	7	WK 1	
Mar-14	3751 Sands	Central Coast	Point 2	B2 Water - Turbidity	15	WK 1	
Mar-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 2	
Mar-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	8.6	WK 2	
Mar-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	8	WK 2	
Mar-14	3751 Sands	Central Coast	Point 2	B2 Water - Turbidity	13	WK 2	
Mar-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
Mar-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Mar-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Mar-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Mar-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Mar-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Apr-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 1	
Apr-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	7.57	WK 1	
Apr-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	10	WK 1	

Apr-14	3751 Sands	Central Coast	Point 2	B2 Water - Turbidity	12	WK 1	
Apr-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 2	
Apr-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	6.31	WK 2	
Apr-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	8	WK 2	
Apr-14	3751 Sands	Central Coast	Point 2	B2 Water - Turbidity	17	WK 2	
Apr-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 3	
Apr-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	6.68	WK 3	
Apr-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	<5	WK 3	
Apr-14	3751 Sands	Central Coast	Point 2	B2 Water - Turbidity	13	WK 3	
Apr-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 4	
Apr-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	7.29	WK 4	
Apr-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	<5	WK 4	
Apr-14	3751 Sands	Central Coast	Point 2	B2 Water - Turbidity	9	WK 4	
Apr-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 5	
Apr-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	6.41	WK 5	
Apr-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	5	WK 5	
Apr-14	3751 Sands	Central Coast	Point 2	B2 Water - Turbidity	9	WK 5	
May-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 1	
May-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	6.4	WK 1	
May-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	5	WK 1	
May-14	3751 Sands	Central Coast	Point 2	B2 Water - Turbidity	10	WK 1	
May-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 2	
May-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	6.5	WK 2	
May-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	14	WK 2	

May-14	3751 Sands	Central Coast	Point 2	B2 Water - Turbidity	19	WK 2	
May-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
May-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
May-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
May-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
May-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
May-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Jun-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 1	
Jun-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	6.53	WK 1	
Jun-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	<5	WK 1	
Jun-14	3751 Sands	Central Coast	Point 2	B2 Water - Turbidity	5	WK 1	
Jun-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 2	
Jun-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	7.66	WK 2	
Jun-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	6	WK 2	
Jun-14	3751 Sands	Central Coast	Point 2	B2 Water - Turbidity	10	WK 2	
Jun-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
Jun-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Jun-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Jun-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 4	
Jun-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	6.03	WK 4	
Jun-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	8	WK 4	
Jun-14	3751 Sands	Central Coast	Point 2	B2 Water - Turbidity	10	WK 4	
Jul-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Jul-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	

Jul-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Jul-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Jul-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Jul-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Jul-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
Jul-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Jul-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Jul-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Jul-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Jul-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Jul-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 5	
Jul-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 5	
Jul-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 5	
Aug-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Aug-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Aug-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Aug-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Aug-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Aug-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Aug-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
Aug-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Aug-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Aug-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 4	
Aug-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	9.18	WK 4	

Aug-14	3751 Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	17	WK 4	
Aug-14	3751 Central Coast Sands	Point 2	B2 Water - Turbidity	19	WK 4	
Sep-14	3751 Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 1	
Sep-14	3751 Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	8.35	WK 1	
Sep-14	3751 Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	29	WK 1	
Sep-14	3751 Central Coast Sands	Point 2	B2 Water - Turbidity	27	WK 1	
Sep-14	3751 Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 2	
Sep-14	3751 Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	8.07	WK 2	
Sep-14	3751 Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	14	WK 2	
Sep-14	3751 Central Coast Sands	Point 2	B2 Water - Turbidity	19	WK 2	
Sep-14	3751 Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 3	
Sep-14	3751 Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	8.74	WK 3	
Sep-14	3751 Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	10	WK 3	
Sep-14	3751 Central Coast Sands	Point 2	B2 Water - Turbidity	13	WK 3	
Sep-14	3751 Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 3	
Sep-14	3751 Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	8.52	WK 3	
Sep-14	3751 Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	17	WK 3	
Sep-14	3751 Central Coast Sands	Point 2	B2 Water - Turbidity	19	WK 3	
Sep-14	3751 Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 3	
Sep-14	3751 Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.17	WK 3	
Sep-14	3751 Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	10	WK 3	
Sep-14	3751 Central Coast Sands	Point 2	B2 Water - Turbidity	14	WK 3	
Sep-14	3751 Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 4	
Sep-14	3751 Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.92	WK 4	

Sep-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	7	WK 4	
Sep-14	3751 Sands	Central Coast	Point 2	B2 Water - Turbidity	10	WK 4	
Sep-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 4	
Sep-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	7.98	WK 4	
Sep-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	6	WK 4	
Sep-14	3751 Sands	Central Coast	Point 2	B2 Water - Turbidity	9	WK 4	
Sep-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 4	
Sep-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	7.45	WK 4	
Sep-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	8	WK 4	
Sep-14	3751 Sands	Central Coast	Point 2	B2 Water - Turbidity	9	WK 4	
Sep-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 4	
Sep-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	6.46	WK 4	
Sep-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	6	WK 4	
Sep-14	3751 Sands	Central Coast	Point 2	B2 Water - Turbidity	9	WK 4	
Sep-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 4	
Sep-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	6.35	WK 4	
Sep-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	5	WK 4	
Sep-14	3751 Sands	Central Coast	Point 2	B2 Water - Turbidity	9	WK 4	
Sep-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 4	
Sep-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	6.42	WK 4	
Sep-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	6	WK 4	
Sep-14	3751 Sands	Central Coast	Point 2	B2 Water - Turbidity	<9	WK 4	
Oct-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Oct-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	

Oct-14	3751 Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Oct-14	3751 Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Oct-14	3751 Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 2	
Oct-14	3751 Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.28	WK 2	
Oct-14	3751 Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	5	WK 2	
Oct-14	3751 Central Coast Sands	Point 2	B2 Water - Turbidity	<9	WK 2	
Oct-14	3751 Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
Oct-14	3751 Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Oct-14	3751 Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Oct-14	3751 Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 3	
Oct-14	3751 Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Oct-14	3751 Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Oct-14	3751 Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Oct-14	3751 Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4	
Nov-14	3751 Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Nov-14	3751 Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Nov-14	3751 Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Nov-14	3751 Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Nov-14	3751 Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Nov-14	3751 Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Nov-14	3751 Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Nov-14	3751 Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Nov-14	3751 Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 3	
Nov-14	3751 Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.45	WK 3	

Nov-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	5	WK 3	
Nov-14	3751 Sands	Central Coast	Point 2	B2 Water - Turbidity	<9	WK 3	
Nov-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Nov-14	3751 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Nov-14	3751 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Nov-14	3751 Sands	Central Coast	Point 2	B2 Water - Turbidity	No discharge	WK 4	
Dec-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 1	
Dec-14	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	7.08	WK 1	
Dec-14	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	14	WK 1	
Dec-14	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	13	WK 1	
Dec-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 1	
Dec-14	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	7.07	WK 1	
Dec-14	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	8	WK 1	
Dec-14	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	15	WK 1	
Dec-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 1	
Dec-14	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	8	WK 1	
Dec-14	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	8	WK 1	
Dec-14	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	15	WK 1	
Dec-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 2	
Dec-14	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	8.54	WK 2	
Dec-14	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	9	WK 2	
Dec-14	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	13	WK 2	
Dec-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 2	
Dec-14	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	7.09	WK 2	

Dec-14	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	24	WK 2	
Dec-14	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	19	WK 2	
Dec-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 2	
Dec-14	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	6.93	WK 2	
Dec-14	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	30	WK 2	
Dec-14	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	17	WK 2	
Dec-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
Dec-14	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Dec-14	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Dec-14	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	No discharge	WK 3	
Dec-14	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Dec-14	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Dec-14	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Dec-14	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	No discharge	WK 4	
Jan-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Jan-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Jan-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Jan-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Jan-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Jan-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Jan-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Jan-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Jan-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
Jan-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	

Jan-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Jan-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	No discharge	WK 3	
Jan-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Jan-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Jan-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Jan-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	No discharge	WK 4	
Feb-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Feb-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Feb-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Feb-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Feb-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Feb-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Feb-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Feb-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Feb-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
Feb-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Feb-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Feb-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	No discharge	WK 3	
Feb-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Feb-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Feb-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Feb-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	No discharge	WK 4	
Mar-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Mar-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	

Mar-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Mar-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Mar-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Mar-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Mar-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Mar-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Mar-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 3	
Mar-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	7.68	WK 3	
Mar-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	5	WK 3	
Mar-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	5	WK 3	
Mar-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 3	
Mar-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	6.75	WK 3	
Mar-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	5	WK 3	
Mar-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	5	WK 3	
Mar-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 3	
Mar-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	6.39	WK 3	
Mar-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	6	WK 3	
Mar-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	5	WK 3	
Mar-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 4	
Mar-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	7.64	WK 4	
Mar-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	9	WK 4	
Mar-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	14	WK 4	
Mar-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 4	
Mar-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	6.24	WK 4	

Mar-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	8	WK 4	
Mar-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	10	WK 4	
Mar-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 4	
Mar-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	7.28	WK 4	
Mar-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	6	WK 4	
Mar-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	12	WK 4	
Apr-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Apr-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Apr-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Apr-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Apr-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 2 Easter rain event, Heavy rain, Pit flooded	
Apr-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	6.68	WK 2	
Apr-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	11	WK 2	
Apr-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	21	WK 2	
Apr-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 2	
Apr-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	5.66	WK 2	
Apr-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	107	WK 2	
Apr-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	21	WK 2	
Apr-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 2	
Apr-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	6.45	WK 2	
Apr-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	46	WK 2	
Apr-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	21	WK 2	
Apr-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 2	
Apr-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	6.32	WK 2	

Apr-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	71	WK 2	
Apr-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	22	WK 2	
Apr-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 2	
Apr-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	6.52	WK 2	
Apr-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	37	WK 2	
Apr-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	24	WK 2	
Apr-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 2	
Apr-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	6.25	WK 2	
Apr-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	54	WK 2	
Apr-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	21	WK 2	
Apr-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 2	
Apr-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	6.77	WK 2	
Apr-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	262	WK 2	
Apr-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	21	WK 2	
Apr-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 2 Did not receive Lab results until 16/04/2015	EPA Phone Notification High TSS
Apr-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	7.22	WK 2	
Apr-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	160	WK 2	
Apr-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	21	WK 2	
Apr-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 3 East Coast low storm event, heavy rain, Pit flooded	
Apr-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	7.55	WK 3	
Apr-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	72	WK 3	
Apr-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	70	WK 3	
Apr-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 3	
Apr-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	7.48	WK 3	

Apr-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	71	WK 3	
Apr-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	71	WK 3	EPA Phone Notification Loss of Power High TSS
May-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 1	
May-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	7.06	WK 1	
May-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	15	WK 1	
May-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	40	WK 1	
May-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 1	
May-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	7.39	WK 1	
May-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	13	WK 1	
May-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	21	WK 1	
May-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 1	
May-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	8.48	WK 1	
May-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	8	WK 1	
May-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	19	WK 1	
May-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 1	
May-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	6.45	WK 1	
May-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	8	WK 1	
May-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	13	WK 1	
May-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 2	
May-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	6.36	WK 2	
May-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	18	WK 2	
May-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	26	WK 2	
May-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 2	
May-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	6.31	WK 2	

May-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	23	WK 2	
May-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	21	WK 2	
May-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 2	
May-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	6.41	WK 2	
May-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	28	WK 2	
May-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	36	WK 2	
May-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 2	
May-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	6.5	WK 2	
May-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	30	WK 2	
May-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	27	WK 2	
May-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 3	
May-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	7.1	WK 3	
May-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	38	WK 3	
May-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	55	WK 3	
May-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 3	
May-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	9.1	WK 3	
May-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	43	WK 3	
May-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	60	WK 3	
May-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 3	
May-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	6.9	WK 3	
May-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	12	WK 3	
May-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	16	WK 3	
May-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 3	
May-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	6.5	WK 3	

May-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	18	WK 3	
May-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	19	WK 3	
May-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 3	
May-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	6.3	WK 3	
May-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	35	WK 3	
May-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	40	WK 3	
May-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 3	
May-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	6.8	WK 3	
May-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	37	WK 3	
May-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	35	WK 3	
May-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 4	
May-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	9	WK 4	
May-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	12	WK 4	
May-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	15	WK 4	
May-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 4	
May-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	6.5	WK 4	
May-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	15	WK 4	
May-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	17	WK 4	
May-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 4	
May-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	6.7	WK 4	
May-15	3753 Sands	Central Coast	Point 2	B2 Water - TSS (<50mg/l)	8	WK 4	
May-15	3754 Sands	Central Coast	Point 2	B2 Water - Turbidity	10	WK 4	
May-15	3751 Sands	Central Coast	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 4	
May-15	3752 Sands	Central Coast	Point 2	B2 Water - Ph (6.5-8.5)	8.4	WK 4	

May-15	3753	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	9	WK 4	
May-15	3754	Central Coast Sands	Point 2	B2 Water - Turbidity	13	WK 4	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 4	
May-15	3752	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.6	WK 4	
May-15	3753	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	9	WK 4	
May-15	3754	Central Coast Sands	Point 2	B2 Water - Turbidity	11	WK 4	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 4	
May-15	3752	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.3	WK 4	
May-15	3753	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	26	WK 4	
May-15	3754	Central Coast Sands	Point 2	B2 Water - Turbidity	24	WK 4	