



A GREENCAP  
CONSULTING COMPANY

# Risk Management Services

NOEL ARNOLD & ASSOCIATES PTY LTD  
A.C.N. 006 318 010 A.B.N. 75 006 318 010  
Level 2, 11 Khartoum Road,  
North Ryde, NSW 2113 Australia  
Phone: (02) 9889 1800  
Fax: (02) 9889 1811  
Email: [sydney@noel-arnold.com.au](mailto:sydney@noel-arnold.com.au)  
[www.noel-arnold.com.au](http://www.noel-arnold.com.au)


## ASBESTOS FIBRE AIR MONITORING REPORT

Our Ref: C107605:J111804 034-20130211  
Client: Hanson Construction Materials Pty Ltd  
Attention: Martin Gear - Project Manager Aggregates  
Job Location: East Guyong Quarry, Mitchell Highway, East Guyong NSW  
Report Date: Monday 11 February 2013 Test Date: Monday 11 February 2013  
Sampling Procedure: Control Sampled By: Pumps On: SB  
Pumps Off: SB

Method: *Filters examined in accordance with Safe Work Australia's Guidance Note on the Membrane Filter Method for the Estimation of Airborne Asbestos Fibres, 2<sup>nd</sup> Edition, 2005 [NOHSC:3003: (2005)] – Refer NAA Internal Laboratory Test Method NALAB 301.*

Filter No.	Test Type Sample Location	Sample Period Start-Finish	Average Flow Rate (L/min)	Fibres/ Fields	Result(s) Fibres/mL
Control static monitoring during construction works (excavation & filling) for the new access road on the East Guyong Quarry Site					
2255	Field Blank	-	-	0.0/100	-
2195	Location 1 – Near Southern Boundary of Site, Access Road to Residence (No.3472) off Mitchell Highway, approx. 120 metres North of South Site Boundary – On barbed wire fence	0849 – 1607	1.00	0.0/100	< 0.01
2262	Location 3 – Near Southern Boundary (SE Corner) of Site, Adjacent to New Access Road Entry (No.3410) off Mitchell Highway, approx. 30 metres from South Site Boundary – On barbed wire fence	0853 – 1615	1.00	0.0/100	< 0.01
687	Location 4 – Near Eastern Boundary (near SE Corner) of Site, approx. 70 metres West of Shed, Access Road – On barbed wire fence	0901 – 1620	1.00	0.0/100	< 0.01
2157	Location 5 – Near Eastern Boundary (near Centre) of Site, approx. 50 metres West of East Site Boundary – On fencing post	0904 – 1622	1.00	0.0/100	< 0.01
2191	Location 6 – Western Boundary of Proposed Quarry Pit (near Western Site Boundary) – On barbed wire fence	0925 – 1635	1.00	0.0/100	< 0.01
2119A	Location 8 – Western Boundary (near NW Corner) of Site – On barbed wire fence	0935 – 1638	1.00	0.0/100	< 0.01
241	Location 10 – Near Northern Boundary of Site (near NE Corner Site) – On fencing post	0920 – 1631	1.00	0.0/100	< 0.01

Filter No.	Test Type Sample Location	Sample Period Start-Finish	Average Flow Rate (L/min)	Fibres/ Fields	Result(s) Fibres/mL
942A	Location N1 – North of Work Area, (approx. 15 metres north of new access road) – On fencing post	0912 – 1627	1.00	0.0/100	< 0.01
2126	Location N2 – West of Work Area (approx. 15 metres west of new access road) – On barbed wire fence	0915 – 1629	1.00	0.0/100	< 0.01
2150A	Location N3 – East of Work Area (approx. 15 metres east of new access road) – On barbed wire fence	0909 – 1635	1.00	1.0/100	< 0.01
1308	Location N4 – South of Work Area (south end of new access road) – On barbed wire fence	0858 – 1618	1.00	0.0/100	< 0.01
2182	Location N5 – Southern Side of Mitchell Highway, Site Compound, Lunch Shed	0955 – 1612	1.00	3.0/100	< 0.01
Exposure monitoring during excavation and filling works					
2217	Marty Rookyard – Excavator Operator (EODO) (for new access road)	0950 – 1645	1.00	1.0/100	< 0.01
1360	Allan Galvin – Excavator Operator (EODO) (for new access road)	1028 – 1652	1.00	0.0/100	< 0.01



APPROVED COUNTER AND SIGNATORY :  
SIMON BUTTERFIELD




This document is issued in accordance with NATA's accreditation requirements.

Accredited for compliance with ISO/IEC 17025. Corporate Site No. 5450, Site No. 3402 Sydney Laboratory.

This document shall not be reproduced, except in full.

Figure 1 – Air Monitoring Location



**Air Monitoring Sampling Plan  
East Guyong Quarry Site**

Monitoring Date: 9<sup>th</sup> February 2013

**Legend**

- X 1 Air monitoring locations
- Project Boundary
- Proposed Quarry Boundary
- - - Proposed Infrastructure Area Boundary

**Air Monitoring Location Coordinates**

Location 1:	709,104mE ; 6300,660mN	Location N1:	709,360mE ; 6301,148mN
Location 3:	709,601mE ; 6300,370mN	Location N2:	709,380mE ; 6301,018mN
Location 4:	709,729mE ; 6300,716mN	Location N3:	709,446mE ; 6301,075mN
Location 5:	709,870mE ; 6300,905mN	Location N4:	709,621mE ; 6300,504mN
Location 6:	708,803mE ; 6301,185mN	Location N5:	709,543mE ; 6300,275mN
Location 8:	708,824mE ; 6301,587mN		
Location 10:	709,465mE ; 6301,633mN		

**Weather Conditions\***

<i>General</i>	Fine – Overcast	<i>Wind Direction</i>	NE - East
<i>Rainfall</i>	0.2 mm	<i>Wind Speed</i>	4 – 23 km/h

\* East Guyong Quarry Weather Station