

Asbestos Fibre Air Monitoring Report

Our Ref: C107605:SO2006587.002-20171205
 Client: Hanson Construction Materials Pty Ltd
 Client Address: Locked Bag 5260, Parramatta NSW 2124
 Attention: Pere Riini – Quarry Manager
 Job Location: East Guyong Quarry, Mitchell Highway, East Guyong NSW
 Report Date: Thursday, 14 December 2017
 Analysis Date: Wednesday, 13 December 2017
 Monitoring Date: Tuesday, 5 December 2017
 Sampling Type: Control & Exposure
 Sampled By: Start: Pere Riini (Hanson) Finish: Pere Riini (Hanson)
 Location of Analysis: Khartoum Rd North Ryde Laboratory
 Licenced Asbestos Removal Contractor: N/A Notification No: N/A

Method: Filters examined in accordance with Safe Work Australia's Guidance Note on the Membrane Filter Method for the Estimation of Airborne Asbestos Fibres, 2nd Edition, 2005 [NOHSC:3003: (2005)] and as described in supplementary work instruction in-house method LAB03.

Sample Filter No.	Test Type Sample Location	Sample Time Start-Finish	Sampling Rate (avg) (L/min)	Fibres/ Fields	Result(s) Fibres/mL
C003743510	Field Blank	–	–	0.0/100	–
Asbestos background – Background asbestos air monitoring throughout various locations across the site					
C003743444	Location 1 – Near Southern Boundary of Site, Access Road to Residence (No.3472) off Mitchell Highway, approx. 120 metres North of South site boundary – On barbed wire fence	0701 – 1506	1.00	0.0/100	< 0.01
C003743602	Location 2 – Near Southern Boundary (SE corner) of Site, Adjacent to New Access Road Entry (No.3410) off Mitchell Highway, approx. 30 metres from South site boundary – On barbed wire fence	0710 – 1514	1.00	0.0/100	< 0.01
C003743416	Location 3 – Near Eastern Boundary (near SE corner) of Site, approx. 70 metres West of Shed, Access Road – On barbed wire fence	0716 – 1520	1.00	0.0/100	< 0.01
C003743366	Location 4 – Near Eastern Boundary (near Centre) of Site, approx. 50 metres West of East Site Boundary – On fencing post	0721 – 1525	1.00	0.0/100	< 0.01
C003743463	Location 5 – Western Boundary of Proposed Quarry Pit (near Western site boundary) – On barbed wire fence	0727 – 1531	1.00	0.0/100	< 0.01
C003743648	Location 6 – Western Boundary (near NW corner) of site – On barbed wire fence	0732 – 1537	1.00	0.0/100	< 0.01
C003743697	Location 7 – Near Northern Boundary of site (near NE corner of site) – On fencing post	0737 – 1541	1.00	0.0/100	< 0.01
C003743752	Personal – S. Lane, 980H FEL	0745 – 1546	1.00	0.0/100	< 0.01

Note: In accordance with p26 of NOHSC:3003 (2005), if the fibre count is less than 10 fibres/100 graticule areas (fields), then the count is not considered significantly above that of background.

Note: Pere Riini of Hanson Construction Materials Pty Ltd has been formally trained as a third party for volume measurement. Greencap Pty Ltd assume responsibility for the data collected.



Approved Counter: Nikola Finka
Asbestos Assessor Licence No. LAA000155



Approved Signatory: Simon Day



This document shall not be reproduced, except in full.
Accredited for compliance with ISO/IEC 17025 - Testing.
Corporate Site No. 5450, Site No. 3402 Sydney Laboratory.
The results of the tests, calibrations and/or measurements
included in this document are traceable to
Australian/national standards.

Figure 1 – Air Monitoring Location

