

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
16.1.2015	5289	Sancrox Quarry	Discharge Point	B2 Water - Ph (6.5-8.5)	7.37	Sampled by CMG	Cameron Perry
	5289	Sancrox Quarry	Discharge Point	B2 Water - Oil & Grease (<10mg/l)	Not visible		
	5289	Sancrox Quarry	Discharge Point	B2 Water - TSS (<50mg/l)	40	Actual (<30 mg/l)	
	5289	Sancrox Quarry	Discharge Point	B2 Water - TN	0.73		
	5289	Sancrox Quarry					
5.2.2015	5289	Sancrox Quarry	Discharge Point	B2 Water - Ph (6.5-8.5)	7.42	Sampled by CMG	
	5289	Sancrox Quarry	Discharge Point	B2 Water - Oil & Grease (<10mg/l)	Not visible		
	5289	Sancrox Quarry	Discharge Point	B2 Water - TSS (<50mg/l)	8	Actual (<30 mg/l)	
	5289	Sancrox Quarry	Discharge Point	B2 Water - TN	0.56		
	5289	Sancrox Quarry					
17.3.2015	5289	Sancrox Quarry	Discharge Point	B2 Water - Ph (6.5-8.5)	7.4	Sampled by Brad Nelson @ 11am	
	5289	Sancrox Quarry	Discharge Point	B2 Water - Oil & Grease (<10mg/l)	Not Visible	2 Monthly test	
	5289	Sancrox Quarry	Discharge Point	B2 Water - TSS (<50mg/l)	<3	Actual (<30 mg/l)	
	5289	Sancrox Quarry	Discharge Point	B2 Water - TN	0.42		
	5289	Sancrox Quarry					
4/05/2015	5289	Sancrox Quarry	Discharge Point	B2 Water - Ph (6.5-8.5)	7.9	Sampled by Brad Nelson @ 9:20am	
	5289	Sancrox Quarry	Discharge Point	B2 Water - Oil & Grease (<10mg/l)	Not Visible	2 Monthly test	
	5289	Sancrox Quarry	Discharge Point	B2 Water - TSS (<50mg/l)	10	Actual (<30 mg/l)	
	5289	Sancrox Quarry	Discharge Point	B2 Water - TN	0.51		
	5289	Sancrox Quarry					
18/06/2015	5289	Sancrox Quarry	Discharge Point	B2 Water - Ph (6.5-8.5)	7.5	Sampled by Brad Nelson @ 10.40am	
	5289	Sancrox Quarry	Discharge Point	B2 Water - Oil & Grease (<10mg/l)	Not Visible	2 Monthly test	
	5289	Sancrox Quarry	Discharge Point	B2 Water - TSS (<50mg/l)	<3	TSS (<30mg/l)	
	5289	Sancrox Quarry	Discharge Point	B2 Water - TN	0.35		
	5289	Sancrox Quarry					
13/07/2015	5289	Sancrox Quarry	Discharge Point	B2 Water - Ph (6.5-8.5)	7.5	Sampled by Brad Nelson @ 9:10am	
	5289	Sancrox Quarry	Discharge Point	B2 Water - Oil & Grease (<10mg/l)	Not Visible	2 Monthly test	
	5289	Sancrox Quarry	Discharge Point	B2 Water - TSS (<50mg/l)	4	TSS (<30mg/l)	
	5289	Sancrox Quarry	Discharge Point	B2 Water - TN	0.46		
	5289	Sancrox Quarry					
14/09/2015	5289	Sancrox Quarry	Discharge Point	B2 Water - Ph (6.5-8.5)	7.7	Sampled by Brad Nelson @ 9:50am	
	5289	Sancrox Quarry	Discharge Point	B2 Water - Oil & Grease (<10mg/l)	Not Visible	2 Monthly test	
	5289	Sancrox Quarry	Discharge Point	B2 Water - TSS (<50mg/l)	4	TSS (<30mg/l)	
	5289	Sancrox Quarry	Discharge Point	B2 Water - TN	0.47		
	5289	Sancrox Quarry					
28/09/2015	5289	Sancrox Quarry	Discharge Point	B2 Water - Ph (6.5-8.5)	7.7	Sampled by Brad Nelson @ 9:50am	
	5289	Sancrox Quarry	Discharge Point	B2 Water - Oil & Grease (<10mg/l)	Not Visible	Test due to discharge	
	5289	Sancrox Quarry	Discharge Point	B2 Water - TSS (<50mg/l)	3	TSS (<30mg/l)	
	5289	Sancrox Quarry	Discharge Point	B2 Water - TN	0.38		
	5289	Sancrox Quarry					
6/11/2015	5289	Sancrox Quarry	Discharge Point	B2 Water - Ph (6.5-8.5)	7.7	Sampled by Simon Jones @ 10:25am	
	5289	Sancrox Quarry	Discharge Point	B2 Water - Oil & Grease (<10mg/l)	Not visible	Test due to discharge	
	5289	Sancrox Quarry	Discharge Point	B2 Water - TSS (<50mg/l)	6	TSS (<30mg/l)	
	5289	Sancrox Quarry	Discharge Point	B2 Water - TN	0.35		
	5289	Sancrox Quarry					

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
16/11/2015	5289	Sancrox Quarry	Discharge Point	B2 Water - Ph (6.5-8.5)	7.6	Sampled by Simon Jones @ 10:45am	
	5289	Sancrox Quarry	Discharge Point	B2 Water - Oil & Grease (<10mg/l)	Not visible	2 Monthly test	
	5289	Sancrox Quarry	Discharge Point	B2 Water - TSS (<50mg/l)	<3	TSS (<30mg/l)	
	5289	Sancrox Quarry	Discharge Point	B2 Water - TN	0.32		
23/12/2015	5289	Sancrox Quarry	Discharge Point	B2 Water - Ph (6.5-8.5)	7.6	Sampled by David Boyd @ 10:00am	
	5289	Sancrox Quarry	Discharge Point	B2 Water - Oil & Grease (<10mg/l)	Not visible	Test due to discharge	
	5289	Sancrox Quarry	Discharge Point	B2 Water - TSS (<50mg/l)	6	TSS (<30mg/l)	
	5289	Sancrox Quarry	Discharge Point	B2 Water - TN	0.33		
06/01/2016	5289	Sancrox Quarry	Discharge Point	B2 Water - Ph (6.5-8.5)	7.7	Sampled by David Boyd @ 8:00am	
	5289	Sancrox Quarry	Discharge Point	B2 Water - Oil & Grease (<10mg/l)	Not visible	2 Monthly test	
	5289	Sancrox Quarry	Discharge Point	B2 Water - TSS (<50mg/l)	5	TSS (<30mg/l)	
	5289	Sancrox Quarry	Discharge Point	B2 Water - TN	0.36		
04.03.2016	5289	Sancrox Quarry	Discharge point	B2 Water - Ph (6.5-8.5)	7.5		
	5289	Sancrox Quarry	Discharge point	B2 Water - Oil & Grease (<10mg/l)	Not visible		
	5289	Sancrox Quarry	Discharge point	B2 Water - TSS (<50mg/l)	<3	TSS at Sancrox has <30mg/l limit not 50mg/l	
	5289	Sancrox Quarry	Discharge point	B2 Water - TN	0.28		
09.05.2016	5289	Sancrox Quarry	Discharge point	B2 Water - Ph (6.5-8.5)	7.5		
	5289	Sancrox Quarry	Discharge point	B2 Water - Oil & Grease (<10mg/l)	Not visible		
	5289	Sancrox Quarry	Discharge point	B2 Water - TSS (<50mg/l)	4	TSS at Sancrox has <30mg/l limit not 50mg/l	
	5289	Sancrox Quarry	Discharge point	B2 Water - TN	0.35		
06.06.2016	5289	Sancrox Quarry	Discharge point	B2 Water - Ph (6.5-8.5)	7.5	EPA report produced and sent to Cameron Perry in regards to this issue.	
	5289	Sancrox Quarry	Discharge point	B2 Water - Oil & Grease (<10mg/l)	Not visible		
	5289	Sancrox Quarry	Discharge point	B2 Water - TSS (<50mg/l)	8	TSS at Sancrox has <30mg/l limit not 50mg/l	
	5289	Sancrox Quarry	Discharge point	B2 Water - TN	0.5		
07.06.2016	5289	Sancrox Quarry	Creek	B2 Water - Ph (6.5-8.5)	7.5		
	5289	Sancrox Quarry	Creek	B2 Water - Oil & Grease (<10mg/l)	Not visible		
	5289	Sancrox Quarry	Creek	B2 Water - TSS (<50mg/l)	238	TSS at Sancrox has <30mg/l limit not 50mg/l	
	5289	Sancrox Quarry	Creek	B2 Water - TN	1.1		
20.06.2016	5289	Sancrox Quarry	Discharge point	B2 Water - Ph (6.5-8.5)	7.4		
	5289	Sancrox Quarry	Discharge point	B2 Water - Oil & Grease (<10mg/l)	Not visible		
	5289	Sancrox Quarry	Discharge point	B2 Water - TSS (<50mg/l)	12	TSS at Sancrox has <30mg/l limit not 50mg/l	
	5289	Sancrox Quarry	Discharge point	B2 Water - TN	0.48		
01.07.2016	5289	Sancrox Quarry	Discharge point	B2 Water - Ph (6.5-8.5)	7.5		
	5289	Sancrox Quarry	Discharge point	B2 Water - Oil & Grease (<10mg/l)	Not visible		
	5289	Sancrox Quarry	Discharge point	B2 Water - TSS (<50mg/l)	<3	TSS at Sancrox has <30mg/l limit not 50mg/l	
	5289	Sancrox Quarry	Discharge point	B2 Water - TN	0.29		
04.08.2016	5289	Sancrox Quarry	Discharge point	B2 Water - Ph (6.5-8.5)	7.7		
	5289	Sancrox Quarry	Discharge point	B2 Water - Oil & Grease (<10mg/l)	Not visible		

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register

Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
	5289	Sancrox Quarry	Discharge point	B2 Water - TSS (<50mg/l)	9	TSS at Sancrox has <30mg/l limit not 50mg/l	
	5289	Sancrox Quarry	Discharge point	B2 Water - TN	1.1		
25.08.2016	5289	Sancrox Quarry	Discharge point	B2 Water - Ph (6.5-8.5)	7.7		
	5289	Sancrox Quarry	Discharge point	B2 Water - Oil & Grease (<10mg/l)	Not visible		
	5289	Sancrox Quarry	Discharge point	B2 Water - TSS (<50mg/l)	17	TSS at Sancrox has <30mg/l limit not 50mg/l	
	5289	Sancrox Quarry	Discharge point	B2 Water - TN	0.7		
27.10.2016	5289	Sancrox Quarry	Discharge point	B2 Water - Ph (6.5-8.5)	7.7		
	5289	Sancrox Quarry	Discharge point	B2 Water - Oil & Grease (<10mg/l)	Not visible		
	5289	Sancrox Quarry	Discharge point	B2 Water - TSS (<50mg/l)	<3	TSS at Sancrox has <30mg/l limit not 50mg/l	
	5289	Sancrox Quarry	Discharge point	B2 Water - TN	0.37		
25.01.2017	5289	Sancrox Quarry	Discharge point	B2 Water - Ph (6.5-8.5)	7.6		
	5289	Sancrox Quarry	Discharge point	B2 Water - Oil & Grease (<10mg/l)	Not visible		
	5289	Sancrox Quarry	Discharge point	B2 Water - TSS (<50mg/l)	8	TSS at Sancrox has <30mg/l limit not 50mg/l	
	5289	Sancrox Quarry	Discharge point	B2 Water - TN	0.47		
28.02.2017	5289	Sancrox Quarry	Discharge point	B2 Water - Ph (6.5-8.5)	7.4	Test for unplanned discharge	
	5289	Sancrox Quarry	Discharge point	B2 Water - Oil & Grease (<10mg/l)	Not visible		
	5289	Sancrox Quarry	Discharge point	B2 Water - TSS (<50mg/l)	8	TSS at Sancrox has <30mg/l limit not 50mg/l	
	5289	Sancrox Quarry	Discharge point	B2 Water - TN	0.7		
20.03.2017	5289	Sancrox Quarry	Discharge point	B2 Water - Ph (6.5-8.5)	7.3	Test for unplanned Discharge	
	5289	Sancrox Quarry	Discharge point	B2 Water - Oil & Grease (<10mg/l)	Not visible		
	5289	Sancrox Quarry	Discharge point	B2 Water - TSS (<50mg/l)	24	TSS at Sancrox has <30mg/l limit not 50mg/l	
	5289	Sancrox Quarry	Discharge point	B2 Water - TN	1.2		
31.03.2017	5289	Sancrox Quarry	Discharge point	B2 Water - Ph (6.5-8.5)	7.7	2 monthly test no discharge	
	5289	Sancrox Quarry	Discharge point	B2 Water - Oil & Grease (<10mg/l)	Not visible		
	5289	Sancrox Quarry	Discharge point	B2 Water - TSS (<50mg/l)	9	TSS at Sancrox has <30mg/l limit not 50mg/l	
	5289	Sancrox Quarry	Discharge point	B2 Water - TN	1		
11.05.2017	5289	Sancrox Quarry	Discharge point	B2 Water - Ph (6.5-8.5)	7.8	2 monthly test no discharge	
	5289	Sancrox Quarry	Discharge point	B2 Water - Oil & Grease (<10mg/l)	Not visible		
	5289	Sancrox Quarry	Discharge point	B2 Water - TSS (<50mg/l)	68	TSS at Sancrox has <30mg/l limit not 50mg/l	
	5289	Sancrox Quarry	Discharge point	B2 Water - TN	Est 3.1		
10.07.2017	5289	Sancrox Quarry	Discharge point	B2 Water - Ph (6.5-8.5)	7.5	2 monthly test and test to discharge	
	5289	Sancrox Quarry	Discharge point	B2 Water - Oil & Grease (<10mg/l)	Not visible		
	5289	Sancrox Quarry	Discharge point	B2 Water - TSS (<50mg/l)	<3	TSS at Sancrox has <30mg/l limit not 50mg/l	
	5289	Sancrox Quarry	Discharge point	B2 Water - TN	0.7		
08.09.2017	5289	Sancrox Quarry	Discharge point	B2 Water - Ph (6.5-8.5)	7.6	2 monthly test and test to discharge	
	5289	Sancrox Quarry	Discharge point	B2 Water - Oil & Grease (<10mg/l)	Not visible		
	5289	Sancrox Quarry	Discharge point	B2 Water - TSS (<50mg/l)	<5	TSS at Sancrox has <30mg/l limit not 50mg/l	
	5289	Sancrox Quarry	Discharge point	B2 Water - TN	0.45		
09.11.2017	5289	Sancrox Quarry	Discharge point	B2 Water - Ph (6.5-8.5)	7.7	2 monthyl test no discharge	

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
	5289	Sancrox Quarry	Discharge point	B2 Water - Oil & Grease (<10mg/l)	Not visible		
	5289	Sancrox Quarry	Discharge point	B2 Water - TSS (<50mg/l)	<3	TSS at Sancrox has <30mg/l limit not 50mg/l	
	5289	Sancrox Quarry	Discharge point	B2 Water - TN	0.38		
17.01.2018	5289	Sancrox Quarry	Discharge point	B2 Water - Ph (6.5-8.5)	7.5	2 monthly test and test to discharge	
	5289	Sancrox Quarry	Discharge point	B2 Water - Oil & Grease (<10mg/l)	Not visible		
	5289	Sancrox Quarry	Discharge point	B2 Water - TSS (<50mg/l)	<3	TSS at Sancrox has <30mg/l limit not 50mg/l	
	5289	Sancrox Quarry	Discharge point	B2 Water - TN	0.7		