

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
Jan-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Jan-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Jan-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Jan-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Jan-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Jan-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Jan-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Jan-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Jan-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
Jan-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Jan-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Jan-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 3	
Jan-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Jan-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Jan-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Jan-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4	
Feb-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Feb-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Feb-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Feb-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Feb-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Feb-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Feb-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Feb-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Feb-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
Feb-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Feb-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Feb-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 3	
Feb-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Feb-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Feb-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Feb-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4	
Mar-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Mar-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Mar-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Mar-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Mar-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Mar-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Mar-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Mar-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Mar-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 3	
Mar-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.68	WK 3	
Mar-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	5	WK 3	
Mar-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	5	WK 3	
Mar-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 3	
Mar-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.75	WK 3	
Mar-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	5	WK 3	

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
Mar-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	5	WK 3	
Mar-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 3	
Mar-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.39	WK 3	
Mar-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	6	WK 3	
Mar-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	5	WK 3	
Mar-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 4	
Mar-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.64	WK 4	
Mar-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	9	WK 4	
Mar-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	14	WK 4	
Mar-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 4	
Mar-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.24	WK 4	
Mar-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	8	WK 4	
Mar-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	10	WK 4	
Mar-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 4	
Mar-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.28	WK 4	
Mar-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	6	WK 4	
Mar-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	12	WK 4	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 2	Easter rain event
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.68	WK 2	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	11	WK 2	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	21	WK 2	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 2	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	5.66	WK 2	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	107	WK 2	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	21	WK 2	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 2	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.45	WK 2	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	46	WK 2	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	21	WK 2	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 2	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.32	WK 2	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	71	WK 2	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	22	WK 2	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 2	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.52	WK 2	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	37	WK 2	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	24	WK 2	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 2	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.25	WK 2	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	54	WK 2	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	21	WK 2	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 2	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.77	WK 2	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	262	WK 2	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	21	WK 2	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 2	EPA Phone Notification

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.22	WK 2	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	160	WK 2	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	21	WK 2	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<2	WK 3	East Coast low storm event
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.55	WK 3	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	72	WK 3	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	70	WK 3	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<2	WK 3	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.48	WK 3	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	71	WK 3	
Apr-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	71	WK 3	EPA Phone Notification
May-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<2	WK 1	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.06	WK 1	
May-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	15	WK 1	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	40	WK 1	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<2	WK 1	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.39	WK 1	
May-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	13	WK 1	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	21	WK 1	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<2	WK 1	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	8.48	WK 1	
May-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	8	WK 1	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	19	WK 1	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<2	WK 1	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.45	WK 1	
May-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	8	WK 1	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	13	WK 1	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<2	WK 2	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.36	WK 2	
May-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	18	WK 2	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	26	WK 2	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<2	WK 2	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.31	WK 2	
May-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	23	WK 2	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	21	WK 2	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<2	WK 2	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.41	WK 2	
May-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	28	WK 2	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	36	WK 2	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<2	WK 2	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.5	WK 2	
May-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	30	WK 2	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	27	WK 2	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<2	WK 3	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.1	WK 3	
May-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	38	WK 3	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	55	WK 3	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<2	WK 3	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	9.1	WK 3	
May-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	43	WK 3	

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
May-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	60	WK 3	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 3	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.9	WK 3	
May-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	12	WK 3	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	16	WK 3	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 3	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.5	WK 3	
May-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	18	WK 3	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	19	WK 3	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 3	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.3	WK 3	
May-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	35	WK 3	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	40	WK 3	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 3	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.8	WK 3	
May-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	37	WK 3	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	35	WK 3	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 4	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	9	WK 4	
May-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	12	WK 4	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	15	WK 4	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 4	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.5	WK 4	
May-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	15	WK 4	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	17	WK 4	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 4	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.7	WK 4	
May-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	8	WK 4	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	10	WK 4	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 4	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	8.4	WK 4	
May-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	9	WK 4	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	13	WK 4	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 4	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.6	WK 4	
May-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	9	WK 4	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	11	WK 4	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<2	WK 4	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.3	WK 4	
May-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	26	WK 4	
May-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	24	WK 4	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 1	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.2	WK 1	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	30	WK 1	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	55	WK 1	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 1	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	5.8	WK 1	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	10	WK 1	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	17	WK 1	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 1	

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.1	WK 1	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	10	WK 1	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	16	WK 1	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<5	WK 1	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.5	WK 1	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	13	WK 1	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	21	WK 1	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<5	WK 1	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.3	WK 1	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	15	WK 1	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	23	WK 1	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<5	WK 1	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.2	WK 1	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	16	WK 1	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	23	WK 1	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<5	WK 2	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	5.8	WK 2	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	13	WK 2	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	19	WK 2	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<5	WK 2	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.2	WK 2	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	6	WK 2	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	9	WK 2	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<5	WK 2	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.2	WK 2	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	7	WK 2	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	9.4	WK 2	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<5	WK 2	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.2	WK 2	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	10	WK 2	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	14	WK 2	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<5	WK 2	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.7	WK 2	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	12	WK 2	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	11	WK 2	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<5	WK 3	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.4	WK 3	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	14	WK 3	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	11	WK 3	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<5	WK 3	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.7	WK 3	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	15	WK 3	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	13	WK 3	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<5	WK 3	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.9	WK 3	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	16	WK 3	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	15	WK 3	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<5	WK 3	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.6	WK 3	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	18	WK 3	

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	19	WK 3	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 3	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.1	WK 3	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	40	WK 3	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	24	WK 3	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 3	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.6	WK 3	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	22	WK 3	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	21	WK 3	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 4	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.6	WK 4	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	15	WK 4	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	17	WK 4	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 4	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.53	WK 4	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	26	WK 4	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	24	WK 4	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 4	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.3	WK 4	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	23	WK 4	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	24	WK 4	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	No discharge for remainder of the month	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	No discharge for remainder of the month	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	No discharge for remainder of the month	
Jun-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	No discharge for remainder of the month	
Jul-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Jul-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Jul-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Jul-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Jul-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Jul-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Jul-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Jul-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Jul-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 3	
Jul-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.7	WK 3	
Jul-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	10	WK 3	
Jul-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	17	h	
Jul-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Jul-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Jul-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Jul-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4	
Jul-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 5	
Jul-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 5	
Jul-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 5	
Jul-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 5	
Aug-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Aug-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Aug-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Aug-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Aug-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Aug-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
Aug-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Aug-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Aug-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
Aug-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Aug-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Aug-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 3	
Aug-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Aug-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Aug-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Aug-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4	
Sep-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Sep-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Sep-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Sep-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Sep-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Sep-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Sep-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Sep-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Sep-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
Sep-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Sep-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Sep-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 3	
Sep-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Sep-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Sep-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Sep-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4	
Sep-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 5	
Sep-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 5	
Sep-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 5	
Sep-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 5	
Oct-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Oct-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Oct-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Oct-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Oct-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Oct-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Oct-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Oct-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Oct-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	2	WK 3	
Oct-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.5	WK 3	
Oct-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	4	WK 3	
Oct-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	5	WK 3	
Oct-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Oct-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Oct-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Oct-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4	
Oct-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 5	
Oct-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	8.4	WK 5	
Oct-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	<1	WK 5	
Oct-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	1.5	WK 5	
Nov-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Nov-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
Nov-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Nov-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Nov-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 2	
Nov-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.4	WK 2	
Nov-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	9	WK 2	
Nov-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	13	WK 2	
Nov-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 3	
Nov-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7	WK 3	
Nov-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	14	WK 3	
Nov-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	18	WK 3	
Nov-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Nov-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Nov-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Nov-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4	
Dec-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Dec-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Dec-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Dec-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Dec-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Dec-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Dec-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Dec-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Dec-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
Dec-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Dec-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Dec-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 3	
Dec-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 4	
Dec-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.4	WK 4	
Dec-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	8.8	WK 4	
Dec-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	7	WK 4	December total water discharge 0.17ML
Dec-15	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 5	
Dec-15	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 5	
Dec-15	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 5	
Dec-15	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 5	
Jan-16	3752	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 1	
Jan-16	3753	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	8.1	WK 1	
Jan-16	3754	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	22	WK 1	
Jan-16	3755	Central Coast Sands	Point 2	B2 Water - Turbidity	31	WK 1	
Jan-16	3756	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 2	
Jan-16	3757	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	8.5	WK 2	
Jan-16	3758	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	11	WK 2	
Jan-16	3759	Central Coast Sands	Point 2	B2 Water - Turbidity	16	WK 2	
Jan-16	3760	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 3	
Jan-16	3761	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.9	WK 3	
Jan-16	3762	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	3	WK 3	
Jan-16	3763	Central Coast Sands	Point 2	B2 Water - Turbidity	2	WK 3	
Jan-16	3764	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 4	
Jan-16	3765	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	8.5	WK 4	
Jan-16	3766	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	18	WK 4	
Jan-16	3767	Central Coast Sands	Point 2	B2 Water - Turbidity	24	WK 4	January total water discharge 2.74 ML

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
Feb-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	9.2	WK 1 Notification to EPA Ref No C01723-2016 pH discrepancy with Lab. Onsite pH reading 8.42 Lab report explained reasons for discrepancy Holding Time.	Yes
Feb-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	15	WK 1	
Feb-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	14	WK 1	
Feb-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 2	
Feb-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.7	WK 2	
Feb-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	33	WK 2	
Feb-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	39	WK 2	
Feb-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 3	
Feb-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	8.1	WK 3	
Feb-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	7	WK 3	
Feb-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	8.3	WK 3	
Feb-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Feb-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Feb-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Feb-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4 February total water discharge 1.37 ML	
Mar-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Mar-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Mar-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Mar-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Mar-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Mar-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Mar-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Mar-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Mar-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
Mar-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Mar-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Mar-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 3	
Mar-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Mar-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Mar-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Mar-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4	
Mar-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 5	
Mar-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 5	
Mar-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 5	
Mar-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 5	
Apr-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Apr-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Apr-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Apr-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Apr-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2 installed flow gate in discharge pipe	
Apr-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Apr-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Apr-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Apr-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3 Flow meter monitoring start date. 18/04/2016	
Apr-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Apr-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Apr-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 3	
Apr-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
Apr-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Apr-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	No discharge	WK 4	
Apr-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4 Total water discharge for April NIL	
May-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	No discharge	WK 1	
May-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
May-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	No discharge	WK 1	
May-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
May-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	No discharge	WK 2	
May-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
May-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	No discharge	WK 2	
May-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
May-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<5	WK 2 Installed pH probe with dial up notification	
May-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.1	WK 2	
May-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	2	WK 2	
May-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	2.3	WK 2	
May-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<5	WK 2	
May-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.2	WK 2	
May-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	1	WK 2	
May-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	2.9	WK 2	
May-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<5	WK 3	
May-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.4	WK 3	
May-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	4	WK 3	
May-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	6.5	WK 3	
May-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<5	WK 4	
May-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.8	WK 4	
May-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	3	WK 4	
May-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	4.7	WK 4 Total water discharge for May 1.02 ML	
Jun-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	No discharge	WK 1	
Jun-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Jun-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	No discharge	WK 1	
Jun-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Jun-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	No discharge	WK 2	
Jun-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Jun-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	No discharge	WK 2	
Jun-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Jun-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	No discharge	WK 3	
Jun-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Jun-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	No discharge	WK 3	
Jun-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 3	
Jun-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<5	WK 4	
Jun-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.8	WK 4	
Jun-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	21	WK 4	
Jun-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	35	WK 4	
Jun-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<5	WK 5	
Jun-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.2	WK 5	
Jun-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	25	WK 5	
Jun-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	38	WK 5 Total water discharge June 0.204 ML	
Jul-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<5	WK 1	
Jul-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.2	WK 1	
Jul-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	18	WK 1	

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
Jul-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	29	WK 1	
Jul-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 2	
Jul-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.3	WK 2	
Jul-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	10	WK 2	
Jul-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	15	WK 2	
Jul-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 3	
Jul-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.8	WK 3	
Jul-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	8	WK 3	
Jul-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	13	WK 3	
Jul-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 4	
Jul-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.7	WK 4	
Jul-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	7	WK 4	
Jul-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	12	WK 4 Total water discharge for July 2.60 ML	
Aug-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Aug-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Aug-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Aug-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Aug-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 2	
Aug-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.1	WK 2	
Aug-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	8	WK 2	
Aug-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	14	WK 2	
Aug-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 3	
Aug-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7	WK 3	
Aug-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	8	WK 3	
Aug-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	14	WK 3	
Aug-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 4	Rain event
Aug-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.9	WK 4	
Aug-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	8	WK 4	
Aug-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	12	WK 4	
Aug-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 5	
Aug-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 5	
Aug-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 5	
Aug-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 5 Total water discharge for August 2.88 ML	
Sep-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 1	Rain event
Sep-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.2	WK 1	
Sep-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	7	WK 1	
Sep-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	11	WK 1	
Sep-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 2	
Sep-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.5	WK 2	
Sep-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	5	WK 2	
Sep-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	6.4	WK 2	
Sep-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
Sep-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Sep-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Sep-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 3	
Sep-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 4	Rain event
Sep-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.4	WK 4	
Sep-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	6	WK 4	
Sep-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	12	WK 4	
Sep-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 5	

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
Sep-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 5	
Sep-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 5	
Sep-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 5 Total water discharge for September 2.75 ML	
Oct-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Oct-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Oct-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Oct-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Oct-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Oct-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Oct-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Oct-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Oct-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 3	
Oct-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.9	WK 3	
Oct-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	3	WK 3	
Oct-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	6	WK 3	
Oct-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Oct-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Oct-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Oct-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4 Total water discharge for October 0.137 ML	
Nov-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Nov-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Nov-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Nov-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Nov-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Nov-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Nov-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Nov-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Nov-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
Nov-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Nov-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Nov-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 3	
Nov-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Nov-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Nov-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Nov-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4	
Nov-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 5	
Nov-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 5	
Nov-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 5	
Nov-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 5 Total water discharged for November 0.00 ML	
Dec-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Dec-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Dec-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Dec-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Dec-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Dec-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Dec-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Dec-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Dec-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
Dec-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Dec-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
Dec-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 3	
Dec-16	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Dec-16	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Dec-16	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Dec-16	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4 Total water discharged for December NIL ML	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 3	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 5	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 5	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 5	
Jan-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 5 Total water discharged for January 2017 NIL ML	
Feb-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Feb-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Feb-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Feb-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Feb-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Feb-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Feb-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Feb-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Feb-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
Feb-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Feb-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Feb-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 3	
Feb-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Feb-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Feb-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Feb-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4 Total water discharged for February 2017 NIL ML	
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Mar-17	3751	Central Coast Sands	Point 2	<5 B2 Water - Oil & Grease (<10mg/l)	<5	WK 3	Storm event, Rain heavy at times
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.6	WK 3	
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	5	WK 3	
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	6.8	WK 3	
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 4	Ongoing rain

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.8	WK 4	
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	13	WK 4	
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	29	WK 4	
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<5	WK 5	Ongoing rain
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7	WK 5	
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	16	WK 5	
Mar-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	32	WK 5 Total water discharged for March 2017 4.36 ML	
Apr-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<5	WK 1	
Apr-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.1	WK 1	
Apr-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	15	WK 1	
Apr-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	25	WK 1	
Apr-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<5	WK 2	
Apr-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.2	WK 2	
Apr-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	14	WK 2	
Apr-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	26	WK 2	
Apr-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	No discharge	WK 3	
Apr-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Apr-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	No discharge	WK 3	
Apr-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 3	
Apr-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<5	WK 4	
Apr-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.5	WK 4	
Apr-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	17	WK 4	
Apr-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	25	WK 4 Total water discharged for April 2017 3.03 ML	
May-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<5	WK 1	
May-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.4	WK 1	
May-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	5	WK 1	
May-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	5	WK 1	
May-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	No discharge	WK 2	
May-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
May-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	No discharge	WK 2	
May-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
May-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	No discharge	WK 3	
May-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
May-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	No discharge	WK 3	
May-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 3	
May-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	No discharge	WK 4	
May-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
May-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	No discharge	WK 4	
May-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4	
May-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	<5	WK 5	
May-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.1	WK 5	
May-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	4	WK 5	
May-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	7.6	WK 5 Total water discharged for May 2017 1.21 ML	
May-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Insoluble Solids (gms/sqm/mth)	0.5	No of days 28 Calculated rain 25	
May-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Ash (gms/sqm/mth)	0.3		
May-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Combustable Material	0.2		
May-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Insoluble Solids (gms/sqm/mth)	2	No of days 28 Calculated rain 25	
May-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Ash (gms/sqm/mth)	1.5		
May-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Combustable Material	0.5		
May-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Insoluble Solids (gms/sqm/mth)	1.2	No of days 28 Calculated rain 21	

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
May-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Ash (gms/sqm/mth)	0.8		
May-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Combustable Material	0.4		
Jun-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 1	
Jun-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.3	WK 1	
Jun-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	19	WK 1	
Jun-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	30	WK 1	
Jun-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Jun-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Jun-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Jun-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Jun-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 3	
Jun-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7	WK 3	
Jun-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	10	WK 3	
Jun-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	16	WK 3	
Jun-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 4	
Jun-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7	WK 4	
Jun-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	8.1	WK 4	
Jun-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	6.9	WK 4 Total water discharged for June 2017 2.62 ML	
Jun-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Insoluble Solids (gms/sqm/mth)	1.5	No of days 28, Calculated rain 115 mm	
	3751	Central Coast Sands	D1Rehab area	M2 Air - Ash (gms/sqm/mth)	0.2		
	3751	Central Coast Sands	D1Rehab area	M2 Air - Combustable Material	1.3		
	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Insoluble Solids (gms/sqm/mth)	1	No of days 28, Calculated rain 115 mm	
	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Ash (gms/sqm/mth)	0.8		
	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Combustable Material	0.2		
	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Insoluble Solids (gms/sqm/mth)	4.9	No of days 28, Calculated rain 111 mm	Neighbour operating dump truck moving dirt building dam across the road from D3, NW winds blowing.
	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Ash (gms/sqm/mth)	4.2		
	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Combustable Material	0.7		
Jul-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Jul-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Jul-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Jul-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Jul-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Jul-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Jul-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Jul-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Jul-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
Jul-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Jul-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Jul-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 3	
Jul-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Jul-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Jul-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Jul-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4 Total water discharged for June 2017 0 ML	
Jul-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Insoluble Solids (gms/sqm/mth)	0.6	No of days 28, Calculated rain <1mm	
	3751	Central Coast Sands	D1Rehab area	M2 Air - Ash (gms/sqm/mth)	0.3		
	3751	Central Coast Sands	D1Rehab area	M2 Air - Combustable Material	0.3		
	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Insoluble Solids (gms/sqm/mth)	2	No of days 28, Calculated rain 9mm	

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Ash (gms/sqm/mth)	1.5		
	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Combustable Material	0.5		
	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Insoluble Solids (gms/sqm/mth)	0.5	No of days 28, Calculated rain 2mm	
	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Ash (gms/sqm/mth)	<0.1		
	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Combustable Material	0.5		
Aug-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Aug-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Aug-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Aug-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Aug-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Aug-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Aug-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Aug-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Aug-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 3	
Aug-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.9	WK 3	
Aug-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	1	WK 3	
Aug-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	1.4	WK 3	
Aug-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 4	
Aug-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7	WK 4	
Aug-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	5	WK 4	
Aug-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	4.6	WK 4 Total water discharged for August 2017 17.30 ML	
Aug-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Insoluble Solids (gms/sqm/mth)	1.5	No of days 28, Calculated rain 10mm	
Aug-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Ash (gms/sqm/mth)	1.0		
Aug-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Combustable Material	0.5		
Aug-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Insoluble Solids (gms/sqm/mth)	5.4	No of days 28, Calculated rain 13mm	
Aug-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Ash (gms/sqm/mth)	5.0		
Aug-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Combustable Material	0.4		
Aug-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Insoluble Solids (gms/sqm/mth)	4.1	No of days 28, Calculated rain 9mm	
Aug-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Ash (gms/sqm/mth)	3.2		
Aug-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Combustable Material	0.9		
Sep-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Sep-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Sep-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Sep-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Sep-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Sep-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Sep-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Sep-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Sep-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	<5	WK 3	
Sep-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	8	WK 3	
Sep-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	1	WK 3	
Sep-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	1	WK 3	
Sep-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Sep-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Sep-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Sep-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4 Total water discharged for September 2017 13.22 ML	
Sep-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Insoluble Solids (gms/sqm/mth)	0.8	No of days 28, Calculated rain 3mm	
Sep-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Ash (gms/sqm/mth)	0.7		
Sep-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Combustable Material	0.1		
Sep-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Insoluble Solids (gms/sqm/mth)	2.7	No of days 28, Calculated rain 5mm	
Sep-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Ash (gms/sqm/mth)	2.5		
Sep-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Combustable Material	0.3		

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
Sep-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Insoluble Solids (gms/sqm/mth)	0.9	No of days 28, Calculated rain 1mm	
Sep-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Ash (gms/sqm/mth)	0.8		
Sep-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Combustable Material	0.1		
Oct-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	No discharge	WK 1	
Oct-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Oct-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	No discharge	WK 1	
Oct-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Oct-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	No discharge	WK 2	
Oct-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Oct-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	No discharge	WK 2	
Oct-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Oct-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	No discharge	WK 3	
Oct-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Oct-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	No discharge	WK 3	
Oct-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 3	
Oct-17	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/lt)	No discharge	WK 4	
Oct-17	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Oct-17	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/lt)	No discharge	WK 4	
Oct-17	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4 Total water discharged for October 2017 0 ML	
Oct-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Insoluble Solids (gms/sqm/mth)	1.4	No of days 28, Calculated rain 40mm	
Oct-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Ash (gms/sqm/mth)	0.9		
Oct-17	3751	Central Coast Sands	D1Rehab area	M2 Air - Combustable Material	0.5		
Oct-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Insoluble Solids (gms/sqm/mth)	3.1	No of days 28, Calculated rain 34mm	
Oct-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Ash (gms/sqm/mth)	2.7		
Oct-17	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Combustable Material	0.4		
Oct-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Insoluble Solids (gms/sqm/mth)	5.3	No of days 28, Calculated rain 31mm	
Oct-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Ash (gms/sqm/mth)	4.8		
Oct-17	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Combustable Material	0.5		