

# HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
Jan-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Jan-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Jan-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Jan-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Jan-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Jan-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Jan-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Jan-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Jan-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
Jan-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Jan-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Jan-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 3	
Jan-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Jan-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Jan-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Jan-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4 Total water discharged for January 2018 0 ML	
Jan-18	3751	Central Coast Sands	D1Rehab area	M2 Air - Insoluble Solids (gms/sqm/mth)	1.6	No of days 28, Calculated rain 38 mm	
Jan-18	3751	Central Coast Sands	D1Rehab area	M2 Air - Ash (gms/sqm/mth)	0.8		
Jan-18	3751	Central Coast Sands	D1Rehab area	M2 Air - Combustable Material	0.8		
Jan-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Insoluble Solids (gms/sqm/mth)	2.2	No of days 28, Calculated rain 34 mm	
Jan-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Ash (gms/sqm/mth)	1.2		
Jan-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Combustable Material	1		
Jan-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Insoluble Solids (gms/sqm/mth)	2	No of days 28, Calculated rain 34 mm	
Jan-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Ash (gms/sqm/mth)	1.5		
Jan-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Combustable Material	0.5		
Feb-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Feb-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Feb-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Feb-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Feb-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
Feb-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
Feb-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
Feb-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
Feb-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
Feb-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
Feb-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
Feb-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 3	
Feb-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Feb-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Feb-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Feb-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4 Total water discharged for February 2018 0 ML	
Feb-18	3751	Central Coast Sands	D1Rehab area	M2 Air - Insoluble Solids (gms/sqm/mth)	3.5	No of days 28, Calculated rain 55 mm	
Feb-18	3751	Central Coast Sands	D1Rehab area	M2 Air - Ash (gms/sqm/mth)	2.4		
Feb-18	3751	Central Coast Sands	D1Rehab area	M2 Air - Combustable Material	1.1		
Feb-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Insoluble Solids (gms/sqm/mth)	1.8	No of days 28, Calculated rain 56 mm	
Feb-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Ash (gms/sqm/mth)	1.1		
Feb-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Combustable Material	0.7		
Feb-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Insoluble Solids (gms/sqm/mth)	1.5	No of days 28, Calculated rain 52 mm	
Feb-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Ash (gms/sqm/mth)	1.3		
Feb-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Combustable Material	0.2		

# HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
Mar-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 1	
Mar-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 1	
Mar-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 1	
Mar-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 1	
Mar-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	5.0	WK 2	
Mar-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.3	WK 2	
Mar-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	1.0	WK 2	
Mar-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	1.7	WK 2	
Mar-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	5.0	WK 3	
Mar-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.0	WK 3	
Mar-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	2.0	WK 3	
Mar-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	2.0	WK 3	
Mar-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	5.0	WK 4	
Mar-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.3	WK 4	
Mar-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	1.0	WK 4	
Mar-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	4.3	WK 4	
Mar-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 5	
Mar-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 5	
Mar-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 5	
Mar-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 5 Total water discharged for March 2018 34.99 ML	
Mar-18	3751	Central Coast Sands	D1Rehab area	M2 Air - Insoluble Solids (gms/sqm/mth)	3.8	No of days 28, Calculated rain 115 mm	
Mar-18	3751	Central Coast Sands	D1Rehab area	M2 Air - Ash (gms/sqm/mth)	2.7		
Mar-18	3751	Central Coast Sands	D1Rehab area	M2 Air - Combustable Material	1.1		
Mar-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Insoluble Solids (gms/sqm/mth)	1.7	No of days 28, Calculated rain 116 mm	
Mar-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Ash (gms/sqm/mth)	1.2		
Mar-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Combustable Material	0.5		
Mar-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Insoluble Solids (gms/sqm/mth)	5.5	No of days 28, Calculated rain 115 mm	
Mar-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Ash (gms/sqm/mth)	4.8		
Mar-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Combustable Material	0.7		
Apr-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	5	WK 1	
Apr-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.2	WK 1	
Apr-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	2	WK 1	
Apr-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	3.1	WK 1	
Apr-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	5	WK 2	
Apr-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	8	WK 2	
Apr-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	4	WK 2	
Apr-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	4.2	WK 2	
Apr-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	5	WK 3	
Apr-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.6	WK 3	
Apr-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	2	WK 3	
Apr-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	1.2	WK 3	
Apr-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 4	
Apr-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 4	
Apr-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 4	
Apr-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4 Total water discharged for April 2018 10.50 ML	
Apr-18	3751	Central Coast Sands	D1Rehab area	M2 Air - Insoluble Solids (gms/sqm/mth)	2	No of days 28, Calculated rain 115 mm	
Apr-18	3751	Central Coast Sands	D1Rehab area	M2 Air - Ash (gms/sqm/mth)	1.2		
Apr-18	3751	Central Coast Sands	D1Rehab area	M2 Air - Combustable Material	0.8		
Apr-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Insoluble Solids (gms/sqm/mth)	2.2	No of days 28, Calculated rain 115 mm	

# HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
Apr-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Ash (gms/sqm/mth)	1.5		
Apr-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Combustable Material	0.7		
Apr-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Insoluble Solids (gms/sqm/mth)	1.8	No of days 28, Calculated rain 116 mm	
Apr-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Ash (gms/sqm/mth)	1.1		
Apr-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Combustable Material	0.7		
May-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	5	WK 1	
May-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.8	WK 1	
May-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	2	WK 1	
May-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	3.3	WK 1	
May-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 2	
May-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 2	
May-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 2	
May-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 2	
May-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK 3	
May-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK 3	
May-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK 3	
May-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 3	
May-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	5	WK 4	
May-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.6	WK 4	
May-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	2	WK 4	
May-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	1.8	WK 4	
May-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	5	WK 5	
May-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.1	WK 5	
May-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	2	WK 5	
May-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	1.9	WK 5 Total water discharged for May 2018 16.85 ML	
May-18	3751	Central Coast Sands	D1 Rehab area	M2 Air - Insoluble Solids (gms/sqm/mth)	2.9	No of days 24, Calculated rain 34 mm	
May-18	3751	Central Coast Sands	D1 Rehab area	M2 Air - Ash (gms/sqm/mth)	2.1		
May-18	3751	Central Coast Sands	D1 Rehab area	M2 Air - Combustable Material	0.8		
May-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Insoluble Solids (gms/sqm/mth)	3.6	No of days 24, Calculated rain 32 mm	
May-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Ash (gms/sqm/mth)	2.7		
May-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Combustable Material	0.9		
May-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Insoluble Solids (gms/sqm/mth)	1.4	No of days 24, Calculated rain 27 mm	
May-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Ash (gms/sqm/mth)	0.9		
May-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Combustable Material	0.5		
Jun-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK1	
Jun-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK1	
Jun-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK1	
Jun-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK1	
Jun-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK2	
Jun-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK2	
Jun-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK2	
Jun-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK2	
Jun-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	5	WK3	
Jun-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.19	WK3	
Jun-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	5	WK3	
Jun-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	6.8	WK3	
Jun-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	5	WK4	
Jun-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.12	WK4	
Jun-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	4	WK4	

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
Jun-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	10	WK 4 Total water discharged for June 2018 15.55 ML	
Jun-18	3751	Central Coast Sands	D1Rehab area	M2 Air - Insoluble Solids (gms/sqm/mth)	0.8	No of days 28, Calculated rain 10 mm (Results 06/06/18)	
Jun-18	3751	Central Coast Sands	D1Rehab area	M2 Air - Ash (gms/sqm/mth)	0.5		
Jun-18	3751	Central Coast Sands	D1Rehab area	M2 Air - Combustable Material	0.3		
Jun-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Insoluble Solids (gms/sqm/mth)	2.8	No of days 28, Calculated rain 6 mm	
Jun-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Ash (gms/sqm/mth)	2.1		
Jun-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Combustable Material	0.7		
Jun-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Insoluble Solids (gms/sqm/mth)	1.2	No of days 28 , Calculated rain 3mm	
Jun-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Ash (gms/sqm/mth)	0.8		
Jun-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Combustable Material	0.4		
Jul-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	5	WK1	
Jul-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.4	WK1	
Jul-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	9	WK1	
Jul-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	2	WK1	
Jul-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK2	
Jul-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK2	
Jul-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK2	
Jul-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK2	
Jul-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK3	
Jul-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK3	
Jul-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK3	
Jul-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK3	
Jul-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	5	WK4	
Jul-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	6.7	WK4	
Jul-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	5	WK4	
Jul-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	1	WK 4 Total water discharged for July 2018 22.33 ML	
Jul-18	3751	Central Coast Sands	D1Rehab area	M2 Air - Insoluble Solids (gms/sqm/mth)	1.1	No of days 28 , Calculated rain 22 mm	
Jul-18	3751	Central Coast Sands	D1Rehab area	M2 Air - Ash (gms/sqm/mth)	1		
Jul-18	3751	Central Coast Sands	D1Rehab area	M2 Air - Combustable Material	0.1		
Jul-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Insoluble Solids (gms/sqm/mth)	1.3	No of days 28 , Calculated rain 18 mm	
Jul-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Ash (gms/sqm/mth)	1.2		
Jul-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Combustable Material	0.1		
Jul-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Insoluble Solids (gms/sqm/mth)	0.8	No of days 28 , Calculated rain 12mm	
Jul-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Ash (gms/sqm/mth)	0.6		
Jul-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Combustable Material	0.2		
Aug-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK1	
Aug-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK1	
Aug-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK1	
Aug-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK1	
Aug-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	5.0	WK2	
Aug-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	7.2	WK2	
Aug-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	3.0	WK2	
Aug-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	3.8	WK2	
Aug-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK3	
Aug-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK3	
Aug-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK3	
Aug-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK3	
Aug-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK4	
Aug-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK4	

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
Aug-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK4	
Aug-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4 Total water discharged for August 2018 9.33 ML	
Aug-18	3751	Central Coast Sands	D1Rehab area	M2 Air - Insoluble Solids (gms/sqm/mth)	12.6	No of days 28 , Calculated rain 1 mm	
Aug-18	3751	Central Coast Sands	D1Rehab area	M2 Air - Ash (gms/sqm/mth)	12.4		Local Fire Service burning off surrounding bushland
Aug-18	3751	Central Coast Sands	D1Rehab area	M2 Air - Combustable Material	0.2		
Aug-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Insoluble Solids (gms/sqm/mth)	6.0	No of days 28 , Calculated rain 4 mm	
Aug-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Ash (gms/sqm/mth)	5.5		Local Fire Service burning off surrounding bushland
Aug-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Combustable Material	0.5		
Aug-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Insoluble Solids (gms/sqm/mth)	2.1	No of days 28 , Calculated rain 5 mm	
Aug-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Ash (gms/sqm/mth)	1.7		
Aug-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Combustable Material	0.4		

Sep-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK1	
Sep-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK1	
Sep-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK1	
Sep-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK1	
Sep-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK2	
Sep-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK2	
Sep-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK2	
Sep-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK2	
Sep-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK3	
Sep-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK3	
Sep-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK3	
Sep-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK3	
Sep-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK4	
Sep-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK4	
Sep-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK4	
Sep-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4 Total water discharged for September 2018 0 ML	
Sep-18	3751	Central Coast Sands	D1Rehab area	M2 Air - Insoluble Solids (gms/sqm/mth)	3.6	No of days 28 , Calculated rain 41 mm	
Sep-18	3751	Central Coast Sands	D1Rehab area	M2 Air - Ash (gms/sqm/mth)	3.0		
Sep-18	3751	Central Coast Sands	D1Rehab area	M2 Air - Combustable Material	0.6		
Sep-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Insoluble Solids (gms/sqm/mth)	2.5	No of days 28 , Calculated rain 41 mm	
Sep-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Ash (gms/sqm/mth)	2.0		
Sep-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Combustable Material	0.5		
Sep-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Insoluble Solids (gms/sqm/mth)	1.0	No of days 28 , Calculated rain 42 mm	
Sep-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Ash (gms/sqm/mth)	0.8		
Sep-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Combustable Material	0.2		

Oct-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK1	
Oct-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK1	
Oct-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK1	
Oct-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK1	
Oct-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK2	
Oct-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK2	
Oct-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK2	
Oct-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK2	
Oct-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK3	
Oct-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK3	
Oct-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK3	
Oct-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK3	
Oct-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK4	

# HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
Oct-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK4	
Oct-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK4	
Oct-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4 Total water discharged for October 2018 0 ML	
Oct-18	3751	Central Coast Sands	D1Rehab area	M2 Air - Insoluble Solids (gms/sqm/mth)	2.7	No of days 28 , Calculated rain 115 mm	
Oct-18	3751	Central Coast Sands	D1Rehab area	M2 Air - Ash (gms/sqm/mth)	2.6		
Oct-18	3751	Central Coast Sands	D1Rehab area	M2 Air - Combustable Material	0.1		
Oct-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Insoluble Solids (gms/sqm/mth)	1.0	No of days 28 , Calculated rain 116 mm	
Oct-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Ash (gms/sqm/mth)	0.9		
Oct-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Combustable Material	0.1		
Oct-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Insoluble Solids (gms/sqm/mth)	0.4	No of days 28 , Calculated rain 115 mm	
Oct-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Ash (gms/sqm/mth)	0.4		
Oct-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Combustable Material	0.1		
Nov-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK1	
Nov-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK1	
Nov-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK1	
Nov-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK1	
Nov-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK2	
Nov-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK2	
Nov-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK2	
Nov-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK2	
Nov-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK3	
Nov-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK3	
Nov-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK3	
Nov-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK3	
Nov-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK4	
Nov-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK4	
Nov-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK4	
Nov-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4 Total water discharged for November 2018 0 ML	
Nov-18	3751	Central Coast Sands	D1Rehab area	M2 Air - Insoluble Solids (gms/sqm/mth)	1.5	No of days 28 , Calculated rain 77 mm	
Nov-18	3751	Central Coast Sands	D1Rehab area	M2 Air - Ash (gms/sqm/mth)	1.0		
Nov-18	3751	Central Coast Sands	D1Rehab area	M2 Air - Combustable Material	0.5		
Nov-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Insoluble Solids (gms/sqm/mth)	1.4	No of days 28 , Calculated rain 100 mm	
Nov-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Ash (gms/sqm/mth)	0.9		
Nov-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Combustable Material	0.5		
Nov-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Insoluble Solids (gms/sqm/mth)	1.5	No of days 28 , Calculated rain 67 mm	
Nov-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Ash (gms/sqm/mth)	1.0		
Nov-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Combustable Material	0.5		
Dec-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK1	
Dec-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK1	
Dec-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK1	
Dec-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK1	
Dec-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK2	
Dec-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK2	
Dec-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK2	
Dec-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK2	
Dec-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK3	
Dec-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK3	
Dec-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK3	
Dec-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK3	

## HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
Dec-18	3751	Central Coast Sands	Point 2	B2 Water - Oil & Grease (<10mg/l)	No discharge	WK4	
Dec-18	3751	Central Coast Sands	Point 2	B2 Water - Ph (6.5-8.5)	No discharge	WK4	
Dec-18	3751	Central Coast Sands	Point 2	B2 Water - TSS (<50mg/l)	No discharge	WK4	
Dec-18	3751	Central Coast Sands	Point 2	B2 Water - Turbidity	No discharge	WK 4 Total water discharged for December 2018 0 ML	
Dec-18	3751	Central Coast Sands	D1Rehab area	M2 Air - Insoluble Solids (gms/sqm/mth)	3.5	No of days 28 , Calculated rain 113 mm	
Dec-18	3751	Central Coast Sands	D1Rehab area	M2 Air - Ash (gms/sqm/mth)	2.9		
Dec-18	3751	Central Coast Sands	D1Rehab area	M2 Air - Combustable Material	0.6		
Dec-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Insoluble Solids (gms/sqm/mth)	4.7	No of days 28 , Calculated rain 101 mm	20/12/19 79.6km/h NNW gusts dust from neighbouring property, Keighley Ave Somersby 2250
Dec-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Ash (gms/sqm/mth)	3.6		
Dec-18	3751	Central Coast Sands	D2A Pit 2 NE	M2 Air - Combustable Material	1.1		
Dec-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Insoluble Solids (gms/sqm/mth)	3	No of days 28 , Calculated rain 111 mm	
Dec-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Ash (gms/sqm/mth)	2.1		
Dec-18	3751	Central Coast Sands	D3 Pit 2 NW	M2 Air - Combustable Material	0.9		