

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
10 Jan 2018	EPL1879	Brandy Hill Quarry	North Dam 1	B2 Water - Ph (6.5-8.5)	8.2		Rebecca Akhurst
				B2 Water - TSS (<50mg/l)	1.0		"
				B2 Water - Oil & Grease (<10mg/l)	<5		"
10 Jan 2018	EPL1879	Brandy Hill Quarry	North Dam 2			North Dam 2 no longer a water catchment. Has been filled in	"
						North Dam 2 discharge point is still available but not being	"
						used. Not required at this point in time.	"
10 Jan 2018	EPL1879	Brandy Hill Quarry	South Dam 3	B2 Water - Ph (6.5-8.5)	9.3		"
				B2 Water - TSS (<50mg/l)	26.0		"
				B2 Water - Oil & Grease (<10mg/l)	<5		"
10 Jan 2018	EPL1879	Brandy Hill Quarry	Giles Rd	M2 Air - Insoluble Solids (gms/sqm/mth)	1.7		"
				M2 Air - Ash (gms/sqm/mth)	0.8		"
				M2 Air - Combustable Material	0.9		"
10 Jan 2018	EPL1879	Brandy Hill Quarry	Front Gate Quarry	M2 Air - Insoluble Solids (gms/sqm/mth)	2.0		"
				M2 Air - Ash (gms/sqm/mth)	1.2		"
				M2 Air - Combustable Material	0.8		"
10 Jan 2018	EPL1879	Brandy Hill Quarry	Cattle Yard	M2 Air - Insoluble Solids (gms/sqm/mth)	2.8		"
				M2 Air - Ash (gms/sqm/mth)	1.4		"
				M2 Air - Combustable Material	1.4		Rebecca Akhurst
07 Feb 2018	EPL1879	Brandy Hill Quarry	North Dam 1	B2 Water - Ph (6.5-8.5)	8.3		"
				B2 Water - TSS (<50mg/l)	1.0		"
				B2 Water - Oil & Grease (<10mg/l)	<5		"
07 Feb 2018	EPL1879	Brandy Hill Quarry	North Dam 2			North Dam 2 no longer a water catchment. Has been filled in	"
						North Dam 2 discharge point is still available but not being	"
						used. Not required at this point in time.	"
07 Feb 2018	EPL1879	Brandy Hill Quarry	South Dam 3	B2 Water - Ph (6.5-8.5)	9.5		"
				B2 Water - TSS (<50mg/l)	10.0		"
				B2 Water - Oil & Grease (<10mg/l)	<5		"
07 Feb 2018	EPL1879	Brandy Hill Quarry	Giles Rd	M2 Air - Insoluble Solids (gms/sqm/mth)	0.6		"
				M2 Air - Ash (gms/sqm/mth)	0.2		"
				M2 Air - Combustable Material	0.4		Rebecca Akhurst
07 Feb 2018	EPL1879	Brandy Hill Quarry	Front Gate Quarry	M2 Air - Insoluble Solids (gms/sqm/mth)	1.7		"
				M2 Air - Ash (gms/sqm/mth)	0.9		"
				M2 Air - Combustable Material	0.8		"
07 Feb 2018	EPL1879	Brandy Hill Quarry	Cattle Yard	M2 Air - Insoluble Solids (gms/sqm/mth)	0.3		"
				M2 Air - Ash (gms/sqm/mth)	0.2		"
				M2 Air - Combustable Material	0.1		"
07 Mar 2018	EPL1879	Brandy Hill Quarry	North Dam 1	B2 Water - Ph (6.5-8.5)	8.1		"
				B2 Water - TSS (<50mg/l)	1.0		"
				B2 Water - Oil & Grease (<10mg/l)	<5		"
07 Mar 2018	EPL1879	Brandy Hill Quarry	North Dam 2			North Dam 2 no longer a water catchment. Has been filled in	"
						North Dam 2 discharge point is still available but not being	"
						used. Not required at this point in time.	"
07 Mar 2018	EPL1879	Brandy Hill Quarry	South Dam 3	B2 Water - Ph (6.5-8.5)	7.7		"
				B2 Water - TSS (<50mg/l)	30.0		"
				B2 Water - Oil & Grease (<10mg/l)	<5		"
07 Mar 2018	EPL1879	Brandy Hill Quarry	Giles Rd	M2 Air - Insoluble Solids (gms/sqm/mth)	0.9		"

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
				M2 Air - Ash (gms/sqm/mth)	0.5		"
				M2 Air - Combustable Material	0.4		"
07 Mar 2018	EPL1879	Brandy Hill Quarry	Front Gate Quarry	M2 Air - Insoluble Solids (gms/sqm/mth)	0.7		"
				M2 Air - Ash (gms/sqm/mth)	0.5		"
				M2 Air - Combustable Material	0.2		"
07 Mar 2018	EPL1879	Brandy Hill Quarry	Cattle Yard	M2 Air - Insoluble Solids (gms/sqm/mth)	0.8		Rebecca Akhurst
				M2 Air - Ash (gms/sqm/mth)	0.5		"
				M2 Air - Combustable Material	0.3		"
04 Apr 2018	EPL1879	Brandy Hill Quarry	North Dam 1	B2 Water - Ph (6.5-8.5)	8.3		"
				B2 Water - TSS (<50mg/l)	<2		"
				B2 Water - Oil & Grease (<10mg/l)	<5		"
04 Apr 2018	EPL1879	Brandy Hill Quarry	North Dam 2			North Dam 2 no longer a water catchment. Has been filled in	"
						North Dam 2 discharge point is still available but not being used. Not required at this point in time.	"
04 Apr 2018	EPL1879	Brandy Hill Quarry	South Dam 3	B2 Water - Ph (6.5-8.5)	7.8		"
				B2 Water - TSS (<50mg/l)	25.0		"
				B2 Water - Oil & Grease (<10mg/l)	<5		"
04 Apr 2018	EPL1879	Brandy Hill Quarry	Giles Rd	M2 Air - Insoluble Solids (gms/sqm/mth)	0.9		"
				M2 Air - Ash (gms/sqm/mth)	0.4		"
				M2 Air - Combustable Material	0.5		"
04 Apr 2018	EPL1879	Brandy Hill Quarry	Front Gate Quarry	M2 Air - Insoluble Solids (gms/sqm/mth)	0.9		"
				M2 Air - Ash (gms/sqm/mth)	0.6		"
				M2 Air - Combustable Material	0.3		"
04 Apr 2018	EPL1879	Brandy Hill Quarry	Cattle Yard	M2 Air - Insoluble Solids (gms/sqm/mth)	0.8		"
				M2 Air - Ash (gms/sqm/mth)	0.6		"
				M2 Air - Combustable Material	0.2		Rebecca Akhurst
02 May 2018	EPL1879	Brandy Hill Quarry	North Dam 1	B2 Water - Ph (6.5-8.5)	8.0		"
				B2 Water - TSS (<50mg/l)	<2		"
				B2 Water - Oil & Grease (<10mg/l)	<5		"
02 May 2018	EPL1879	Brandy Hill Quarry	North Dam 2			North Dam 2 no longer a water catchment. Has been filled in	"
						North Dam 2 discharge point is still available but not being used. Not required at this point in time.	"
02 May 2018	EPL1879	Brandy Hill Quarry	South Dam 3	B2 Water - Ph (6.5-8.5)	7.7		"
				B2 Water - TSS (<50mg/l)	11.0		"
				B2 Water - Oil & Grease (<10mg/l)	<5		"
02 May 2018	EPL1879	Brandy Hill Quarry	Giles Rd	M2 Air - Insoluble Solids (gms/sqm/mth)	0.6		"
				M2 Air - Ash (gms/sqm/mth)	0.4		"
				M2 Air - Combustable Material	0.2		"
02 May 2018	EPL1879	Brandy Hill Quarry	Front Gate Quarry	M2 Air - Insoluble Solids (gms/sqm/mth)	1.7		"
				M2 Air - Ash (gms/sqm/mth)	0.9		"
				M2 Air - Combustable Material	0.8		"
02 May 2018	EPL1879	Brandy Hill Quarry	Cattle Yard	M2 Air - Insoluble Solids (gms/sqm/mth)	0.9		"
				M2 Air - Ash (gms/sqm/mth)	0.7		"
				M2 Air - Combustable Material	0.2		"
30 May 2018	EPL1879	Brandy Hill Quarry	North Dam 1	B2 Water - Ph (6.5-8.5)	8.1		"
				B2 Water - TSS (<50mg/l)	<2		"
				B2 Water - Oil & Grease (<10mg/l)	<5		"
30 May 2018	EPL1879	Brandy Hill Quarry	North Dam 2			North Dam 2 no longer a water catchment. Has been filled in	"
						North Dam 2 discharge point is still available but not being used. Not required at this point in time.	"

## HANSON EPA LICENSE CONDITIONS - Public Monitoring Register

Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
30 May 2018	EPL1879	Brandy Hill Quarry	South Dam 3	B2 Water - Ph (6.5-8.5)	7.9		"
				B2 Water - TSS (<50mg/l)	3.0		"
				B2 Water - Oil & Grease (<10mg/l)	<5		"
30 May 2018	EPL1879	Brandy Hill Quarry	Giles Rd	M2 Air - Insoluble Solids (gms/sqm/mth)	0.4		"
				M2 Air - Ash (gms/sqm/mth)	0.4		"
				M2 Air - Combustable Material	<0.1		"
30 May 2018	EPL1879	Brandy Hill Quarry	Front Gate Quarry	M2 Air - Insoluble Solids (gms/sqm/mth)	3.0		"
				M2 Air - Ash (gms/sqm/mth)	0.7		"
				M2 Air - Combustable Material	2.3		"
30 May 2018	EPL1879	Brandy Hill Quarry	Cattle Yard	M2 Air - Insoluble Solids (gms/sqm/mth)	2.7		Rebecca Akhurst
				M2 Air - Ash (gms/sqm/mth)	1.5		"
				M2 Air - Combustable Material	1.2		"
27 Jun 2018	EPL1879	Brandy Hill Quarry	North Dam 1	B2 Water - Ph (6.5-8.5)	8.1		"
				B2 Water - TSS (<50mg/l)	<2		"
				B2 Water - Oil & Grease (<10mg/l)	<5		"
27 Jun 2018	EPL1879	Brandy Hill Quarry	North Dam 2			North Dam 2 no longer a water catchment. Has been filled in	"
						North Dam 2 discharge point is still available but not being used. Not required at this point in time.	"
27 Jun 2018	EPL1879	Brandy Hill Quarry	South Dam 3	B2 Water - Ph (6.5-8.5)	7.8		"
				B2 Water - TSS (<50mg/l)	24.0		"
				B2 Water - Oil & Grease (<10mg/l)	<5		"
27 Jun 2018	EPL1879	Brandy Hill Quarry	Giles Rd	M2 Air - Insoluble Solids (gms/sqm/mth)	0.2		"
				M2 Air - Ash (gms/sqm/mth)	0.1		"
				M2 Air - Combustable Material	0.1		"
27 Jun 2018	EPL1879	Brandy Hill Quarry	Front Gate Quarry	M2 Air - Insoluble Solids (gms/sqm/mth)	0.4		"
				M2 Air - Ash (gms/sqm/mth)	0.3		"
				M2 Air - Combustable Material	0.1		"
27 Jun 2018	EPL1879	Brandy Hill Quarry	Cattle Yard	M2 Air - Insoluble Solids (gms/sqm/mth)	2.8		"
				M2 Air - Ash (gms/sqm/mth)	0.8		"
				M2 Air - Combustable Material	2.0		"
25 Jul 2018	EPL1879	Brandy Hill Quarry	North Dam 1	B2 Water - Ph (6.5-8.5)	8.2		"
				B2 Water - TSS (<50mg/l)	<2		"
				B2 Water - Oil & Grease (<10mg/l)	<5		"
25 Jul 2018	EPL1879	Brandy Hill Quarry	North Dam 2			North Dam 2 no longer a water catchment. Has been filled in	"
						North Dam 2 discharge point is still available but not being used. Not required at this point in time.	"
25 Jul 2018	EPL1879	Brandy Hill Quarry	South Dam 3	B2 Water - Ph (6.5-8.5)	8.2		Rebecca Akhurst
				B2 Water - TSS (<50mg/l)	3.0		"
				B2 Water - Oil & Grease (<10mg/l)	<5		"
25 Jul 2018	EPL1879	Brandy Hill Quarry	Giles Rd	M2 Air - Insoluble Solids (gms/sqm/mth)	0.2		"
				M2 Air - Ash (gms/sqm/mth)	0.1		"
				M2 Air - Combustable Material	0.1		"
25 Jul 2018	EPL1879	Brandy Hill Quarry	Front Gate Quarry	M2 Air - Insoluble Solids (gms/sqm/mth)	3.8		"
				M2 Air - Ash (gms/sqm/mth)	1.4		"
				M2 Air - Combustable Material	2.4		"
25 Jul 2018	EPL1879	Brandy Hill Quarry	Cattle Yard	M2 Air - Insoluble Solids (gms/sqm/mth)	2.6		"
				M2 Air - Ash (gms/sqm/mth)	1.2		"
				M2 Air - Combustable Material	1.4		"
22 Aug 2018	EPL1879	Brandy Hill Quarry	North Dam 1	B2 Water - Ph (6.5-8.5)	8.3		"
				B2 Water - TSS (<50mg/l)	<2		"

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
22 Aug 2018	EPL1879	Brandy Hill Quarry	North Dam 2	B2 Water - Oil & Grease (<10mg/l)	<5	North Dam 2 no longer a water catchment. Has been filled in	"
						North Dam 2 discharge point is still available but not being used. Not required at this point in time.	"
22 Aug 2018	EPL1879	Brandy Hill Quarry	South Dam 3	B2 Water - Ph (6.5-8.5)	8.2		"
				B2 Water - TSS (<50mg/l)	6.0		"
				B2 Water - Oil & Grease (<10mg/l)	<5		"
22 Aug 2018	EPL1879	Brandy Hill Quarry	Giles Rd	M2 Air - Insoluble Solids (gms/sqm/mth)	0.5		"
				M2 Air - Ash (gms/sqm/mth)	0.4		"
				M2 Air - Combustable Material	0.1		"
22 Aug 2018	EPL1879	Brandy Hill Quarry	Front Gate Quarry	M2 Air - Insoluble Solids (gms/sqm/mth)	1.0		"
				M2 Air - Ash (gms/sqm/mth)	0.7		"
				M2 Air - Combustable Material	0.3		"
22 Aug 2018	EPL1879	Brandy Hill Quarry	Cattle Yard	M2 Air - Insoluble Solids (gms/sqm/mth)	1.6		"
				M2 Air - Ash (gms/sqm/mth)	0.7		"
				M2 Air - Combustable Material	0.9		"
19 Sep 2018	EPL1879	Brandy Hill Quarry	North Dam 1	B2 Water - Ph (6.5-8.5)	8.3		"
				B2 Water - TSS (<50mg/l)	2.0		"
				B2 Water - Oil & Grease (<10mg/l)	<5		"
19 Sep 2018	EPL1879	Brandy Hill Quarry	North Dam 2			North Dam 2 no longer a water catchment. Has been filled in	"
						North Dam 2 discharge point is still available but not being used. Not required at this point in time.	"
19 Sep 2018	EPL1879	Brandy Hill Quarry	South Dam 3	B2 Water - Ph (6.5-8.5)	7.9		"
				B2 Water - TSS (<50mg/l)	4.0		"
				B2 Water - Oil & Grease (<10mg/l)	<5		"
19 Sep 2018	EPL1879	Brandy Hill Quarry	Giles Rd	M2 Air - Insoluble Solids (gms/sqm/mth)	0.8		"
				M2 Air - Ash (gms/sqm/mth)	0.5		"
				M2 Air - Combustable Material	0.3		"
19 Sep 2018	EPL1879	Brandy Hill Quarry	Front Gate Quarry	M2 Air - Insoluble Solids (gms/sqm/mth)	0.7		"
				M2 Air - Ash (gms/sqm/mth)	0.5		"
				M2 Air - Combustable Material	0.2		"
19 Sep 2018	EPL1879	Brandy Hill Quarry	Cattle Yard	M2 Air - Insoluble Solids (gms/sqm/mth)	0.8		"
				M2 Air - Ash (gms/sqm/mth)	0.5		"
				M2 Air - Combustable Material	0.3		"
17 Oct 2018	EPL1879	Brandy Hill Quarry	North Dam 1	B2 Water - Ph (6.5-8.5)	8.5		"
				B2 Water - TSS (<50mg/l)	10.0		"
				B2 Water - Oil & Grease (<10mg/l)	<5		"
17 Oct 2018	EPL1879	Brandy Hill Quarry	North Dam 2			North Dam 2 no longer a water catchment. Has been filled in	"
						North Dam 2 discharge point is still available but not being used. Not required at this point in time.	"
17 Oct 2018	EPL1879	Brandy Hill Quarry	South Dam 3	B2 Water - Ph (6.5-8.5)	8.1		"
				B2 Water - TSS (<50mg/l)	10.0		"
				B2 Water - Oil & Grease (<10mg/l)	<5		"
17 Oct 2018	EPL1879	Brandy Hill Quarry	Giles Rd	M2 Air - Insoluble Solids (gms/sqm/mth)	0.8		"
				M2 Air - Ash (gms/sqm/mth)	0.4		"
				M2 Air - Combustable Material	0.4		Rebecca Akhurst
17 Oct 2018	EPL1879	Brandy Hill Quarry	Front Gate Quarry	M2 Air - Insoluble Solids (gms/sqm/mth)	0.7		"
				M2 Air - Ash (gms/sqm/mth)	0.5		"
				M2 Air - Combustable Material	0.2		"
17 Oct 2018	EPL1879	Brandy Hill Quarry	Cattle Yard	M2 Air - Insoluble Solids (gms/sqm/mth)	2.5		"

## HANSON EPA LICENSE CONDITIONS - Public Monitoring Register

Date	License No.	Site Name	Monitoring Location	Test Type	Result	Comments	EPA contact
				M2 Air - Ash (gms/sqm/mth)	1.3		"
				M2 Air - Combustable Material	1.2		"
14 Nov 2018	EPL1879	Brandy Hill Quarry	North Dam 1	B2 Water - Ph (6.5-8.5)	8.3		"
				B2 Water - TSS (<50mg/l)	2.0		"
				B2 Water - Oil & Grease (<10mg/l)	<5		"
14 Nov 2018	EPL1879	Brandy Hill Quarry	North Dam 2			North Dam 2 no longer a water catchment. Has been filled in	"
						North Dam 2 discharge point is still available but not being used. Not required at this point in time.	"
14 Nov 2018	EPL1879	Brandy Hill Quarry	South Dam 3	B2 Water - Ph (6.5-8.5)	8.5		"
				B2 Water - TSS (<50mg/l)	2.0		"
				B2 Water - Oil & Grease (<10mg/l)	<5		"
14 Nov 2018	EPL1879	Brandy Hill Quarry	Giles Rd	M2 Air - Insoluble Solids (gms/sqm/mth)	3.0		"
				M2 Air - Ash (gms/sqm/mth)	1.3		"
				M2 Air - Combustable Material	1.7		"
14 Nov 2018	EPL1879	Brandy Hill Quarry	Front Gate Quarry	M2 Air - Insoluble Solids (gms/sqm/mth)	0.6		"
				M2 Air - Ash (gms/sqm/mth)	0.5		"
				M2 Air - Combustable Material	0.1		"
14 Nov 2018	EPL1879	Brandy Hill Quarry	Cattle Yard	M2 Air - Insoluble Solids (gms/sqm/mth)	0.2		"
				M2 Air - Ash (gms/sqm/mth)	0.2		"
				M2 Air - Combustable Material	<0.1		"
12 Dec 2018	EPL1879	Brandy Hill Quarry	North Dam 1	B2 Water - Ph (6.5-8.5)	8.5		"
				B2 Water - TSS (<50mg/l)	2.0		"
				B2 Water - Oil & Grease (<10mg/l)	<5		"
12 Dec 2018	EPL1879	Brandy Hill Quarry	North Dam 2			North Dam 2 no longer a water catchment. Has been filled in	"
						North Dam 2 discharge point is still available but not being used. Not required at this point in time.	"
12 Dec 2018	EPL1879	Brandy Hill Quarry	South Dam 3	B2 Water - Ph (6.5-8.5)	7.7		"
				B2 Water - TSS (<50mg/l)	9.0		"
				B2 Water - Oil & Grease (<10mg/l)	<5		Rebecca Akhurst
12 Dec 2018	EPL1879	Brandy Hill Quarry	Giles Rd	M2 Air - Insoluble Solids (gms/sqm/mth)	1.3		"
				M2 Air - Ash (gms/sqm/mth)	0.4		"
				M2 Air - Combustable Material	0.9		"
12 Dec 2018	EPL1879	Brandy Hill Quarry	Front Gate Quarry	M2 Air - Insoluble Solids (gms/sqm/mth)	0.8		"
				M2 Air - Ash (gms/sqm/mth)	0.5		"
				M2 Air - Combustable Material	0.3		"
12 Dec 2018	EPL1879	Brandy Hill Quarry	Cattle Yard	M2 Air - Insoluble Solids (gms/sqm/mth)	2.8		"
				M2 Air - Ash (gms/sqm/mth)	1.1		"
				M2 Air - Combustable Material	1.7		"