

CBased Environmental Pty Limited ABN 62 611 924 264



Calga Quarry

Environmental Monitoring

Dust Deposition Gauges, Surface and Ground Waters and Meteorological Station

October 2018

Colin Davies BSc MEIA CENVP

Environmental Scientist Date: 20 November 2018

© CBased Environmental Pty Limited 2014. This document was prepared solely for the original recipient and no third party must rely on or use any information without the consent of CBased Environmental Pty Limited. CBased Environmental Pty Limited and the author accept no responsibility to any third party who uses or relies upon the information contained in this report.

Executive Summary

CBased Environmental is contracted by Hanson Quarry Products to conduct environmental monitoring at the Calga Sand Quarry.

The monitoring includes;

- · Dust Deposition Gauges;
- Surface Waters:
- Groundwaters; and
- Meteorological Station.

This report was prepared by CBased Environmental and includes the following;

- Dust Deposition results for October 2018;
- Surface Water quality results for October 2018; and
- Meteorological report for October 2018.

The October 2018 dust deposition results for insoluble solids were generally varied when compared to September 2018. There were no excessively contaminated dust gauges this month. All sites, on a rolling annual average basis, are currently below the Air Quality Management Plan exceedance level of 3.7g/m².month. Results were found to be representative of dust levels as determined by the Australian Standard.

Monthly surface water samples were collected at sites A, C1, C2 and F. Sites B and D were dry at the time of sampling. The samples were collected and analysed for a monthly sampling event. Results show pH within the slightly acidic range, low Electrical Conductivity, low Total Dissolved Solids and low Total Suspended Solids. Oil and Grease was not detected at any sites in October 2018

Bimonthly groundwater monitoring is next scheduled for November 2018.

Data for October 2018 shows that rainfall recorded at the Calga Quarry was below the Gosford BOM mean rainfall however well above the Peats Ridge long term rainfall for October.

The rainfall comparison is provided below:

Calga Quarry 150.2 mm
BOM Peats Ridge* NA
BOM Gosford* 258.0 mm
BOM Peats Ridge Long term mean for October* 85.3 mm

Note: Differences in the daily rainfall readings between BOM and the Calga station may occur due to BOM stations reporting rainfall at 9am and the Calga station recording rainfall at midnight.

^{*}Data sourced from Bureau of Meteorology (BOM) website (<u>www.bom.gov.au</u>).

Sampling Program

Hanson Calga Quarry conducts environmental monitoring in accordance to Development Consent, OEH (EPA) licence and Environmental Management Plans. CBased Environmental are contracted to undertake dust deposition gauge, surface and groundwater and meteorological monitoring for the project. CBased Environmental commenced monitoring from the April 2006 monitoring period.

Dust deposition gauges are operated to the Australian Standard <u>AS3580.10.1</u> "Methods for sampling and analysis of ambient air method. Determination of particulates- deposited matter- gravimetric Method". Sampling is undertaken every 30 +/- 2 days and each gauge is analysed for insoluble solids and ash residue. The results are reported as g/m^2 .month.

Surface waters are sampled in accordance with Australian Standards <u>AS5667.1</u> "Guidance on the design of sample programs, sampling techniques and the preservation and handling of samples", <u>AS5667.6</u> "Water quality sampling—guidance on sampling of rivers and streams" and <u>AS5667.4</u> "Water quality sampling—guidance on sampling from lakes, natural and man-made". Surface water monitoring sites include local streams and dams. Basic analysis including pH, Electrical Conductivity, Total Suspended Solids, Total Dissolved Solids and Total Oil and Grease is conducted monthly at Sites A and F (dams) and when Sites B, C and D are flowing. Additional samples are collected when daily rainfall exceeds 50mm.

Groundwaters are sampled in accordance with Australian Standards <u>AS5667.1</u> "Guidance on the design of sample programs, sampling techniques and the preservation and handling of samples" and <u>AS5667.11</u> "Water quality sampling—guidance on sampling of ground waters". Groundwater monitoring sites are sampled bi-monthly for depth and water quality. Groundwater monitoring loggers continuously record water levels in a selection of bores.

Meteorological monitoring is conducted at the quarry and displayed on the site computer with a real-time display. Metrological parameters are measured according to Australian Standard <u>AS3580.14</u> "Methods for sampling and analysis of ambient air. Meteorological monitoring for ambient air quality monitoring applications"

The weather stations have the following sensor configuration;

- Air temperature
- Humidity
- Rainfall
- Atmospheric pressure
- Evaporation
- Solar radiation
- Wind speed
- Wind direction

CBased Environmental continued to operate the monitoring equipment and utilise site collections at their existing locations.

The locations of monitoring points are provided in **Figure 1**.




Figure 1: Hanson Calga Quarry environmental monitoring locations

2.0 Monthly Results

2.1 Dust Deposition Gauges

Table 1 displays the results for October 2018 and the project 12-month rolling average. Results are in g/m².month.

Table 1: Dust Deposition results: 4 October 2018 – 2 November 2018 (29 days)


Site	Monthly Insoluble Solids (g/m².month)	Monthly Ash Residue (g/m².month)	Monthly Combustible Matter (g/m².month)	Monthly Ash Residue/ Insoluble Solids %	Rolling Annual Average Insoluble Solids (g/m².month)
CD1	0.8	0.5	0.3	63	3.5
CD2c	1.8	1.0	0.8	56	1.3
CD3	0.9	0.5	0.4	56	0.9
CD4	0.8	0.4	0.4	50	0.7
CD5	0.8	0.4	0.4	50	0.7
CD6	0.3	0.2	0.1	67	0.9

Insoluble Solids marked with an * indicate an excessively contaminated gauge. Contamination can include bird droppings, vegetation (such as plant matter, algae, pollen and seeds) and insects. Results in bold indicate insoluble solids levels above 3.7 g/m².month; the Development Consent's annual average amenity criteria at residential locations. The current rolling annual average is calculated from August 2017 to July 2018.

CD1 was installed on the 1 May 2006. CD2a was discontinued at the start of August 2006 due to quarry operations "mining out" the site of the gauge. The replacement gauge, Site CD2b, was located in a position adjacent to the boundary between B. Kashouli and F. & J. Gazzana in conformance with the Air Quality Management Plan. CD4 was installed on 3 October 2006, to gauge air quality impacts to the south of the site operations, as were CD5 and CD6 which were installed on the 14 December 2006. CD2b was discontinued at the end of January 2010 due to contamination of the gauge by non-quarry related vehicle movements on a track adjacent to the gauge. The replacement gauge, CD2c, was located on a rehabilitated section of land between the extraction area and adjacent resident.

Dust deposition charts for all dust gauge sites appear in **Figure 2** below. The laboratory analysis is provided in **Appendix 1**.

Figure 2: Dust Deposition Charts



2.2 Surface Water Monitoring

Monthly surface water monitoring was conducted on the 2 November 2018 and results are listed in **Table 2**. The laboratory analysis sheets are provided in **Appendix 1**.

Table 2: Monthly surface water monitoring - October grab sample results

Site	Observed Flow Rate	Water Colour	Turbidity	рН	EC (μS/cm)	TDS (mg/L)	TSS (mg/L)	Oil and Grease (mg/L)
Α	Dam	Clear	Clear	6.12	116	70	<5	<5
В				Dry				
C1	Dam	Clear	Clear	6.89	106	71	8	<5
C2	Trickle	Clear	Clear	6.53	120	83	6	<5
D				Dry				
F	Dam	Clear	Clear	4.95	109	68	<5	<5

Samples were collected at sites A, C1, C2 and F. Sites B and D were dry at the time of sampling. The samples were collected and analysed for a monthly sampling event. Results show pH within the slightly acidic range, low Electrical Conductivity, low Total Dissolved Solids and low Total Suspended Solids. Oil and Grease was not detected at any sites in October 2018

2.2.1 Non-Routine Surface Water Sampling

No non-routine sampling was undertaken during October 2018.

2.3 Groundwater Monitoring

Bi-monthly groundwaters were sampled in September 2018. Bi-monthly groundwater monitoring is next scheduled for November 2018.

2.4 Meteorological Monitoring

The Calga Quarry weather station data recovery in October 2018 was approximately 100%.

The weather station data follows and includes:

- Monthly data numerical summary;
- Weather charts of air temperature, humidity, heat index and wind chill, atmospheric pressure, solar radiation, evapotranspiration, rain, wind speed and data reception; and
- Wind rose (frequency distribution diagram of wind speed and direction).

An annual calibration was undertaken on the weather station during September 2018 and is next due in September 2019.

Monthly weather statistics from the nearby Bureau of Meteorology (BOM) at Peats Ridge station are no longer available. However, the long-term rainfall mean is available via a link on the Gosford BOM Daily Weather Observation page.

Data for October 2018 shows that rainfall recorded at the Calga Quarry was below the Gosford BOM mean rainfall however well above the Peats Ridge long term rainfall for October.

The rainfall comparison is provided below:

Calga Quarry	150.2 mm
BOM Peats Ridge*	NA
BOM Gosford*	258.0 mm
BOM Peats Ridge Long term mean for October*	85.3 mm

NA = Not Available

[^]Rain data not based on a full set of data.

^{*}Data sourced from Bureau of Meteorology (BOM) website (www.bom.gov.au).


2.4.1 Monthly Meteorological Data Summary

Summary Oct-18 Hanson - Calga


Date	Min Temp	Av Temp	Max Temp	Min %RH	Av %RH	Max %RH	RAIN mm	Min WS	AvWS	Max WS	Min wind chill	Max Heat index	Min Atm P	Av Atm P	Max Atm P	Min Data %	Av data %	Max Data %
1/10/2018	7.7	14.2	21.7	51.0	76.4	95.0	0.0	0.0	2.0	9.8	7.7	20.9	1025.6	1028.3	1030.7	65.2	88.5	97.8
2/10/2018	8.6	16.3	25.7	32.0	70.4	93.0	0.0	0.0	2.3	10.7	8.6	24.7	1022.8	1025.6	1028.4	57.2	91.2	100.0
3/10/2018	10.3	18.1	26.3	32.0	69.6	96.0	0.0	0.0	1.5	9.4	10.3	25.2	1014.7	1018.2	1022.7	68.6	94.2	100.0
4/10/2018	13.9	15.1	16.7	84.0	93.3	97.0	8.4	0.0	1.1	6.3	13.7	16.8	1015.3	1016.9	1018.7	52.3	71.2	100.0
5/10/2018	12.2	13.3	14.1	95.0	96.2	97.0	41.6	1.3	3.3	14.8	10.1	14.3	1016.9	1020.9	1024.0	42.8	65.0	83.7
6/10/2018	11.0	13.3	17.4	63.0	86.6	98.0	7.2	1.8	3.1	11.2	9.2	16.9	1021.2	1022.6	1023.8	58.2	70.4	84.9
7/10/2018	10.9	13.2	16.6	79.0	88.3	96.0	6.0	2.2	4.0	11.6	9.1	16.7	1018.3	1020.2	1023.3	64.9	73.5	84.9
8/10/2018	13.4	15.8	19.5	73.0	84.6	94.0	0.8	0.0	2.6	8.0	11.8	19.6	1015.6	1017.3	1018.6	40.6	62.5	94.8
9/10/2018	10.7	18.0	25.9	50.0	80.6	97.0	0.0	0.0	1.3	6.3	10.7	26.2	1010.8	1013.7	1017.5	27.1	57.5	74.2
10/10/2018	11.1	13.9	17.2	83.0	92.7	95.0	20.0	0.0	2.0	9.4	10.1	17.4	1012.3	1018.0	1023.3	39.1	70.6	100.0
11/10/2018	10.6	12.5	16.6	67.0	88.6	96.0	4.6	0.0	1.6	10.3	10.3	15.8	1022.1	1024.2	1026.7	65.5	81.4	100.0
12/10/2018	10.6	12.6	16.6	76.0	93.0	97.0	6.2	0.0	1.7	9.4	10.6	16.3	1024.8	1026.4	1028.0	58.2	80.7	99.1
13/10/2018	10.8	14.1	18.7	77.0	91.4	97.0	8.6	0.0	2.3	10.3	10.6	18.9	1024.0	1025.5	1027.3	42.8	77.2	99.7
14/10/2018	14.1	16.2	20.8	64.0	86.8	97.0	11.0	0.0	3.1	12.5	12.6	20.8	1024.3	1026.0	1027.5	68.0	90.2	100.0
15/10/2018	12.4	16.4	20.4	77.0	90.4	97.0	6.0	0.0	3.2	13.9	12.4	20.9	1023.2	1025.0	1026.7	48.3	78.7	98.5
16/10/2018	16.2	18.6	23.0	69.0	84.2	92.0	1.0	2.2	4.5	13.0	14.4	23.4	1019.0	1021.4	1024.1	40.3	77.0	94.2
17/10/2018	16.0	19.5	26.2	60.0	87.2	95.0	1.2	0.0	2.4	8.9	15.6	26.4	1014.6	1017.0	1019.3	55.7	79.9	100.0
18/10/2018	16.1	18.8	25.4	65.0	91.4	97.0	10.8	0.0	1.6	8.5	16.1	26.0	1015.1	1016.6	1018.1	49.5	68.7	94.5
19/10/2018	16.8	21.7	29.6	41.0	79.2	97.0	0.2	0.0	2.5	8.5	16.9	30.3	1013.7	1016.0	1018.6	43.4	71.5	91.7
20/10/2018	16.8	21.9	31.3	43.0	77.3	94.0	13.0	0.0	1.8	10.7	16.8	33.4	1008.4	1012.7	1015.0	55.7	76.8	98.8
21/10/2018	14.2	15.9	17.9	78.0	90.0	96.0	0.2	0.0	1.3	6.7	13.7	17.9	1012.3	1016.4	1019.2	66.5	80.7	92.0
22/10/2018	14.7	18.1	23.6	69.0	84.5	96.0	0.0	0.0	2.4	8.9	14.7	24.0	1014.8	1017.0	1019.2	64.3	81.2	100.0
23/10/2018	13.1	21.0	31.6	39.0	77.0	97.0	0.0	0.0	1.5	8.9	13.2	32.9	1009.8	1013.4	1016.5	50.2	78.8	95.1
24/10/2018	13.1	16.0	19.1	68.0	83.0	96.0	0.8	0.0	2.3	9.8	13.1	18.7	1011.8	1019.8	1024.0	51.1	80.4	97.8
25/10/2018	12.6	16.8	23.2	62.0	83.1	96.0	0.4	0.0	2.0	8.0	12.6	23.4	1014.7	1018.8	1023.3	46.2	76.3	100.0
26/10/2018	11.9	16.8	22.8	62.0	83.9	97.0	0.0	0.0	1.9	10.3	11.9	22.9	1013.7	1015.9	1018.0	42.8	75.4	97.2
27/10/2018	14.7	19.4	26.4	41.0	76.1	94.0	0.0	0.0	1.9	8.5	14.7	26.4	1007.8	1012.3	1016.8	76.0	92.9	100.0
28/10/2018	13.1	15.5	17.7	68.0	82.1	93.0	2.0	0.0	1.7	8.5	13.1	18.1	1012.8	1016.7	1018.7	85.2	95.0	98.5
29/10/2018	13.6	16.3	21.1	56.0	74.1	89.0	0.0	0.0	1.5	7.2	13.6	20.3	1016.6	1018.7	1021.3	59.4	85.1	100.0
30/10/2018	11.3	20.0	30.7	38.0	71.2	95.0	0.0	0.0	2.2	9.8	11.3	30.3	1013.5	1017.6	1021.3	61.2	85.0	99.1
31/10/2018	14.7	21.4	30.4	40.0	75.0	94.0	0.2	0.0	2.0	8.9	14.7	30.9	1015.0	1018.0	1022.7	55.4	74.9	94.2
Monthly	7.7	16.8	31.6	32	83	98	150.2	0	2.2	14.8	7.7	33.4	1007.8	1019.3	1030.7	27.1	78.5	100

2.4.2 Monthly Weather Charts







Hanson Calga Quarry - October 2018 Humidity




Hanson Calga Quarry - October 2018 Heat Index/Wind Chill




Hanson Calga Quarry - October 2018 Wind Speed




Hanson Calga Quarry - October 2018 Atmospheric Pressure



Hanson Calga Quarry - October 2018 Rainfall




Hanson Calga Quarry - October 2018 Data Reception



2.4.3 Monthly Windrose Plot

Frequency plot of the average wind speed and average direction over each 15-minute sampling period. Wind is considered to be calm when at less than a 15-minute average of 1m/s.



0:00, 1 October 2018 – 23: 45, 31 October 2018

The predominant winds were from the ENE, with most frequent, strongest winds from the ENE. The maximum wind speed was 14.8 m/s from the SSW.

Appendix 1

Field Sheets
Chain of Custody

Laboratory Certificates



Client: Hanson Calga Quarry

Date Installed: 4.10.18

Date Collected: 2.11.18

Collection Stop Time:

Site	Time	Water	Insolu	ble Material (slight, 🗸 🗸 = n	nod etc)	Water	Water	Stand Level	Funnel Level	New Funnel	Comments
	Collected	Level (mL)	Insects	Bird droppings	Vegetation	Dust	Turbidity	Colour	(Y/N)	(Y/N)	Diameter (mm)	
CD1	9.05	1990			/		(S) ST	O Bn Gn Gy	7	7		
CD2C	9.10	1999	V		V		ØST.	② O Bn Gn Gy	4	7		
CD3	9.00	1900	V		/	1	€ ST	O Bn Gn Gy	7	9		
CD4	9.30	1990	VV		~	1	ØST	O Bn Gn Gy	1	7	_	
CD5 ^C	9.40	1990	V			V	€ ST	O Bn Gn Gy		7		
CD6	9,45	1990			/		⊘ ST	愛 O Bn Gn Gy	7	14		
							CST	C O Bn Gn Gy				
		1					CST	C O Bn Gn Gy				
							CST	C O Bn Gn Gy				
			1				CST	C O Bn Gn Gy			- I	
							CST	C O Bn Gn Gy				
		b =					CST	C O Bn Gn Gy				
							CST	C O Bn Gn Gy				
							CST	C O Bn Gn Gy				
							CST	C O Bn Gn Gy				
							CST	C O Bn Gn Gy				*
							CST	C O Bn Gn Gy				
							CST	C O Bn Gn Gy				
							CST	C O Bn Gn Gy			1	
							CST	C O Bn Gn Gy				

Turbidity: C=Clear, S= Slight, T=Turbid (CIRCLE)

Colour: C=Clear, O=Orange, Bn=Brown, Gn=Green, Gy = Grey (CIRCLE)

Report broken funnels and replacement diameters

R LAB USE ONLY. OLER SEAL. No Total u intact DLER TEMP: deg.C SAMPLE DAT SAMPLE ID MA CD1 Du CD2c DL	REPORT TE NO.: SYBQ 222: MENTS/SPECIAL H Inless specified	NEEDED BY:	Imin@cbased.com.au, com.au 7 working days ORAGE OR DIPOSAL:			PHO REPO	NE: (RS:CB 02657 FORM	BATCH NO.3 ased Environm 3334 AT: HARD: Y	E-M	Ltd AIL: monitoring	results@cbased.com.au		Australian Laboratory Services Pty Ltd
TA NEEDED BY: 7 working days OJECT ID: Hanson Calga Dusts QUO' D. NO.: COMI R LAB USE ONLY OLER SEAL Intact DLER TEMP: deg.C SAMPLE DAT SAMPLE ID CD2c CD2c CD3	REPORT TE NO.: SYBQ 222: MENTS/SPECIAL H Inless specified	NEEDED BY:	om.au 7 working days			PHO REPO QC L	NE: (02657 FORM	3334 AT: HARD: Y	E-M	AIL: monitoring	results@cbased.com.au		
COJECT ID: Hanson Calga Dusts QUO D. NO.: R LAB USE ONLY OLER SEAL NO Total intact. DLER TEMP: deg.C SAMPLE DAT SAMPLE ID CD1 CD2c DL CD2c CD3	MENTS/SPECIAL F					QC L	ORT	FORM	AT: HARD: Y	es F	AIL: monitoring	results@cbased.com.au		
COMI R LAB USE ONLY DLER SEAL NO Total to intact. DLER TEMP: deg.C SAMPLE DAT SAMPLE ID CD1 CD2c Dt CD2	MENTS/SPECIAL F					QCL	EVEL	FORM :		es F				
No	unless specified	ANDLING/ST	ORAGE OR DIPOSAL:				EVEL	-:	OCC1.					
No	unless specified					<u> </u>			QU31.		QCS2:	COOR Y	E-MAIL: Yes	
SAMPLE DAT SAMPLE DAT	ГА							1 1				ANALYSIS REQUIRED	S4:	
	ГА					Soldis	e e	Combustable Matt				, we the second	1	
SAMPLE DAT SAMPLE DAT						ple	Residue	able		11				
SAMPLE ID MAT					411	Insoluable	Re	bust						
CD1 Du	TRIX DATE ON		· course			Insc	Ash	Som		11	1 1 1			
CD2c Du	- DAIL ON	DATE OFF	CONTAINER TYPE & PRESERVATIVE	DATA						++			\perp	1
CD3	ust 4.10.18	2.11.18	TIFE & PRESERVATIVE	NO.						-	+			NOTES
CD3	ıst	1				х	х	x		++				
CD4	ıst					х	х	x	-	++	++'		+++	
CD4 Du	ist					x	х	x		-		Environmental Division	, —	
CDe						х	х	x		-	++-	Newcastle		
Du Du	st					х	х	х		++-	++-	Work Order Reference	-	-
					-	X	x	х		\vdash	+++-	EN1807343	2	-
		17 20		-	-	_					1	4 100 1070) —	
	/			-	-	_					1			
				-	-	-	-							
					-	-	-							
					-	-	-	-						
						-	+	-	-					
		-					+	-	+			Tolophon	n	
							+					Telephone: + 61 2 4014 2500		
The second secon								1	+		-		-	
the total	RELINQUISHED	BY:						1		-				
ased Environmental	WASCA THE		11-18					1		RECEI	(FD D)			
2003 Environmental	TIN	IE:	12.30			ME:	-	A		KECEI	VED BY			METHOR
		DATE:			OF	-		11			ipm	DATE: 2/11/8		METHOD OF SHIPMENT
ner Type and Preservative Codes: P = Nerdrochloric Acid Preserved Vial; VS = Sulfacer.		TIME:			NA	ME:		V			4	7.11411—.		CONSIGNMENT NOTE NO.
idrochloric Acid Preservative Codes: P = Ne idrochloric Acid Preserved Vial; VS = Sulf ler.	eutral Plastic; N = N	tric Acid Prese	erved; C = Sodium Hydrox	ide Press	OF							DATE:		TRANSPORT CO. NAME.
ier.	ruric Acid Preserved	Vial; BS = Si	ulfuric Acid Preserved Gla	se Rotte	ved; J:	= Solve	ent Wa	ashed	Acid Rinced Ja	ar; S = Sol	vent Washed	TIME:		NAME.

AUSTRALIAN LABORATORY SERVICES P/L



CERTIFICATE OF ANALYSIS

Work Order : EN1807343

: CBASED ENVIRONMENTAL PTY LTD

Contact : All Deliverables

Address : Unit 3 2 Enterprise Cres

Singleton NSW 2330

Telephone : +61 02 6571 3334
Project : Hanson Calga Dusts

Order number : ----

C-O-C number : ----

Sampler : CARBON BASED ENVIRONMENTAL PTY LTD

Site

Client

Quote number : SYBQ/222/16 and PLANNED EVENTS

No. of samples received : 6
No. of samples analysed : 6

Page : 1 of 4

Laboratory : Environmental Division Newcastle

Contact :

Address : 5/585 Maitland Road Mayfield West NSW Australia 2304

Telephone : +61 2 4014 2500

Date Samples Received : 02-Nov-2018 13:00

Date Analysis Commenced : 06-Nov-2018

Issue Date : 09-Nov-2018 18:09



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories Position Accreditation Category

Dianne Blane Laboratory Coordinator (2IC) Newcastle - Inorganics, Mayfield West, NSW

Page : 2 of 4 Work Order : EN1807343

Client : CBASED ENVIRONMENTAL PTY LTD

Project : Hanson Calga Dusts

General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key: CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

- ^ = This result is computed from individual analyte detections at or above the level of reporting
- ø = ALS is not NATA accredited for these tests.
- ~ = Indicates an estimated value.
- Analysis as per AS3580.10.1-2016. Samples passed through a 1mm sieve prior to analysis. NATA accreditation does not apply for results reported in g/m².mth as sampling data was provided by the client.




Page : 3 of 4
Work Order : EN1807343

Client : CBASED ENVIRONMENTAL PTY LTD

Project : Hanson Calga Dusts

Analytical Results






Page : 4 of 4 Work Order : EN1807343

Client : CBASED ENVIRONMENTAL PTY LTD

Project : Hanson Calga Dusts

Analytical Results







Date: 2 · 11 · 18

Todays Co	llection
Time Start:	9.15
Time Finish:	10.10

Client:

Hanson Calga

Project:

SURFACE WATERS

Site	Flow Rate	Odour	Sampling Time	Bottles	Water Turbidity	Water Colour	Comments
A SECTION	Dam	NO	10.10	1x 250ml GP, 1x 500mL GP, 1x PG	©s T	⊘ LOOBG	
В				1x-250ml GP, 1x 500ml GP, 1x PG	CST	— C LO O B G	DRY
C1	DAM	NO	9.15	1x 250ml GP, 1x 500mL GP, 1x PG	⊘ S T	O LO O B G	
C2	Trickle	NO	9.25	1x 250ml GP, 1x 500mL GP, 1x PG	© S T	⊘ LO O B G	
D	SHILL			1x 250mi GP, 1x 500mL GP, 1x PG	est	CLOOBG	Not flowin
F	Dam	No	9.50	1x 250ml GP, 1x 500mL GP, 1x PG	©S T	C LO O B G	' /
					CST	CLOOBG	
			1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		CST	CLOOBG	
	+				CST	CLOOBG	
					CST	CLOOBG	
					CST	CLOOBG	e 2 - 24

Turbidity: C=Clear, S= Slight, T=Turbid (CIRCLE)

Colour: C=Clear, LO=Light Orange, O=Orange, B=Brown, G=Green (CIRCLE)

Signed: 2 kg

Sampled by: Leesa & Jonas

POSTAL ADDRESS: PO Box 24: SEND REPORT TO:		NSW 2325				ABO	RATO	DRY B	ATCH NO.:	The later of the same		Live a Harama	×9-m		December 1
monitoringresults@cbased.com	au	05.				SAMP	LERS	S:CBas	ed Environ	mental P	tv I td				Australian Laborator Services Pty Ltd
DATA NEEDED BY: 5 working de		SENDI	VOICE 7	TO: renae.mikka@cbased.com.au	4						-y =.u			100 miles	Gervices Pty Ltd
ROJECT ID: Hanson Quarry SV				ED BY: 5 working days		HON	E: 02	65713	334	E	-MAIL: moni	toringroous	s@cbased.com.au		
O. NO.:					- R	EPO	RT F	DRMAT	: HARD:	res .	FAX:	DISK:	s@cbased.com.au	Leave and the second	
OR LAB USE ONLY	O O IVIIVILIA	13/SPECIAL	HANDLIN	NG/STORAGE OR DIPOSAL:		C LE	VEL:		QCS1:		QCS2:		BULLETIN BOARD:	E-MAIL: Yes	
OOLER SEAL	ib				-	-	-	_					CS3: Yes	QCS4:	
es No	Total unles	S Specified				- 1		1			7 1		NALYSIS REQUIRED		
Intact OCLER TEMP: deg C		- specified	-			- 1	- 1	- 1	1 1	1 1		1 1			
- And	16 A)								اق	1 1					
SAMP	LE DATA		_	100		문	EC	TSS	31 +1	1 1	1.1	1 1			
SAMPLE ID	MATRIX	DATE	TIME	*CONTAINER DATA			-	+	0	++					
A B	Water	2.11.18	1000	TYPE & PRESERVATIVE 1x 250miGP, 1x 500mLGP, 1xPG	NO.			1		++					NOTES
C1	-Water		10110	1x 250mlGP,1x 500mLGP,1xPG	х	,		(x	x	++		1	Envi	-+-+	
C2	Water		9-15	1x 250mlGP,1x 500mLGP,1xPG 1x 250mlGP,1x 500mLGP,1xPG			-	(-X-	L.	++			Environmental E	Division —	
D	Water		9.25	1x 250mIGP, 1x 500mLGP, 1xPG	х	×	1	X	X	++			Sydney Work Order Refe		
F	-Water				x	X)	_		-		_	EC1000	rence	
	Water		9-50	1x 250mlGP,1x 500mLGP,1xPG	x	X		X	X		+	-	LO 1032	692 —	
			(, as seemed, txPG	X	X	X	х	x		++-	-	BESSE (1)	-	
					_	-	-	-			\top	-			
						+	+	-				-			
			- 3		_	+	-	-		-		-			
						-	-	-			1 Jul 10				
		1 - 7	-				-		-				Telephone : +61-2-8784 855	如6年111	
										-			7 - 11-2-6784 855	5	
		LITE N								-			1		
			T	TOTAL BOTTLES:						+-	+++				
· K	RELIN	QUISHED B	٧.			1				-	+++	-			
Based Environmental	100	was fel	IN DAT	TE: 2-11-18	-			A		RECEI	VED BY				
t.				IME: 12.30	NAME OF:	:	1	A			VEDBI		, ,	MI	TUOD
			D,	ATE	OF:			1				1000	DATE: 2/11/18	CC	THOD OF SHIPMENT
ainer Type and Preservative Code	es: P = Neutral	Plactic: N	T	TIME:	OE:	•	_	1				pin	TIME: I I		PNSIGNMENT NOTE NO.
Tydrochloric Acid Preserved Vial;	VS = Sulfurio	Acid Press	NITTIC Acid	TIME: id Preserved; C = Sodium Hydroxid BS = Sulfuric Acid Preserved Glas AUSTRALIAN	e Presenze	d. 1 -	Cel						TIME:	TR	ANSPORT CO. NAME.
лиег.		. Juli reserv	ed Vial; B	BS = Sulfuric Acid Preserved Glas	s Bottle: 7	u, J =	SOIV	ent Wa	shed Acid I	Rinced Ja	ar; S = Solve	ent Washed	Acid Di-		ON CO. NAME.

AUSTRALIAN LABORATORY SERVICES P/L



CERTIFICATE OF ANALYSIS

Work Order : ES1832692

: CBASED ENVIRONMENTAL PTY LTD

Contact : All Deliverables

Address : Unit 3 2 Enterprise Cres

Singleton NSW 2330

Telephone : +61 02 6571 3334

Project : HANSON QUARRY SW

Order number : ---C-O-C number : ----

Sampler CARBON BASED ENVIRONMENTAL PTY LTD

Site

Client

Quote number : SYBQ/222/16 and PLANNED EVENTS

No. of samples received : 4
No. of samples analysed : 4

Page : 1 of 2

Laboratory : Environmental Division Sydney

Contact : Customer Services ES

Address : 277-289 Woodpark Road Smithfield NSW Australia 2164

Telephone : +61-2-8784 8555

Date Samples Received : 02-Nov-2018 13:02

Date Analysis Commenced : 02-Nov-2018

Issue Date 08-Nov-2018 13:15

Accreditation No. 825
Accredited for compliance with
ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories Position Accreditation Category

Ankit Joshi Inorganic Chemist Sydney Inorganics, Smithfield, NSW Katie Draper Quality Coordinator Sydney Inorganics, Smithfield, NSW Chemistry, Newcastle West, NSW

Page : 2 of 2 Work Order : ES1832692

Client : CBASED ENVIRONMENTAL PTY LTD

Project : HANSON QUARRY SW

General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key: CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

- ^ = This result is computed from individual analyte detections at or above the level of reporting
- ø = ALS is not NATA accredited for these tests.
- ~ = Indicates an estimated value.

Analytical Results

Sub-Matrix: WATER (Matrix: WATER)		Clie	ent sample ID	Α	C1	C2	F	
	Clie	ent samplii	ng date / time	02-Nov-2018 10:10	02-Nov-2018 09:15	02-Nov-2018 09:25	02-Nov-2018 09:50	
Compound	CAS Number LOR Unit ES1832692-0				ES1832692-002	ES1832692-003	ES1832692-004	
				Result	Result	Result	Result	
EA005: pH								
pH Value		0.01	pH Unit	6.12	6.89	6.53	4.95	
EA010P: Conductivity by PC Titrator								
Electrical Conductivity @ 25°C		1	μS/cm	116	106	120	109	
EA015: Total Dissolved Solids dried at 18	0 ± 5 °C							
Total Dissolved Solids @180°C		10	mg/L	70	71	83	68	
EA025: Total Suspended Solids dried at 1	04 ± 2°C							
Suspended Solids (SS)		5	mg/L	<5	8	6	<5	
EP020: Oil and Grease (O&G)								
Oil & Grease		5	mg/L	<5	<5	<5	<5	

