



CBased Environmental Pty Limited

ABN 62 611 924 264



Calga Quarry

Environmental Monitoring

Dust Deposition Gauges, Surface and Ground Waters and Meteorological Station

July 2019

Colin Davies BSc MEIA CEnvP
Environmental Scientist
Date: 20 August 2019

Executive Summary

CBased Environmental is contracted by Hanson Quarry Products to conduct environmental monitoring at the Calga Sand Quarry.

The monitoring includes;

- Dust Deposition Gauges;
- Surface Waters;
- Groundwaters; and
- Meteorological Station.

This report was prepared by CBased Environmental and includes the following;

- Dust Deposition results for July 2019;
- Surface Water quality results for July 2019;
- Bi-monthly Ground Water quality results for July 2019; and
- Meteorological report for July 2019.

The July 2019 dust deposition results for insoluble solids were generally varied when compared to June 2019. There were no excessively contaminated dust gauges this month. All sites, on a rolling annual average basis, are currently below the Air Quality Management Plan exceedance level of 3.7g/m².month. Results were found to be representative of dust levels as determined by the Australian Standard.

Monthly surface water samples were collected at sites A, C1, C2 and F. Sites B and D were dry at the time of sampling. The samples were collected and analysed for a monthly sampling event. Results show pH within the slightly acidic range, low Electrical Conductivity, low Total Dissolved Solids and low Total Suspended Solids. Oil and Grease was not detected at any sites in July 2019.

Bi-monthly groundwaters were sampled on 30 July 2019. Groundwater depth generally varied when compared to May 2019, with water both moving towards and away from the surface. pH at all sites is in the acidic range and generally remained similar or slightly increased when compared to the previous results. EC levels were similar or decreased slightly at a majority of groundwater sites when compared to the May 2019 results.

The Calga Quarry weather station data recovery in July 2019 was approximately 100%. Data for July 2019 shows that rainfall recorded at the Calga Quarry was below the Gosford BOM mean rainfall and the Peats Ridge long term rainfall for July.

The rainfall comparison is provided below:

Calga Quarry	35.4 mm
BOM Peats Ridge*	NA
BOM Gosford*	46.0 mm
BOM Peats Ridge Long term mean for July*	62.7 mm

*Data sourced from Bureau of Meteorology (BOM) website (www.bom.gov.au).

Note: Differences in the daily rainfall readings between BOM and the Calga station may occur due to BOM stations reporting rainfall at 9am and the Calga station recording rainfall at midnight.

Sampling Program

Hanson Calga Quarry conducts environmental monitoring in accordance to Development Consent, OEH (EPA) licence and Environmental Management Plans. CBased Environmental are contracted to undertake dust deposition gauge, surface and groundwater and meteorological monitoring for the project. CBased Environmental commenced monitoring from the April 2006 monitoring period.

Dust deposition gauges are operated to the Australian Standard [AS3580.10.1](#) *“Methods for sampling and analysis of ambient air method. Determination of particulates- deposited matter- gravimetric Method”*. Sampling is undertaken every 30 +/- 2 days and each gauge is analysed for insoluble solids and ash residue. The results are reported as g/m².month.

Surface waters are sampled in accordance with Australian Standards [AS5667.1](#) *“Guidance on the design of sample programs, sampling techniques and the preservation and handling of samples”*, [AS5667.6](#) *“Water quality sampling—guidance on sampling of rivers and streams”* and [AS5667.4](#) *“Water quality sampling—guidance on sampling from lakes, natural and man-made”*. Surface water monitoring sites include local streams and dams. Basic analysis including pH, Electrical Conductivity, Total Suspended Solids, Total Dissolved Solids and Total Oil and Grease is conducted monthly at Sites A and F (dams) and when Sites B, C and D are flowing. Additional samples are collected when daily rainfall exceeds 50mm.

Groundwaters are sampled in accordance with Australian Standards [AS5667.1](#) *“Guidance on the design of sample programs, sampling techniques and the preservation and handling of samples”* and [AS5667.11](#) *“Water quality sampling—guidance on sampling of ground waters”*. Groundwater monitoring sites are sampled bi-monthly for depth and water quality. Groundwater monitoring loggers continuously record water levels in a selection of bores.

Meteorological monitoring is conducted at the quarry and displayed on the site computer with a real-time display. Metrological parameters are measured according to Australian Standard [AS3580.14](#) *“Methods for sampling and analysis of ambient air. Meteorological monitoring for ambient air quality monitoring applications”*

The weather stations have the following sensor configuration;

- Air temperature
- Humidity
- Rainfall
- Atmospheric pressure
- Evaporation
- Solar radiation
- Wind speed
- Wind direction

CBased Environmental continued to operate the monitoring equipment and utilise site collections at their existing locations.

The locations of monitoring points are provided in **Figure 1**.



Figure 1: Hanson Calga Quarry environmental monitoring locations

2.0 Monthly Results

2.1 Dust Deposition Gauges

Table 1 displays the results for July 2019 and the project 12-month rolling average. Results are in g/m².month.

Table 1: Dust Deposition results: 28 June – 30 July 2019 (32 days)


Site	Monthly Insoluble Solids (g/m ² .month)	Monthly Ash Residue (g/m ² .month)	Monthly Combustible Matter (g/m ² .month)	Monthly Ash Residue/ Insoluble Solids %	Rolling Annual Average Insoluble Solids (g/m ² .month)
CD1	0.8	0.6	0.2	75	2.0
CD2c	0.3	0.2	0.1	67	1.5
CD3	0.8	0.4	0.4	50	1.4
CD4	0.2	0.2	<0.1	100	1.2
CD5	0.8	0.7	0.1	88	1.2
CD6	0.5	0.3	0.2	60	1.4

Insoluble Solids marked with an * indicate an excessively contaminated gauge. Contamination can include bird droppings, vegetation (such as plant matter, algae, pollen and seeds) and insects. Results in bold indicate insoluble solids levels above 3.7 g/m².month; the Development Consent's annual average amenity criteria at residential locations. The current rolling annual average is calculated from April 2018 to March 2019.

CD1 was installed on the 1 May 2006. CD2a was discontinued at the start of August 2006 due to quarry operations "mining out" the site of the gauge. The replacement gauge, Site CD2b, was located in a position adjacent to the boundary between B. Kashouli and F. & J. Gazzana in conformance with the Air Quality Management Plan. CD4 was installed on 3 October 2006, to gauge air quality impacts to the south of the site operations, as were CD5 and CD6 which were installed on the 14 December 2006. CD2b was discontinued at the end of January 2010 due to contamination of the gauge by non-quarry related vehicle movements on a track adjacent to the gauge. The replacement gauge, CD2c, was located on a rehabilitated section of land between the extraction area and adjacent resident.

Dust deposition charts for all dust gauge sites appear in **Figure 2** below. The laboratory analysis is provided in **Appendix 1**.

Figure 2: Dust Deposition Charts



2.2 Surface Water Monitoring

Monthly surface water monitoring was conducted on the 30 July 2019 and results are listed in **Table 2**. The laboratory analysis sheets are provided in **Appendix 1**.

Table 2: Monthly surface water monitoring – July grab sample results

Site	Observed Flow Rate	Water Colour	Turbidity	pH	EC ($\mu\text{S/cm}$)	TDS (mg/L)	TSS (mg/L)	Oil and Grease (mg/L)
A	Dam	Clear	Clear	5.71	118	64	<5	<5
B	Dry- No flow							
C1	Dam	Clear	Clear	6.16	137	79	<5	<5
C2	Slow	Clear	Clear	6.18	131	81	8	<5
D	Dry- No flow							
F	Dam	Clear	Clear	5.41	118	76	7	<5

Samples were collected at sites A, C1, C2 and F. Site B and D were dry at the time of sampling. The samples were collected and analysed for a monthly sampling event. Results show pH within the slightly acidic range, low Electrical Conductivity, low Total Dissolved Solids and low Total Suspended Solids. Oil and Grease was not detected at any sites in July 2019.

2.2.1 Non-Routine Surface Water Sampling

Nil non-routine water sampling was undertaken during July 2019.

2.3 Groundwater Monitoring

Bi-monthly groundwaters were sampled on 30 July 2019. Water quality tests for pH and electrical conductivity were conducted by CBased Environmental Pty Limited. For water quality purposes, water was purged from the bore until constant pH (± 0.1 pH units) and Electrical Conductivity ($\pm 5\%$) was obtained between samples. Data is displayed in **Table 3** and **Figures 3 to 6**.

Groundwater depth generally varied when compared to May 2019, with water both moving towards and away from the surface. pH at all sites is in the acidic range and generally remained similar or slightly increased when compared to the previous results. EC levels were similar or decreased slightly at a majority of groundwater sites when compared to the May 2019 results.

Bi-monthly groundwater monitoring is next scheduled for September 2019.

Dataloggers were also downloaded in July 2019 and emailed to site separately. No data was downloaded from MW10 as no access was available to site due to a washed out track.

Table 3: Groundwater Quality Data

Reference	Bore	Type	Depth to water TOC (m) April 2006	Depth to water TOC (m) This report	pH This report	Electrical Conductivity (μS/cm) This report
CQ3	Voutos	* Monitor	10.53	10.91	6.61	195
CQ4	Voutos	* Monitor	8.78	11.20	5.80	156
CQ5	Gazzana	DIP Only	8.69	7.99	4.03	209
CQ6	Gazzana	DIP Only	16.00	Covered over in paddock		
CQ7	Gazzana	* Monitor	6.89	6.67	4.75	118
CQ8	Gazzana	* Monitor	11.03	6.49	4.48	141
CQ9	Gazzana	DIP Only	10.10	Blocked / Damaged		
CQ10	Voutos	* Monitor	NI	25.47	4.48	146
CQ11S	Gazzana	* Monitor	NI	12.60	5.51	164
CQ11D	Gazzana	* Monitor	NI	13.13	5.21	169
CQ12	Gazzana	* Monitor	NI	4.81	4.29	133
CQ13	Kashouli	* Monitor	NI	14.69	4.46	169
CP3	Gazzana	Domestic	10.40	Destroyed		
CP4	Kashouli	Domestic	13.63	11.42	Blocked	
CP5	Kashouli	Domestic	16.61	9.05	5.68	129
CP6	Kashouli	Domestic	16.27	11.16	4.53	152
CP7	Kashouli	Production	8.56	4.34	4.81	99
CP8	Rozmanec	Domestic	22.17	22.27	4.49	124
CP13	W P White	Domestic		12.33	4.52	161
CP15	32 Polins Road Calga	Domestic		3.12	4.44	142
MW7	Rocla Bore	* Monitor	15.76	15.53	5.02	104
MW8	Rocla Bore	* Monitor	9.82	7.90	5.27	79
MW9	Rocla Bore	* Monitor	22.44	24.08	4.87	123
MW10	Rocla Bore	* Monitor	15.41	Track washed out		
MW13	Rocla Bore	DIP Only	NI	7.82	4.25	117
MW16	Rocla Bore	DIP Only	NI	Track washed out		
MW17	Rocla Bore	DIP Only		10.03	4.87	126

Notes:

TOC = Water level measured from top of bore case to water.

NM = Not Monitored – unable to sample water due to non-operational pump.

NR = Not Required by resident.

* = Logger Installed.



NI = These bores were not installed in April 2006 but are now operational. April 2006 was the first set of measurements taken by Carbon Based Environmental Pty Limited.



Shading is used to indicate the following trends in water depth (compared to the last reading):

	Increase to ground water depth (water moved away from surface)
	Decrease to ground water depth (water moved towards surface)
	Stable water depth (+/- 0.01m)

Available groundwater loggers were downloaded and will be forwarded to the Hanson Calga Quarry groundwater consultant.

Figures 3 to 6: Groundwater Depth Charts.





2.4 Meteorological Monitoring

The Calga Quarry weather station data recovery in July 2019 was approximately 100%.

The weather station data follows and includes;

- Monthly data numerical summary;
- Weather charts of air temperature, humidity, heat index and wind chill, atmospheric pressure, solar radiation, evapotranspiration, rain, wind speed and data reception; and
- Wind rose (frequency distribution diagram of wind speed and direction).

An annual calibration was undertaken on the weather station during September 2018 and is next due in September 2019.

Monthly weather statistics from the nearby Bureau of Meteorology (BOM) at Peats Ridge station are no longer available. However, the long-term rainfall mean is available via a link on the Gosford BOM Daily Weather Observation page.

Data for July 2019 shows that rainfall recorded at the Calga Quarry was below the Gosford BOM mean rainfall and the Peats Ridge long term rainfall for July.

The rainfall comparison is provided below:

Calga Quarry	35.4 mm
BOM Peats Ridge*	NA
BOM Gosford*	46.0 mm
BOM Peats Ridge Long term mean for July*	62.7 mm

NA = Not Available




*Data sourced from Bureau of Meteorology (BOM) website (www.bom.gov.au).




2.4.1 Monthly Meteorological Data Summary

Summary Jul-19 Hanson - Calga


Date	Min Temp	Av Temp	Max Temp	Min %RH	Av %RH	Max %RH	RAIN mm	ET mm	Min WS	Av WS	Max WS	Min wind chill	Max Heat index	Min Atm P	Av Atm P	Max Atm P	Min Solar Rad	Av Solar Rad	Max Solar Rad	Min Data %	Av data %	Max Data %
1/07/2019	3.1	9.3	17.6	55.0	75.8	94.0	0.0	1.8	0.0	0.6	3.1	3.2	16.8	1017.8	1020.5	1023.4	0.0	122.7	543.0	89.9	97.6	100.0
2/07/2019	4.9	11.1	20.3	46.0	71.3	94.0	0.0	1.7	0.0	0.3	5.8	5.0	19.3	1015.8	1017.4	1020.4	0.0	109.3	568.0	89.9	98.3	100.0
3/07/2019	4.8	11.3	17.3	71.0	84.4	95.0	2.4	1.2	0.0	0.5	6.7	4.9	17.2	1020.4	1025.3	1028.9	0.0	84.2	572.0	83.6	96.6	100.0
4/07/2019	10.3	12.4	14.6	93.0	95.5	97.0	22.2	0.6	0.0	0.9	7.2	10.4	14.7	1028.5	1030.7	1032.2	0.0	45.1	369.0	76.7	91.6	100.0
5/07/2019	11.1	13.1	18.1	76.0	93.1	98.0	2.0	1.1	0.0	0.7	6.7	11.2	17.9	1030.2	1031.8	1033.1	0.0	75.3	563.0	71.9	90.0	100.0
6/07/2019	9.1	12.6	18.7	66.0	92.0	98.0	4.2	1.3	0.0	0.7	6.7	9.1	18.3	1030.2	1031.7	1033.5	0.0	94.2	644.0	81.7	92.4	100.0
7/07/2019	10.7	12.6	17.5	80.0	94.4	98.0	0.0	1.0	0.0	0.8	4.0	10.8	17.6	1024.8	1028.4	1031.1	0.0	80.9	559.0	88.6	97.4	100.0
8/07/2019	9.4	13.1	19.1	71.0	90.0	98.0	1.8	1.4	0.0	1.1	7.6	9.5	18.9	1017.5	1020.4	1024.8	0.0	91.6	571.0	89.6	98.6	100.0
9/07/2019	5.9	11.1	17.6	53.0	79.2	97.0	0.0	1.9	0.0	0.6	4.9	6.0	16.7	1014.5	1017.0	1018.6	0.0	134.8	559.0	86.1	95.7	100.0
10/07/2019	6.0	10.6	16.9	52.0	70.2	87.0	0.0	2.3	0.0	1.7	8.5	6.1	16.0	1010.8	1014.0	1016.6	0.0	135.4	561.0	86.4	96.2	100.0
11/07/2019	9.3	13.8	19.2	28.0	52.9	74.0	0.0	4.1	1.8	4.1	13.9	7.4	17.2	1006.3	1008.8	1012.8	0.0	135.7	560.0	71.3	92.0	100.0
12/07/2019	10.7	14.2	18.6	48.0	57.6	67.0	0.0	3.7	2.2	4.1	13.4	8.6	17.3	1007.3	1010.1	1013.0	0.0	126.6	563.0	83.6	95.2	100.0
13/07/2019	8.9	12.5	14.8	36.0	49.7	59.0	0.0	4.6	3.1	5.7	15.6	6.1	13.8	1005.5	1010.7	1017.3	0.0	131.6	572.0	87.4	94.6	99.1
14/07/2019	5.3	10.0	16.6	36.0	54.4	69.0	0.0	3.8	2.2	4.1	13.9	3.2	15.0	1011.0	1015.6	1019.5	0.0	140.8	575.0	89.0	94.9	100.0
15/07/2019	8.4	12.1	16.6	37.0	53.9	66.0	0.0	3.6	1.3	3.8	13.0	6.2	14.9	1008.2	1012.8	1016.3	0.0	134.3	631.0	86.8	95.3	100.0
16/07/2019	7.7	12.5	20.7	37.0	59.3	75.0	0.0	3.1	0.0	2.2	8.9	6.6	19.3	1012.7	1014.9	1016.8	0.0	142.1	580.0	85.8	94.3	100.0
17/07/2019	6.3	12.0	19.9	42.0	62.3	84.0	0.0	3.0	0.0	2.2	12.5	6.4	19.1	1009.8	1013.4	1016.6	0.0	141.6	577.0	86.4	94.9	100.0
18/07/2019	8.3	12.7	19.9	35.0	55.6	71.0	0.0	3.1	0.0	2.1	10.7	7.3	18.3	1009.8	1012.3	1015.8	0.0	143.8	584.0	83.9	96.3	100.0
19/07/2019	3.6	10.6	19.4	41.0	65.5	87.0	0.0	2.5	0.0	0.9	6.7	3.4	17.9	1015.0	1017.3	1020.6	0.0	142.4	577.0	83.0	95.6	100.0
20/07/2019	3.6	11.4	20.5	37.0	70.0	95.0	0.0	2.5	0.0	1.0	6.3	3.6	19.0	1016.0	1018.6	1021.4	0.0	145.6	591.0	91.5	97.4	100.0
21/07/2019	8.8	15.1	22.7	28.0	48.7	64.0	0.0	3.5	0.0	1.5	9.8	8.8	21.5	1010.4	1013.2	1015.8	0.0	145.0	587.0	89.0	98.0	100.0
22/07/2019	10.3	15.4	21.7	45.0	59.7	71.0	0.0	2.5	0.0	1.0	7.6	10.6	20.8	1011.2	1012.9	1015.0	0.0	117.4	666.0	68.8	90.8	100.0
23/07/2019	11.8	16.5	22.6	21.0	44.8	73.0	0.0	4.1	0.0	2.2	9.8	11.8	20.9	1010.3	1012.5	1014.1	0.0	150.2	603.0	61.2	85.2	100.0
24/07/2019	8.8	14.6	20.2	35.0	53.5	87.0	0.0	3.3	0.0	1.7	8.9	8.9	18.7	1011.2	1016.0	1021.6	0.0	142.2	621.0	66.9	87.4	100.0
25/07/2019	4.1	11.4	20.2	48.0	75.0	93.0	0.0	2.3	0.0	1.1	5.8	4.1	19.3	1020.3	1021.8	1023.9	0.0	147.3	595.0	78.5	92.0	100.0
26/07/2019	5.2	12.0	19.5	55.0	81.4	97.0	0.0	1.6	0.0	0.4	4.5	5.2	18.9	1015.7	1018.2	1020.8	0.0	104.3	505.0	76.7	93.4	100.0
27/07/2019	8.1	12.8	18.8	59.0	79.6	95.0	0.0	1.9	0.0	0.7	5.4	8.1	18.2	1017.6	1019.3	1021.0	0.0	119.5	700.0	90.5	98.6	100.0
28/07/2019	6.4	11.5	18.9	41.0	79.3	98.0	0.0	2.3	0.0	0.6	6.7	6.4	17.6	1019.2	1020.8	1023.0	0.0	151.3	605.0	93.7	97.7	100.0
29/07/2019	5.6	12.1	20.4	45.0	76.3	95.0	1.2	2.1	0.0	0.5	4.9	5.7	19.2	1014.8	1017.7	1020.1	0.0	141.2	595.0	75.1	94.8	100.0
30/07/2019	9.6	11.5	13.6	72.0	86.4	96.0	1.0	0.9	0.0	0.8	5.8	9.6	13.3	1017.3	1020.9	1024.8	0.0	48.1	206.0	76.7	93.2	100.0
31/07/2019	7.8	10.7	15.6	75.0	89.5	96.0	0.6	1.0	0.0	0.8	6.3	7.8	15.3	1024.6	1026.3	1028.0	0.0	76.1	414.0	80.8	93.6	100.0
Monthly	3.1	12.3	22.7	21	71	98	35.4	73.4	0	1.6	15.6	3.2	21.5	1005.5	1018.4	1033.5	0	119.4	700	61.2	94.5	100

2.4.2 Monthly Weather Charts







Hanson Calga Quarry - July 2019
Rainfall



Hanson Calga Quarry - July 2019
Evapotranspiration




Hanson Calga Quarry - July 2019
Data Reception



2.4.3 Monthly Windrose Plot

Frequency plot of the average wind speed and average direction over each 15-minute sampling period. Wind is considered to be calm when at less than a 15-minute average of 1m/s.

0:00, 1 July 2019 – 23: 45, 31 July 2019



The predominant winds were from the WNW, with most frequent, strongest winds from the W. The maximum wind speed was 15.6 m/s from the W.

Appendix 1

Field Sheets

Chain of Custody

Laboratory Certificates

DEPOSITIONAL DUST MONITORING

Client: **Hanson Calga Quarry**

Date Installed: 28-6-19

Sampled By: Leesa + mat

Date Collected: 30-7-19

[illegible]

Turbidity: C=Clear, S= Slight, T=Turbid (CIRCLE)

Colour: C=Colourless, O=Orange, Bn=Brown, Gn=Green, Gy = Grey (CIRCLE)

Report broken funnels and replacement diameters

Signed: Ali

CHAIN OF CUSTODY DOCUMENTATION										Australian Laboratory Services Pty Ltd																													
CLIENT: CBased Environmental Pty Ltd										LABORATORY BATCH NO:																													
POSTAL ADDRESS: 47 Boomerang St CESSNOCK NSW 2325										SAMPLERS: CBased Environmental Pty Ltd																													
SEND REPORT TO: monitoringresults@cbased.com.au					SEND INVOICE TO: accounts@cbased.com.au, renae.mikka@cbased.com.au					PHONE: 0265713334 E-MAIL: monitoringresults@cbased.com.au																													
DATA NEEDED BY: 7 working days					REPORT NEEDED BY: 7 working days					REPORT FORMAT: HARD: Yes FAX: DISK: BULLETIN BOARD: E-MAIL: Yes																													
PROJECT ID: Hanson Calga Dusts					QUOTE NO.: SYBQ 403-18					QC LEVEL: QCS1: QCS2: QCS3: Yes QCS4:																													
P.O. NO.:					COMMENTS/SPECIAL HANDLING/STORAGE OR DIPOSAL:					ANALYSIS REQUIRED																													
FOR LAB USE ONLY COOLER SEAL Yes No Broken Intact COOLER TEMP: deg.C					Total unless specified					Insoluble Solids																													
										Ash Residue																													
										Combustible Matter																													
SAMPLE DATA					CONTAINER DATA					NOTES																													
SAMPLE ID		MATRIX	DATE ON	DATE OFF	TYPE & PRESERVATIVE		NO.																																
CD1		Dust	28.6.19	30.7.19																																			
CD2c		Dust	1	1																																			
CD3		Dust																																					
CD4		Dust																																					
CD5		Dust																																					
CD6		Dust																																					
RELINQUISHED BY:										RECEIVED BY										METHOD OF SHIPMENT																			
NAME: Leesa King					DATE: 30.7.19					NAME: [Signature]					DATE: 30/7/19					CONSIGNMENT NOTE NO.																			
OF: CBased Environmental					TIME: 4.25					OF: [Signature]					TIME: 16:23					TRANSPORT CO. NAME.																			
NAME:										DATE:										NAME:										DATE:									
OF:										TIME:										OF:										TIME:									
*Container Type and Preservative Codes: P = Neutral Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle; VC = Hydrochloric Acid Preserved Vial; VS = Sulfuric Acid Preserved Vial; BS = Sulfuric Acid Preserved Glass Bottle; Z = Zinc Acetate Preserved Bottle; E = EDTA Preserved Bottles; ST = Sterile Bottle; O = Other.																																							
Environmental Division																																							

Environmental Division
Newcastle
Work Order Reference
EN1905263



Telephone : + 61 2 4014 2500

AUSTRALIAN LABORATORY SERVICES P/L

CERTIFICATE OF ANALYSIS

Work Order : **EN1905263**
Client : **CBASED ENVIRONMENTAL PTY LTD**
Contact : All Deliverables
Address : Unit 3 2 Enterprise Cres
 Singleton NSW 2330
Telephone : +61 02 6571 3334
Project : Hanson Calga Dusts
Order number :
C-O-C number : ----
Sampler : Cbased Environmental Pty Ltd
Site :
Quote number : SYBQ/403/18 - COMPASS
No. of samples received : 6
No. of samples analysed : 6

Page : 1 of 4
Laboratory : Environmental Division Newcastle
Contact :
Address : 5/585 Maitland Road Mayfield West NSW Australia 2304

Telephone : +61 2 4014 2500
Date Samples Received : 30-Jul-2019 16:23
Date Analysis Commenced : 31-Jul-2019
Issue Date : 06-Aug-2019 18:10



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Dianne Blane	Laboratory Coordinator (2IC)	Newcastle - Inorganics, Mayfield West, NSW



General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

^ = This result is computed from individual analyte detections at or above the level of reporting

Ø = ALS is not NATA accredited for these tests.

~ = Indicates an estimated value.

- Analysis as per AS3580.10.1-2016. Samples passed through a 1mm sieve prior to analysis. NATA accreditation does not apply for results reported in g/m².mth as sampling data was provided by the client.



Analytical Results

Sub-Matrix: DEPOSITIONAL DUST
 (Matrix: AIR)

Client sample ID

				CD1 28/06/19 - 30/07/19	CD2c 28/06/19 - 30/07/19	CD3 28/06/19 - 30/07/19	CD4 28/06/19 - 30/07/19	CD5 28/06/19 - 30/07/19
Client sampling date / time				30-Jul-2019 00:00	30-Jul-2019 00:00	30-Jul-2019 00:00	30-Jul-2019 00:00	30-Jul-2019 00:00
Compound	CAS Number	LOR	Unit	EN1905263-001	EN1905263-002	EN1905263-003	EN1905263-004	EN1905263-005
				Result	Result	Result	Result	Result
EA120: Ash Content								
Ash Content	----	0.1	g/m ² .month	0.6	0.2	0.4	0.2	0.7
Ash Content (mg)	----	1	mg	12	4	8	3	14
EA125: Combustible Matter								
Combustible Matter	----	0.1	g/m ² .month	0.2	0.1	0.4	<0.1	0.1
Combustible Matter (mg)	----	1	mg	3	2	7	1	2
EA141: Total Insoluble Matter								
Total Insoluble Matter	----	0.1	g/m ² .month	0.8	0.3	0.8	0.2	0.8
Total Insoluble Matter (mg)	----	1	mg	15	6	15	4	16



Analytical Results

Sub-Matrix: **DEPOSITIONAL DUST**
 (Matrix: **AIR**)

Client sample ID

				CD6				
				28/06/19 - 30/07/19				
Client sampling date / time				30-Jul-2019 00:00				
Compound	CAS Number	LOR	Unit	EN1905263-006				
Result								
EA120: Ash Content								
Ash Content	----	0.1	g/m ² .month	0.3	----	----	----	----
Ash Content (mg)	----	1	mg	5	----	----	----	----
EA125: Combustible Matter								
Combustible Matter	----	0.1	g/m ² .month	0.2	----	----	----	----
Combustible Matter (mg)	----	1	mg	4	----	----	----	----
EA141: Total Insoluble Matter								
Total Insoluble Matter	----	0.1	g/m ² .month	0.5	----	----	----	----
Total Insoluble Matter (mg)	----	1	mg	9	----	----	----	----



Date: 30-7-19

Client :
Project :

Hanson Calga

SURFACE WATERS

Site	Flow Rate	Odour	Sampling Time	Bottles	Water Turbidity	Water Colour	Comments
A	DAM	NO	8.30	1x 250ml GP, 1x 500mL GP, 1x PG	CST	CLOOBG	
B	DRY	—	8.55	1x 250ml GP, 1x 500mL GP, 1x PG	CST	CLOOBG	DRY - NO Flow
C1	DAM	NO	12.00	1x 250ml GP, 1x 500mL GP, 1x PG	CST	CLOOBG	
C2	Slow	NO	12.10	1x 250ml GP, 1x 500mL GP, 1x PG	CST	CLOOBG	
D	DRY	—	—	1x 250ml GP, 1x 500mL GP, 1x PG	CST	CLOOBG	DRY - NO Flow
F	DAM	NO	8.20	1x 250ml GP, 1x 500mL GP, 1x PG	CST	CLOOBG	

Turbidity: C=Clear, S= Slight, T=Turbid (CIRCLE)

Colour: C=Clear, LO=Light Orange, O=Orange, B=Brown, G=Green (CIRCLE)

Signed: LK

Sampled by: Leesa + mat

CHAIN OF CUSTODY DOCUMENTATION

Australian Laboratory
Services Pty Ltd

CLIENT: CBased Environmental Pty Ltd

LABORATORY BATCH NO.

POSTAL ADDRESS: PO Box 245 CESSNOCK NSW 2325

SAMPLERS: CBased Environmental Pty Ltd

SEND REPORT TO:
monitoringresults@cbased.com.au

SEND INVOICE TO: renae.mikka@cbased.com.au;
accounts@cbased.com.au

PHONE: 0265713334

E-MAIL: monitoringresults@cbased.com.au

DATA NEEDED BY: 5 working days

REPORT NEEDED BY: 5 working days

REPORT FORMAT: HARD: Yes

FAX:

DISK:

BULLETIN BOARD:

E-MAIL: Yes

PROJECT ID: Hanson Quarry SW

QUOTE NO.: SYBQ-403-18

QC LEVEL:

QCS1:

QCS2:

QCS3: Yes

QCS4:

P.O. NO.:

COMMENTS/SPECIAL HANDLING/STORAGE OR DIPOSAL:

ANALYSIS REQUIRED

FOR LAB USE ONLY

COOLER SEAL

Yes ☒ No ☐

Broken ☒ Intact ☐

COOLER TEMP: deg.C

Total unless specified

pH

EC

TSS

TDS

O + G

NOTES

SAMPLE DATA

*CONTAINER DATA

SAMPLE ID

MATRIX

DATE

TIME

TYPE & PRESERVATIVE

NO.

A

Water

30.7.19

3.30

1x 250mlGP, 1x 500mlGP, 1xPG

x

x

x

x

x

~~B~~

~~Water~~

~~9.55~~

~~12.00~~

~~1x 250mlGP, 1x 500mlGP, 1xPG~~

~~x~~

~~x~~

~~x~~

~~x~~

~~x~~

C1

Water

12.00

12.10

1x 250mlGP, 1x 500mlGP, 1xPG

x

x

x

x

x

C2

Water

12.10

12.10

1x 250mlGP, 1x 500mlGP, 1xPG

x

x

x

x

x

~~D~~

~~Water~~

~~12.10~~

~~12.10~~

~~1x 250mlGP, 1x 500mlGP, 1xPG~~

~~x~~

~~x~~

~~x~~

~~x~~

~~x~~

F

Water

8.20

8.20

1x 250mlGP, 1x 500mlGP, 1xPG

x

x

x

x

x

TOTAL BOTTLES:

RELINQUISHED BY:

RECEIVED BY

METHOD OF SHIPMENT

NAME: *Leesa King*

DATE: *30.7.19*

NAME: *[Signature]*

DATE: *30.7.19*

CONSIGNMENT NOTE NO.

OF: CBased Environmental

TIME: *4.25*

OF: *Ans*

TIME: *16:23*

NAME:

DATE:

NAME:

DATE:

TRANSPORT CO. NAME.

OF: TIME:

OF: TIME:

OF: TIME:

*Container Type and Preservative Codes: P = Neutral Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinsed Jar; S = Solvent Washed Acid Rinsed Glass Bottle;
VC = Hydrochloric Acid Preserved Vial; VS = Sulfuric Acid Preserved Vial; BS = Sulfuric Acid Preserved Glass Bottle; Z = Zinc Acetate Preserved Bottle; E = EDTA Preserved Bottles; ST = Sterile Bottle;
O = Other.

AUSTRALIAN LABORATORY SERVICES P/L

Environmental Division
Sydney

Work Order Reference

ES1923908



Telephone : + 61-2-8784 8555

CERTIFICATE OF ANALYSIS

Work Order : **ES1923908**
Client : **CBASED ENVIRONMENTAL PTY LTD**
Contact : All Deliverables
Address : Unit 3 2 Enterprise Cres
Singleton NSW 2330
Telephone : +61 02 6571 3334
Project : HANSON QUARRY SW
Order number : ----
C-O-C number : ----
Sampler : CARBON BASED ENVIRONMENTAL PTY LTD
Site :
Quote number : SYBQ/222/16 and PLANNED EVENTS
No. of samples received : 4
No. of samples analysed : 4

Page : 1 of 2
Laboratory : Environmental Division Sydney
Contact : Customer Services ES
Address : 277-289 Woodpark Road Smithfield NSW Australia 2164
Telephone : +61-2-8784 8555
Date Samples Received : 30-Jul-2019 16:23
Date Analysis Commenced : 30-Jul-2019
Issue Date : 02-Aug-2019 11:23



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Ankit Joshi	Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Neil Martin	Team Leader - Chemistry	Chemistry, Newcastle West, NSW



General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.
 LOR = Limit of reporting
 ^ = This result is computed from individual analyte detections at or above the level of reporting
 Ø = ALS is not NATA accredited for these tests.
 ~ = Indicates an estimated value.

Analytical Results

Sub-Matrix: **WATER**
 (Matrix: **WATER**)

Client sample ID

				A	C1	C2	F	----
Client sampling date / time				30-Jul-2019 08:30	30-Jul-2019 12:00	30-Jul-2019 12:10	30-Jul-2019 08:20	----
Compound	CAS Number	LOR	Unit	ES1923908-001	ES1923908-002	ES1923908-003	ES1923908-004	-----
				Result	Result	Result	Result	----
EA005: pH								
pH Value	----	0.01	pH Unit	5.71	6.16	6.18	5.41	----
EA010P: Conductivity by PC Titrator								
Electrical Conductivity @ 25°C	----	1	µS/cm	118	137	131	118	----
EA015: Total Dissolved Solids dried at 180 ± 5 °C								
Total Dissolved Solids @180°C	----	10	mg/L	64	79	81	76	----
EA025: Total Suspended Solids dried at 104 ± 2°C								
Suspended Solids (SS)	----	5	mg/L	<5	<5	8	7	----
EP020: Oil and Grease (O&G)								
Oil & Grease	----	5	mg/L	<5	<5	<5	<5	----



Date: 30.7.19

Client :

Hanson Calga

Project :

Bi-Monthly Bores

GROUNDWATERS

Site	Time	DEPTH	Typical Depth (m)	Odour	Water Turbidity	Water Colour	1		2		Downloaded Logger? (Y/N)*	Comments
							pH	EC	pH	EC		
CQ3	8.40	10.91	10.98	N	CST	CLO OBG	6.81	207.8us	6.61	194.9us	Y	
CQ4	10.10	11.20	11.49	N	CST	CLO OBG	5.80	155.6us	5.80	155.6us	Y	
CQ5	11.20	7.99	8.59	N	CST	CLO OBG	4.05	204.6us	4.03	209.1us		
CQ6					CST	CLO OBG						Guard over in paddock
CQ7	10.30	6.67	6.73	N	CST	CLO OBG	4.77	120.2us	4.75	118.3us	Y	
CQ8	10.50	6.49	7.44	N	CST	CLO OBG	4.44	141.9us	4.48	140.5us	Y	
CQ9					CST	CLO OBG						Blocked
CQ10	9.20	25.47	26.87	N	CST	CLO OBG	4.50	143.5us	4.48	140.2	Y	
CQ11S	10.00	12.60	12.26	yes	CST	CLO OBG	5.50	163.6us	5.51	163.8us	Y	rotten egg smell
CQ11D	9.50	13.13	13.31	N	CST	CLO OBG	5.22	164.8us	5.21	168.7us	Y	
CQ12	11.10	4.81	5.98	N	CST	CLO OBG	4.32	133.4us	4.29	133.2us	Y	
CQ13	11.30	14.69	15.28	N	CST	CLO OBG	4.46	167.9us	4.46	168.6us	Y	
CP3					CST	CLO OBG						removed
CP4	11.35	11.42	10.6		CST	CLO OBG						Blocked
CP5	11.45	9.05	10.27	N	CST	CLO OBG	5.60	131.5us	5.68	128.9us		
CP6	11.40	11.16	12.33	N	CST	CLO OBG	4.51	152.1us	4.53	151.9us		
CP7	11.50	4.34	5.31	N	CST	CLO OBG	4.82	98.3us	4.81	99.0us		
CP8	1.05	22.27	23.2	N	CST	CLO OBG	4.50	125.4us	4.49	124.4us		
CP13	12.35	12.33	15.27	N	CST	CLO OBG	4.50	160.7us	4.52	161.1us		
CP15	12.20	3.12	3.38	N	CST	CLO OBG	4.46	139.4us	4.44	141.7us		
MW7	1.25	15.53	16.33	N	CST	CLO OBG	4.91	102.9us	5.02	104.4us	Y	
MW8	1.40	7.90	8.36	N	CST	CLO OBG	5.31	84.0us	5.27	78.5us	Y	
MW9	9.30	24.08	24.47	N	CST	CLO OBG	4.84	121.6us	4.87	122.8us	Y	
MW10			12.04		CST	CLO OBG						Track washed out
MW13	2.20	7.82	7.85	N	CST	CLO OBG	4.28	111.2us	4.25	117.4us		
MW16			8.41		CST	CLO OBG						Track washed out
MW17	1.50	10.03	9.87	N	CST	CLO OBG	4.86	126.8us	4.87	126.3		

Turbidity: C=Clear, S= Slight, T=Turbid (CIRCLE)

pH/EC meter #: Wps1

Signed: [Signature]

Colour: C=Clear, LO=Light Orange, O=Orange, B=Brown, G=Green (CIRCLE)

Sampled by: Leesa + Mat

*If unable to download logger please provide comment/ explanation above

advised Shane of bad condition of track to MW10 + MW16