



CBased Environmental Pty Limited

ABN 62 611 924 264



Calga Quarry

Environmental Monitoring

Dust Deposition, Surface Water, Groundwater and Meteorological Data

July 2020

Colin Davies BSc MEIA CEnvP
Environmental Scientist
Date: 20 August 2020

Executive Summary

CBased Environmental is contracted by Hanson Quarry Products to conduct environmental monitoring at the Calga Sand Quarry.

The monitoring includes:

- Dust deposition;
- Surface water; and
- A meteorological data.

This report was prepared by CBased Environmental and includes the following results for July 2020:

- Dust deposition;
- Surface water quality; and
- Meteorological parameters.

The July 2020 dust deposition results for insoluble solids showed:

- Increased levels when compared to June 2020 with exception to CD4 which has decreased levels in comparison.
- No excessively contaminated dust gauges; and
- Rolling annual averages below the Air Quality Management Plan criteria of 3.7g/m².month.

Monthly surface water samples were collected at sites A, B, C1, C2, and F. Site D was not collected due to there being no flowing water present. The samples were collected and analysed for a monthly sampling event. Results show pH within the slightly acidic range, low electrical conductivity, low total dissolved solids and low total suspended solids. Oil and grease was not detected at sites A, B, C1, C2, and F in July 2020.

The Calga Quarry weather station data recovery in July 2020 was approximately 89% due to a connectivity failure on site which resulted in missing data for 21/07/20 and 22/07/20. A summary of rainfall comparison is provided below.

Location	Rainfall (mm)
Calga Quarry	185.0mm
BOM Peats Ridge*	NA
BOM Gosford*	171.6mm
BOM Peats Ridge long-term mean for July*	62.7mm

Notes: NA = Not Available

*Data sourced from Bureau of Meteorology (BOM) website: www.bom.gov.au

BOM stations report rainfall at 9am

Calga Quarry station reports rainfall at midnight.

1.0 Sampling Programme

Hanson Calga Quarry conducts environmental monitoring in accordance to Development Consent, OEH (EPA) licence and Environmental Management Plans. CBased Environmental are contracted to undertake dust deposition gauge, surface water, groundwater and meteorological monitoring for the project. CBased Environmental commenced monitoring from the April 2006 monitoring period.

Dust deposition gauges are operated to the Australian Standard AS3580.10.1 *“Methods for sampling and analysis of ambient air method. Determination of particulates- deposited matter- gravimetric method”*. Sampling is undertaken every 30 +/- 2 days and each gauge is analysed for insoluble solids and ash residue. The results are reported as g/m².month.

Six (6) dust deposition gauges are monitored as follows:

- CD1 – installed 1 May 2006. Gauges air quality impacts to the east of site operations;
- CD2c – located on a rehabilitated section of land between the extraction area and adjacent resident. Gauges air quality impacts to the north of site operations. Replaces former gauges CD2a and CD2b;
- CD3 – installed prior to May 2006. Gauges air quality impacts to the south of site operations;
- CD4 – installed 3 October 2006. Gauges air quality impacts to the south of site operations;
- CD5 – installed 14 December 2006. Gauges air quality impacts to the south of site operations; and
- CD6 installed 14 December 2006. Gauges air quality impacts to the south of the operations.

Dust gauge CD2a was discontinued at the start of August 2006 due to quarry operations “mining out” the site of the gauge. The replacement gauge, CD2b, was located in a position adjacent to the boundary between B. Kashouli and F. & J. Gazzana in conformance with the Air Quality Management Plan. CD2b was discontinued at the end of January 2010 due to contamination of the gauge by non-quarry related vehicle movements on a track adjacent to the gauge. CD2b was replacement by dust gauge CD2c.

Surface water is sampled in accordance with Australian Standards:

- AS5667.1 *“Guidance on the design of sample programs, sampling techniques and the preservation and handling of samples”*;
- AS5667.6 *“Water quality sampling—guidance on sampling of rivers and streams”*; and
- AS5667.4 *“Water quality sampling—guidance on sampling from lakes, natural and man-made”*.

Surface water monitoring sites include local streams and dams. Laboratory analysis includes pH, electrical conductivity, total suspended solids, total dissolved solids and total oil and grease. Monitoring is conducted monthly at Sites A and F (dams) and

when Sites B, C and D are flowing. Additional samples are collected when daily rainfall exceeds 50mm.

Groundwater is sampled in accordance with Australian Standards:

- AS5667.1 *“Guidance on the design of sample programs, sampling techniques and the preservation and handling of samples”*; and
- AS5667.11 *“Water quality sampling—guidance on sampling of ground waters”*.

Groundwater monitoring sites are sampled bi-monthly for depth and water quality. Groundwater monitoring loggers continuously record water levels in a selection of bores.

Meteorological monitoring is conducted at the quarry and displayed on the site computer with a real-time display. Metrological parameters are measured according to Australian Standard AS3580.14 *“Methods for sampling and analysis of ambient air. Meteorological monitoring for ambient air quality monitoring applications”*

The weather station has the following sensor configuration:

- Air temperature;
- Humidity;
- Rainfall;
- Atmospheric pressure;
- Evaporation;
- Solar radiation;
- Wind speed; and
- Wind direction.

CBased Environmental continued to operate the monitoring equipment and utilise site collections at their existing locations.

The locations of monitoring points are provided in **Figure 1**.




Figure 1: Hanson Calga Quarry Environmental Monitoring Locations

2.0 Results

2.1 Dust Deposition

The results for July 2020 and the project 12-month rolling average are provided **Table 1**.

Dust deposition charts for all dust gauge sites appear in **Figure 2** below. The field sheet, chain of custody documentation and laboratory analysis certificates are provided in **Appendix 1**.

Table 1: Dust Deposition Results: 1 July – 31 July 2020 (30 days)

Site	Monthly Insoluble Solids	Monthly Ash Residue	Monthly Combustible Matter	Monthly Ash Residue/ Insoluble Solids %	Rolling Annual Average Insoluble Solids
CD1	0.7	0.7	<0.1	100	2.1
CD2c	0.6	0.5	0.1	83	1.6
CD3	0.6	0.4	0.2	67	1.8
CD4	0.8	0.7	0.1	88	1.5
CD5	2.9	2.7	0.2	93	1.6
CD6	0.3	0.2	0.1	67	1.4

Notes:

Units in g/m².month unless indicated

Insoluble solid results marked with an * indicate an excessively contaminated gauge. Contamination can include bird droppings, vegetation (such as plant matter, algae, pollen and seeds) and insects

Results in **bold** indicate insoluble solids levels above 3.7g/m².month; the Development Consent's annual average amenity criteria at residential locations

The current rolling annual average is calculated from August 2019 to July 2020




Figure 2: Summary Monthly/Annual Dust Deposition Results for Insoluble Solids

2.2 Surface Water (Monthly)

Monthly surface water monitoring was conducted on 1 July 2020 and results are provided in **Table 2**. The field sheet, chain of custody documentation and laboratory analysis certificates are provided in **Appendix 1**.

Samples were collected at sites A, B, C1, C2, and F.

Table 2: Monthly Surface Water Monitoring Results – July 2020

Site	Observed Flow Rate* (visual)	Water Colour* (visual)	Turbidity* (visual)	pH	EC ($\mu\text{S}/\text{cm}$)	TDS (mg/L)	TSS (mg/L)	Oil and Grease (mg/L)
A	Dam	Clear	Clear	6.13	97	56	<5	<5
B	Trickle	Brown	Clear	6.38	98	58	<5	<5
C1	Dam	Clear	Clear	6.46	75	48	6	<5
C2	Steady	Clear	Clear	5.93	102	74	<5	<5
D	Not Flowing							
F	Dam	Clear	Clear	6.32	100	72	18	<5

* Indicates field measurements. All other results are laboratory analysed

EC = Electrical conductivity

TDS = Total dissolved solids

TSS = Total suspended solids

2.2.1 Non-Routine Surface Water Sampling

A surface water sample was collected from Dam 1 (A), Dam 7 B/C, Dam 13 (B), Point D Creek and Point C Spillway on 27 July 2020 by CBased Environmental staff and laboratory analysed for pH, EC, TDS, TSS and Oil and Grease. The field sheet, chain of custody documentation and laboratory analysis certificates are provided in **Appendix 1**.

2.4 Meteorological Data

The Calga Quarry weather station data recovery for July 2020 was approximately 89% due to a connectivity failure on site which resulted in missing data for 21 and 22 July 2020.

The weather station data follows and includes:

- Monthly rainfall comparison between quarry data and BOM data. Refer to **Table 3**;
- Monthly data summary. Refer to **Table 4**;
- Weather charts of air temperature, humidity, heat index and wind chill, atmospheric pressure, solar radiation, evapotranspiration, rain, wind speed and data reception. Refer to **Figures 6 – 9**; and
- Wind rose (frequency distribution diagram of wind speed and direction). Refer to **Figure 10**.

A summary of rainfall comparison is provided in **Table 3**.

Table 3: Comparison of Local Rainfall – July 2020

Location	Rainfall (mm)
Calga Quarry	185.0mm
BOM Peats Ridge*	NA
BOM Gosford*	171.6mm
BOM Peats Ridge long-term mean for May*	62.7mm

Notes: NA = Not Available

*Data sourced from Bureau of Meteorology (BOM) website: www.bom.gov.au

BOM stations report rainfall at 9am

Calga Quarry station reports rainfall at midnight.

An annual calibration was undertaken on the weather station during April 2020 and is next due in March 2021. Please refer to **Appendix 1**.

Table 4: Summary of Monthly Meteorological Data – July 2020

Date	Temperature Min	Temperature Avg	Temperature Max	Relative Humidity Min	Relative Humidity Avg	Relative Humidity Max	Rain	Evapotranspiration	Wind Speed Min	Wind Speed Avg	Wind Speed Max	Wind Chill Min	Heat Index Max	Atmospheric Pressure Min	Atmospheric Pressure Avg	Atmospheric Pressure Max	Solar Radiation Min	Solar Radiation Avg	Solar Radiation Max	Data Min	Data Avg	Data Max
1/07/2020	8.3	13.9	20.0	50.0	68.9	90.0	0.0	2.4	0.0	1.4	6.3	8.0	19.3	1014.5	1017.3	1019.8	0.0	130.7	536.0	52.7	79.7	95.6
2/07/2020	12.3	16.6	21.9	48.0	63.6	73.0	0.0	2.9	0.0	2.1	11.6	12.3	21.3	1011.2	1013.2	1014.3	0.0	127.3	559.0	51.4	79.8	93.1
3/07/2020	9.6	13.0	17.4	47.0	65.3	89.0	0.0	2.8	0.0	2.1	9.4	8.6	16.2	1014.0	1015.6	1017.6	0.0	129.7	548.0	68.8	85.1	94.3
4/07/2020	6.6	10.4	15.2	42.0	63.2	85.0	0.0	2.5	0.0	2.5	9.4	6.0	13.7	1013.9	1016.1	1018.1	0.0	122.8	581.0	67.8	80.1	92.7
5/07/2020	6.9	10.8	17.3	47.0	69.6	88.0	0.0	2.4	0.0	1.6	8.5	5.9	16.2	1017.2	1019.2	1022.7	0.0	133.2	550.0	68.8	79.4	88.0
6/07/2020	4.3	10.3	17.6	55.0	81.0	95.0	0.0	1.8	0.0	0.5	4.9	4.4	16.7	1022.5	1024.2	1025.9	0.0	132.5	547.0	46.1	77.8	96.8
7/07/2020	8.2	11.6	15.8	58.0	81.7	96.0	4.0	1.5	0.0	0.5	5.8	8.3	14.8	1024.7	1026.3	1027.5	0.0	95.7	557.0	60.6	82.0	98.1
8/07/2020	8.5	11.3	14.0	79.0	92.2	97.0	0.2	0.7	0.0	0.2	2.2	8.5	13.8	1026.1	1027.1	1028.9	0.0	55.4	438.0	55.5	77.0	90.5
9/07/2020	5.3	11.0	18.2	70.0	90.3	98.0	0.2	1.3	0.0	0.6	5.4	5.3	17.9	1024.6	1026.3	1028.6	0.0	100.3	606.0	67.8	84.9	92.4
10/07/2020	8.3	12.1	15.9	82.0	93.4	98.0	0.4	0.8	0.0	0.1	2.7	8.3	15.8	1018.2	1022.1	1025.1	0.0	60.7	399.0	46.4	75.7	95.0
11/07/2020	10.8	12.5	15.3	89.0	95.6	98.0	7.8	0.7	0.0	0.3	4.0	10.8	15.5	1010.7	1013.6	1018.1	0.0	50.0	354.0	66.2	84.7	98.1
12/07/2020	9.1	11.5	18.1	72.0	92.1	98.0	3.4	1.4	0.0	0.6	10.3	9.0	17.8	1011.1	1012.7	1014.6	0.0	108.2	638.0	79.5	89.2	100.0
13/07/2020	7.3	10.4	16.4	66.0	89.1	98.0	0.8	1.5	0.0	0.6	5.4	6.9	15.8	1013.2	1014.4	1016.2	0.0	126.1	631.0	53.6	82.8	98.7
14/07/2020	9.6	11.5	14.6	79.0	87.9	97.0	11.6	1.4	0.9	5.0	14.8	5.7	14.3	1011.2	1013.7	1016.1	0.0	57.2	548.0	54.9	89.2	100.0
15/07/2020	11.0	12.2	14.2	68.0	74.5	83.0	0.0	2.2	2.2	4.8	11.6	7.7	13.7	1012.7	1014.2	1015.4	0.0	69.9	383.0	83.9	95.3	100.0
16/07/2020	9.6	12.2	14.8	63.0	68.9	73.0	0.0	2.3	1.3	4.1	13.0	6.7	14.1	1012.4	1013.8	1015.4	0.0	82.6	546.0	91.5	98.1	100.0
17/07/2020	10.7	12.3	14.3	70.0	77.6	92.0	0.0	1.5	0.9	3.1	9.8	8.8	13.9	1014.8	1016.9	1019.1	0.0	56.1	328.0	88.6	95.0	99.1
18/07/2020	8.6	11.7	16.0	66.0	83.8	94.0	0.0	1.0	0.0	0.6	4.0	8.7	15.6	1016.3	1017.8	1019.4	0.0	70.2	382.0	90.9	95.3	99.1
19/07/2020	8.6	13.7	19.2	52.0	72.1	95.0	0.4	2.8	0.4	2.5	9.4	8.1	18.4	1010.5	1013.0	1016.1	0.0	138.5	655.0	95.0	98.6	100.0
20/07/2020	9.6	12.9	16.9	34.0	57.0	69.0	0.0	2.0	0.4	2.8	8.9	9.6	15.2	1010.7	1013.5	1016.5	0.0	194.1	599.0	90.5	97.1	100.0
21/07/2020																						
22/07/2020																						
23/07/2020	8.5	10.2	14.2	79.0	89.6	95.0	0.0	0.1	0.0	0.6	4.0	8.6	13.2	1021.6	1023.0	1023.7	0.0	0.0	0.0	94.0	96.1	100.0
24/07/2020	3.6	10.2	17.8	70.0	90.6	97.0	0.6	1.3	0.0	0.4	5.4	3.7	17.4	1021.9	1023.4	1025.2	0.0	107.3	655.0	82.0	94.7	100.0
25/07/2020	6.1	11.2	16.9	74.0	91.6	98.0	2.6	0.9	0.0	0.5	7.2	6.2	16.8	1019.2	1021.5	1023.3	0.0	64.8	447.0	84.2	93.9	100.0
26/07/2020	11.2	12.5	14.4	96.0	97.4	98.0	108.6	0.1	0.0	1.6	13.0	10.8	14.8	996.9	1010.1	1019.1	0.0	9.8	66.0	78.9	88.0	100.0
27/07/2020	11.3	12.9	15.3	91.0	95.7	98.0	29.0	0.6	1.3	4.5	13.9	8.4	15.4	994.7	996.5	999.5	0.0	31.0	230.0	83.9	92.3	100.0
28/07/2020	11.4	13.6	16.3	80.0	92.5	98.0	14.6	0.8	0.0	2.1	8.9	9.4	16.3	999.2	1006.0	1012.0	0.0	49.8	338.0	86.8	95.9	100.0
29/07/2020	8.4	12.7	18.6	63.0	87.0	98.0	0.4	2.1	0.0	0.7	6.3	8.4	18.2	1010.8	1013.5	1016.4	0.0	148.9	616.0	87.1	96.0	100.0
30/07/2020	8.5	12.2	16.7	67.0	83.3	97.0	0.4	1.7	0.0	0.8	6.7	8.5	16.2	1016.0	1020.2	1024.5	0.0	114.6	650.0	89.3	95.8	99.7
31/07/2020	7.2	11.3	17.3	52.0	79.8	94.0	0.0	2.3	0.0	0.8	5.4	7.2	16.3	1023.1	1024.5	1026.3	0.0	159.2	684.0	86.4	95.9	100.0
Monthly	3.6	12.0	21.9	34	82	98	185.0	45.5	0.0	1.7	14.8	3.7	21.3	994.7	1016.9	1028.9	0.0	94.0	684.0	46.1	88.8	100.0
Unit	Degrees Celcius (°C)			Percentage Relative Humidity			mm	mm	Metres per second (m/s)			°C	°C	Hector Pascals (hPa)			Watts per square metre (W/m ²)			Percentage (%)		
No data on 21/07/20 & 22/07/20 due to a connectivity failure on site																						




Figure 7 Summary of Monthly Temperature, Humidity and Heat Index Results




Figure 8 Summary of Monthly Wind Speed, Solar Radiation and Atmospheric Pressure Results




Figure 9 Summary of Monthly Rainfall, Evapotranspiration and Data Reception Results

Frequency plot of the average wind speed and average direction over each 15-minute sampling period. Wind is considered to be calm when at less than a 15-minute average of 1m/s.




Figure 10: Monthly Windrose Plot – July 2020

The predominant wind for July was from the South-West, with most frequent, strongest winds from the South-West. The maximum wind speed was 7.2 m/s from the South-West.

Appendix 1

Field Sheets

Chain of Custody Documentation

Laboratory Analysis Certificates



Date Installed: 1-7-20

Sampled By: J. Peterson

Date Collected: 31-7-20

Turbidity: C=Clear, S= Slight, T=Turbid (CIRCLE)
Colour: C=Colourless, O=Orange, Bn=Brown, Gn=Green, Gy = Grey (CIRCLE)

Report broken funnels and replacement diameters

Signed: [Signature]

[illegible]

Environmental Division
Newcastle
Work Order Reference
EN2005221



Telephone : + 61 2 4614 2500

CERTIFICATE OF ANALYSIS

Work Order : **EN2005221**
Client : **CBASED ENVIRONMENTAL PTY LTD**
Contact : All Deliverables
Address : Unit 3 2 Enterprise Cres
 Singleton NSW 2330
Telephone : +61 02 6571 3334
Project : Hanson Calga Dusts
Order number : ----
C-O-C number : ----
Sampler : ----
Site :
Quote number : SYBQ/403/18 - COMPASS
No. of samples received : 6
No. of samples analysed : 6

Page : 1 of 4
Laboratory : Environmental Division Newcastle
Contact :
Address : 5/585 Maitland Road Mayfield West NSW Australia 2304

Telephone : +61 2 4014 2500
Date Samples Received : 31-Jul-2020 14:47
Date Analysis Commenced : 03-Aug-2020
Issue Date : 07-Aug-2020 13:05



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Joel Mullarvey	Laboratory Technician	Newcastle - Inorganics, Mayfield West, NSW



General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.
LOR = Limit of reporting
^ = This result is computed from individual analyte detections at or above the level of reporting
ø = ALS is not NATA accredited for these tests.
~ = Indicates an estimated value.

- Analysis as per AS3580.10.1-2016. Samples passed through a 1mm sieve prior to analysis. NATA accreditation does not apply for results reported in g/m².mth as sampling data was provided by the client.



Analytical Results

Sub-Matrix: **DEPOSITIONAL DUST**
 (Matrix: **AIR**)

Client sample ID

				CD1 01/07/20 - 31/07/20	CD2c 01/07/20 - 31/07/20	CD3 01/07/20 - 31/07/20	CD4 01/07/20 - 31/07/20	CD5 01/07/20 - 31/07/20
Client sampling date / time				31-Jul-2020 00:00	31-Jul-2020 00:00	31-Jul-2020 00:00	31-Jul-2020 00:00	31-Jul-2020 00:00
Compound	CAS Number	LOR	Unit	EN2005221-001	EN2005221-002	EN2005221-003	EN2005221-004	EN2005221-005
				Result	Result	Result	Result	Result
EA120: Ash Content								
Ash Content	----	0.1	g/m ² .month	0.7	0.5	0.4	0.7	2.7
Ash Content (mg)	----	1	mg	13	8	7	12	48
EA125: Combustible Matter								
Combustible Matter	----	0.1	g/m ² .month	<0.1	0.1	0.2	0.1	0.2
Combustible Matter (mg)	----	1	mg	<1	2	4	3	4
EA141: Total Insoluble Matter								
Total Insoluble Matter	----	0.1	g/m ² .month	0.7	0.6	0.6	0.8	2.9
Total Insoluble Matter (mg)	----	1	mg	13	10	11	15	52



Analytical Results

Sub-Matrix: **DEPOSITIONAL DUST**
 (Matrix: **AIR**)

Client sample ID

				CD6 01/07/20 - 31/07/20	----	----	----	----
Client sampling date / time				31-Jul-2020 00:00	----	----	----	----
Compound	CAS Number	LOR	Unit	EN2005221-006	-----	-----	-----	-----
Result					----	----	----	----
EA120: Ash Content								
Ash Content	----	0.1	g/m ² .month	0.2	----	----	----	----
Ash Content (mg)	----	1	mg	4	----	----	----	----
EA125: Combustible Matter								
Combustible Matter	----	0.1	g/m ² .month	0.1	----	----	----	----
Combustible Matter (mg)	----	1	mg	2	----	----	----	----
EA141: Total Insoluble Matter								
Total Insoluble Matter	----	0.1	g/m ² .month	0.3	----	----	----	----
Total Insoluble Matter (mg)	----	1	mg	6	----	----	----	----



CBASED ENVIRONMENTAL PTY LIMITED

Date: 1.7.20

Client :

Hanson Calga

Project :

SURFACE WATERS

Site	Flow Rate	Odour	Sampling Time	Bottles	Water Turbidity	Water Colour	Comments
A	DAM	NO	9.50	1x 250ml GP, 1x 500mL GP, 1x PG	CST	CLOOBG	
B	Trickle	NO	10.05	1x 250ml GP, 1x 500mL GP, 1x PG	CST	CLOOBG	
C1	DAM	NO	12.05	1x 250ml GP, 1x 500mL GP, 1x PG	CST	CLOOBG	
C2	Steady	NO	12.10	1x 250ml GP, 1x 500mL GP, 1x PG	CST	CLOOBG	
D	No Flow		11.20	1x 250ml GP, 1x 500mL GP, 1x PG	CST	CLOOBG	
F	DAM	NO	9.40	1x 250ml GP, 1x 500mL GP, 1x PG	CST	CLOOBG	

Turbidity: C=Clear, S= Slight, T=Turbid (CIRCLE)

Colour: C=Clear, LO=Light Orange, O=Orange, B=Brown, G=Green (CIRCLE)

Signed: 214

Sampled by: Leeta King

CLIENT: CBased Environmental Pty Ltd				LABORATORY BATCH NO.:				Australian Laboratory Services Pty Ltd											
POSTAL ADDRESS: PO Box 245 CESSNOCK NSW 2325				SAMPLERS: CBased Environmental Pty Ltd				Leesa King											
SEND REPORT TO: monitoringresults@cbased.com.au		SEND INVOICE TO: renae.mikka@cbased.com.au; accounts@cbased.com.au		PHONE: 0265713334		E-MAIL: monitoringresults@cbased.com.au													
DATA NEEDED BY: 5 working days		REPORT NEEDED BY: 5 working days		REPORT FORMAT: HARD: Yes		FAX: DISK: BULLETIN BOARD:		E-MAIL: Yes											
PROJECT ID: Hanson Quarry SW		QUOTE NO.: SYBQ-403-18		QC LEVEL: QCS1:		QCS2: QCS3: Yes		QCS4:											
P.O. NO.:		COMMENTS/SPECIAL HANDLING/STORAGE OR DIPOSAL:		ANALYSIS REQUIRED															
FOR LAB USE ONLY																			
COOLER SEAL																			
Yes		No		Total unless specified															
Broken		Intact																	
COOLER TEMP: deg.C																			
SAMPLE DATA				CONTAINER DATA															
SAMPLE ID		MATRIX	DATE	TIME	TYPE & PRESERVATIVE	NO.													
A		Water	1-7-20	9.50	1x 250mlGP, 1x 500mLGP, 1xPG		x	x	x	x	x								
B		Water	1	10.05	1x 250mlGP, 1x 500mLGP, 1xPG		x	x	x	x	x								
C1		Water	1	12.05	1x 250mlGP, 1x 500mLGP, 1xPG		x	x	x	x	x								
C2		Water	1	12.10	1x 250mlGP, 1x 500mLGP, 1xPG		x	x	x	x	x								
D		Water	1	11.20	1x 250mlGP, 1x 500mLGP, 1xPG		x	x	x	x	x								
F		Water	1	9.40	1x 250mlGP, 1x 500mLGP, 1xPG		x	x	x	x	x								

Environmental Division
Sydney
Work Order Reference
ES2022730



Telephone : + 61-2-8784 8555

CERTIFICATE OF ANALYSIS

Work Order : **ES2022730**
Client : **CBASED ENVIRONMENTAL PTY LTD**
Contact : All Deliverables
Address : Unit 3 2 Enterprise Cres
 Singleton NSW 2330
Telephone : +61 02 6571 3334
Project : Hanson Quarry SW
Order number : ----
C-O-C number : ----
Sampler : Leesa King
Site :
Quote number : SYBQ/403/18 - COMPASS
No. of samples received : 5
No. of samples analysed : 5

Page : 1 of 2
Laboratory : Environmental Division Sydney
Contact : Customer Services ES
Address : 277-289 Woodpark Road Smithfield NSW Australia 2164

Telephone : +61-2-8784 8555
Date Samples Received : 01-Jul-2020 14:48
Date Analysis Commenced : 01-Jul-2020
Issue Date : 07-Jul-2020 15:21



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Ankit Joshi	Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Neil Martin	Team Leader - Chemistry	Chemistry, Newcastle West, NSW



General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.
 LOR = Limit of reporting
 ^ = This result is computed from individual analyte detections at or above the level of reporting
 Ø = ALS is not NATA accredited for these tests.
 ~ = Indicates an estimated value.

- EA016: Calculated TDS is determined from Electrical Conductivity using a conversion factor of 0.67.

Analytical Results

Sub-Matrix: **WATER**
 (Matrix: **WATER**)

Client sample ID

				A	B	C1	C2	F
Client sampling date / time				01-Jul-2020 09:50	01-Jul-2020 10:05	01-Jul-2020 12:05	01-Jul-2020 12:10	01-Jul-2020 09:40
Compound	CAS Number	LOR	Unit	ES2022730-001	ES2022730-002	ES2022730-003	ES2022730-004	ES2022730-005
				Result	Result	Result	Result	Result
EA005: pH								
pH Value	----	0.01	pH Unit	6.13	6.38	6.46	5.93	6.32
EA010P: Conductivity by PC Titrator								
Electrical Conductivity @ 25°C	----	1	µS/cm	97	98	75	102	100
EA015: Total Dissolved Solids dried at 180 ± 5 °C								
Total Dissolved Solids @180°C	----	10	mg/L	56	58	48	74	72
EA025: Total Suspended Solids dried at 104 ± 2°C								
Suspended Solids (SS)	----	5	mg/L	<5	<5	6	<5	18
EP020: Oil and Grease (O&G)								
Oil & Grease	----	5	mg/L	<5	<5	<5	<5	<5



ALS Laboratory:
please tick →

ADELAIDE 21 Burma Road Pooraka SA 5095
 Ph: 08 8359 0890 E: adelaide@alsglobal.com
BRISBANE 32 Shand Street Stafford QLD 4053
 Ph: 07 3243 7222 E: samples.brisbane@alsglobal.com
GLADSTONE 46 Callenmoh Drive Clinton QLD 4680
 Ph: 07 7471 5600 E: gladstone@alsglobal.com

UMACKAY 78 Harbour Road Mackay QLD 4740
 Ph: 07 4944 0177 E: mackay@alsglobal.com
MCIELBOURNE 2-4 Westall Road Springvale VIC 3171
 Ph: 03 8549 9600 E: samples.mclbourne@alsglobal.com
CMUDGE 27 Sydney Road Mudgee NSW 2850
 Ph: 02 6372 8735 E: mudgee.mud@alsglobal.com


☐ NEWCASTLE 5/585 Maitland Rd Mayfield West NSW 2304
 Ph: 02 4014 2500 E: samples.newcastle@alsglobal.com
☐ NOWRA 4/13 Geary Place North Nowra NSW 2541
 Ph: 024423 2063 E: nowra@alsglobal.com
☐ PERTH 10 Hoc Way Malaga WA 6090
 Ph. 08 9209 7655 E: samples.perth@alsglobal.com

Work Order Reference
ES2026126



Telephone : + 61-2-8784 8555

NM

CLIENT: Hanson Calga Quarry - 151 Peats Ridge Rd Calga NSW 2250		TURNAROUND REQUIREMENTS:		Standard TAT (List due date):		FOR LAB	
OFFICE:		(Standard TAT may be longer for some tests e.g., Ultra Trace Organics)		<input checked="" type="checkbox"/> Non Standard or urgent TAT (List due date):		pH results 27/7/2020	
PROJECT: Hanson Calga Surface Water Monitoring		ALS QUOTE NO.: SYBQ 222-16		COC SEQUENCE NUMBER (Circle)		Customs St	
ORDER NUMBER: 4502753032				COC: 1		Free Ice / Receipt	
PROJECT MANAGER: Paul Slough		CONTACT PH: (02) 4375 1151		OF: 1		Random S	
SAMPLER: Brad Seaman		SAMPLER MOBILE: 0436013113		RELINQUISHED BY:		Other com	
COC emailed to ALS? Provided on receipt of samples		EDD FORMAT (or default):		Paul Slough		RELINQUISHED	
Email Reports to: paul.slough@hanson.com.au & monitoringresults@cbased.com.au				DATE/TIME: 29/2/2020		DATE/TIME:	
Email invoice to: nsw.accounts@hanson.com.au & ben.ridley@hanson.com.au				RECEIVED BY: 		DATE/TIME: 29/2/2020 2:05 PM	

Telephone : + 61-2-8784 8555

ALS USE	SAMPLE DETAILS MATRIX: SOLID (S) WATER (W)			CONTAINER INFORMATION		ANALYSIS REQUIRED including SUITES (NB. Suite Codes must be listed to attract suite price) Where Metals are required, specify Total (unfiltered bottle required) or Dissolved (field filtered bottle required).								Additional Information
LAB ID	SAMPLE ID	DATE / TIME	MATRIX	TYPE & PRESERVATIVE <small>(refer to codes below)</small>	TOTAL CONTAINERS	pH	EC	TSS	TDS	Oil & Grease				Comments on likely contaminant levels, dilutions, or samples requiring specific QC analysis etc.
1	Dam 1 (A)	27/02/2020 11am	W	1x P, 1x O&G	2	1	1	1	1	1				HT TAT
2	Dam 7 B/C	27/02/2020 2pm	W	1x P, 1x O&G	2	1	1	1	1	1				
3	Dam 13 (B)	27/7/2020 10:10am	W	1x P, 1x O&G	2	1	1	1	1	1				
4	Point D Creek	27/07/2020 10:45am	W	1x P, 1x O&G	2	1	1	1	1	1				
5	Point C Spillway	27/7/2020 10:30am	W	1x P, 1x O&G	2	1	1	1	1	1				
TOTAL					10	5	5	5	5	5				

Water Container Codes: P = Unpreserved Plastic; N = Nitric Preserved Plastic; ORC = Nitric Preserved ORC; SH = Sodium Hydroxide/Cd Preserved; S = Sodium Hydroxide Preserved Plastic; AG = Amber Glass Unpreserved; AP = Airfreight Unpreserved Plastic
V = VOA Vial HCl Preserved; VB = VOA Vial Sodium Bisulphate Preserved; VS = VOA Vial Sulfuric Preserved; AV = Airfreight Unpreserved Vial SG = Sulfuric Preserved Amber Glass; H = HCl preserved Plastic; HS = HCl preserved Speciation bottle; SP = Sulfuric Preserved Plastic; F = Formaldehyde Preserved Glass;
Z = Zinc Acetate Preserved Bottle; E = EDTA Preserved Bottles; ST = Sterile Bottle; ASS = Plastic Bag for Acid Sulphate Soils; B = Unpreserved Bag.

CERTIFICATE OF ANALYSIS

Work Order : **ES2026126**
Client : **HANSON CONSTRUCTION MATERIALS PTY LTD**
Contact : PAUL SLOUGH
Address : 151 Peats Ridge Rd
 Calga 2250
Telephone : ----
Project : Hanson Calga Surface Water Monitoring
Order number : 4502753032
C-O-C number : ----
Sampler : Brad Seaman
Site : ----
Quote number : EN/222
No. of samples received : 5
No. of samples analysed : 5

Page : 1 of 2
Laboratory : Environmental Division Sydney
Contact : Customer Services ES
Address : 277-289 Woodpark Road Smithfield NSW Australia 2164
Telephone : +61-2-8784 8555
Date Samples Received : 29-Jul-2020 14:05
Date Analysis Commenced : 29-Jul-2020
Issue Date : 31-Jul-2020 13:48



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
Ankit Joshi	Inorganic Chemist	Sydney Inorganics, Smithfield, NSW



General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.
 LOR = Limit of reporting
 ^ = This result is computed from individual analyte detections at or above the level of reporting
 Ø = ALS is not NATA accredited for these tests.
 ~ = Indicates an estimated value.

- TDS by method EA-015 may bias high for various samples due to the presence of fine particulate matter, which may pass through the prescribed GF/C paper.

Analytical Results

Sub-Matrix: **WATER**
 (Matrix: **WATER**)

Client sample ID

				Dam 1 (A)	Damp 7 B/C	Damp 13 (B)	Point D Creek	Point C Spillway
Client sampling date / time				27-Jul-2020 11:00	27-Jul-2020 14:00	27-Jul-2020 10:10	27-Jul-2020 10:45	27-Jul-2020 10:30
Compound	CAS Number	LOR	Unit	ES2026126-001	ES2026126-002	ES2026126-003	ES2026126-004	ES2026126-005
				Result	Result	Result	Result	Result
EA005P: pH by PC Titrator								
pH Value	----	0.01	pH Unit	6.71	6.73	6.67	5.45	6.73
EA010P: Conductivity by PC Titrator								
Electrical Conductivity @ 25°C	----	1	µS/cm	112	111	83	70	82
EA015: Total Dissolved Solids dried at 180 ± 5 °C								
Total Dissolved Solids @180°C	----	10	mg/L	61	77	76	62	79
EA025: Total Suspended Solids dried at 104 ± 2°C								
Suspended Solids (SS)	----	5	mg/L	26	28	80	446	91
EP020: Oil and Grease (O&G)								
Oil & Grease	----	5	mg/L	<5	<5	<5	<5	<5