

**East Guyong Quarry PM10 data (2020)**

Date	PM10 (ug/m2)
1/01/2020	N/A
2/01/2020	N/A
3/01/2020	N/A
4/01/2020	N/A
5/01/2020	N/A
6/01/2020	N/A
7/01/2020	N/A
8/01/2020	N/A
9/01/2020	N/A
10/01/2020	N/A
11/01/2020	N/A
12/01/2020	N/A
13/01/2020	N/A
14/01/2020	N/A
15/01/2020	N/A
16/01/2020	33.1
17/01/2020	40.6
18/01/2020	45.0
19/01/2020	17.0
20/01/2020	17.2
21/01/2020	10.2
22/01/2020	8.1
23/01/2020	54.3
24/01/2020	13.1
25/01/2020	37.7
26/01/2020	15.0
27/01/2020	9.7
28/01/2020	14.7
29/01/2020	26.5
30/01/2020	54.6
31/01/2020	25.5
<b>Monthly Average</b>	<b>26.4</b>

*In accordance with Condition 18 of Schedule 3 within Project Approval 06\_0193: The Proponent must ensure that the dust emissions generated by the project do not cause additional exceedances of the criteria listed below*

Pollutant	Averaging Period	Criterion
Particulate Matter <10 um (PM10)	Annual	25 ug/m3
Particulate Matter <10 um (PM10)	24 hour	50 ug/m3

\* Bushfire affected result

\* Bushfire affected result

**East Guyong Quarry PM10 data (2020)**

Date	PM10 (ug/m2)
1/02/2020	12.4
2/02/2020	12.9
3/02/2020	3.8
4/02/2020	43.6
5/02/2020	13.6
6/02/2020	7.2
7/02/2020	0.9
8/02/2020	0.1
9/02/2020	0.3
10/02/2020	2.1
11/02/2020	9.0
12/02/2020	8.5
13/02/2020	2.1
14/02/2020	3.9
15/02/2020	5.0
16/02/2020	10.4
17/02/2020	13.0
18/02/2020	9.1
19/02/2020	5.0
20/02/2020	3.8
21/02/2020	12.7
22/02/2020	8.2
23/02/2020	6.9
24/02/2020	8.4
25/02/2020	2.2
26/02/2020	3.5
27/02/2020	3.4
28/02/2020	3.5
29/02/2020	6.8
<b>Monthly Average</b>	<b>7.7</b>

*In accordance with Condition 18 of Schedule 3 within Project Approval 06\_0193: The Proponent must ensure that the dust emissions generated by the project do not cause additional exceedances of the criteria listed below*

<b>Pollutant</b>	<b>Averaging Period</b>	<b>Criterion</b>
Particulate Matter <10 um (PM10)	Annual	25 ug/m3
Particulate Matter <10 um (PM10)	24 hour	50 ug/m3

**East Guyong Quarry PM10 data (2020)**

Date	PM10 (ug/m2)
1/03/2020	6.6
2/03/2020	2.9
3/03/2020	7.5
4/03/2020	3.9
5/03/2020	5.4
6/03/2020	4.2
7/03/2020	6.6
8/03/2020	2.9
9/03/2020	5.7
10/03/2020	2.7
11/03/2020	2.7
12/03/2020	3.9
13/03/2020	2.1
14/03/2020	2.9
15/03/2020	2.5
16/03/2020	1.0
17/03/2020	1.0
18/03/2020	4.8
19/03/2020	4.8
20/03/2020	4.7
21/03/2020	3.6
22/03/2020	4.4
23/03/2020	8.4
24/03/2020	9.9
25/03/2020	8.5
26/03/2020	4.3
27/03/2020	4.9
28/03/2020	5.7
29/03/2020	2.9
30/03/2020	4.5
31/03/2020	8.0
<b>Monthly Average</b>	<b>4.7</b>

*In accordance with Condition 18 of Schedule 3 within Project Approval 06\_0193: The Proponent must ensure that the dust emissions generated by the project do not cause additional exceedances of the criteria listed below*

<b>Pollutant</b>	<b>Averaging Period</b>	<b>Criterion</b>
Particulate Matter <10 um (PM10)	Annual	25 ug/m3
Particulate Matter <10 um (PM10)	24 hour	50 ug/m3

**East Guyong Quarry PM10 data (2020)**

Date	PM10 (ug/m2)
1/04/2020	14.6
2/04/2020	13.7
3/04/2020	3.4
4/04/2020	1.6
5/04/2020	3.0
6/04/2020	2.0
7/04/2020	4.4
8/04/2020	6.2
9/04/2020	3.4
10/04/2020	4.6
11/04/2020	6.0
12/04/2020	3.7
13/04/2020	5.4
14/04/2020	6.9
15/04/2020	4.1
16/04/2020	4.9
17/04/2020	5.5
18/04/2020	4.7
19/04/2020	11.3
20/04/2020	5.7
21/04/2020	3.6
22/04/2020	8.0
23/04/2020	8.7
24/04/2020	9.1
25/04/2020	10.2
26/04/2020	5.7
27/04/2020	5.4
28/04/2020	6.5
29/04/2020	5.3
30/04/2020	0.4
Monthly Average	5.9

*In accordance with Condition 18 of Schedule 3 within Project Approval 06\_0193: The Proponent must ensure that the dust emissions generated by the project do not cause additional exceedances of the criteria listed below*

<b>Pollutant</b>	<b>Averaging Period</b>	<b>Criterion</b>
Particulate Matter <10 um (PM10)	Annual	25 ug/m3
Particulate Matter <10 um (PM10)	24 hour	50 ug/m3

**East Guyong Quarry PM10 data (2020)**

Date	PM10 (ug/m2)
1/05/2020	1.5
2/05/2020	2.3
3/05/2020	2.5
4/05/2020	5.0
5/05/2020	3.3
6/05/2020	4.8
7/05/2020	8.7
8/05/2020	2.7
9/05/2020	2.7
10/05/2020	1.9
11/05/2020	3.3
12/05/2020	3.1
13/05/2020	5.4
14/05/2020	22.1
15/05/2020	3.1
16/05/2020	1.7
17/05/2020	3.5
18/05/2020	3.8
19/05/2020	3.6
20/05/2020	3.6
21/05/2020	1.1
22/05/2020	6.1
23/05/2020	7.7
24/05/2020	2.5
25/05/2020	4.5
26/05/2020	2.7
27/05/2020	3.3
28/05/2020	8.3
29/05/2020	9.4
30/05/2020	6.1
31/05/2020	4.4
<b>Monthly Average</b>	<b>4.7</b>

*In accordance with Condition 18 of Schedule 3 within Project Approval 06\_0193: The Proponent must ensure that the dust emissions generated by the project do not cause additional exceedances of the criteria listed below*

<b>Pollutant</b>	<b>Averaging Period</b>	<b>Criterion</b>
Particulate Matter <10 um (PM10)	Annual	25 ug/m3
Particulate Matter <10 um (PM10)	24 hour	50 ug/m3

**East Guyong Quarry PM10 data (2020)**

Date	PM10 (ug/m2)
1/06/2020	2.9
2/06/2020	1.0
3/06/2020	2.3
4/06/2020	40.8
5/06/2020	40.2
6/06/2020	40.6
7/06/2020	21.3
8/06/2020	20.0
9/06/2020	1.5
10/06/2020	4.8
11/06/2020	4.8
12/06/2020	5.8
13/06/2020	12.8
14/06/2020	3.2
15/06/2020	4.9
16/06/2020	5.3
17/06/2020	2.1
18/06/2020	2.0
19/06/2020	6.0
20/06/2020	2.6
21/06/2020	1.3
22/06/2020	0.4
23/06/2020	0.7
24/06/2020	2.9
25/06/2020	3.1
26/06/2020	3.2
27/06/2020	6.4
28/06/2020	8.0
29/06/2020	4.9
30/06/2020	12.3
Monthly Average	8.9

*In accordance with Condition 18 of Schedule 3 within Project Approval 06\_0193: The Proponent must ensure that the dust emissions generated by the project do not cause additional exceedances of the criteria listed below*

<b>Pollutant</b>	<b>Averaging Period</b>	<b>Criterion</b>
Particulate Matter <10 um (PM10)	Annual	25 ug/m3
Particulate Matter <10 um (PM10)	24 hour	50 ug/m3

**East Guyong Quarry PM10 data (2020)**

Date	PM10 (ug/m2)
1/07/2020	5.1
2/07/2020	5.2
3/07/2020	3.4
4/07/2020	1.6
5/07/2020	2.1
6/07/2020	7.0
7/07/2020	11.2
8/07/2020	2.8
9/07/2020	8.7
10/07/2020	11.3
11/07/2020	8.0
12/07/2020	1.8
13/07/2020	4.1
14/07/2020	2.0
15/07/2020	0.0
16/07/2020	0.0
17/07/2020	0.0
18/07/2020	0.0
19/07/2020	0.0
20/07/2020	0.0
21/07/2020	0.0
22/07/2020	0.0
23/07/2020	0.0
24/07/2020	0.0
25/07/2020	0.0
26/07/2020	0.0
27/07/2020	0.0
28/07/2020	0.0
29/07/2020	0.0
30/07/2020	0.0
31/07/2020	0.0
Monthly Average	2.4

*In accordance with Condition 18 of Schedule 3 within Project Approval 06\_0193: The Proponent must ensure that the dust emissions generated by the project do not cause additional exceedances of the criteria listed below*

<b>Pollutant</b>	<b>Averaging Period</b>	<b>Criterion</b>
Particulate Matter <10 um (PM10)	Annual	25 ug/m3
Particulate Matter <10 um (PM10)	24 hour	50 ug/m3

**East Guyong Quarry PM10 data (2020)**

Date	PM10 (ug/m2)
1/08/2020	0.0
2/08/2020	0.0
3/08/2020	0.0
4/08/2020	0.0
5/08/2020	0.0
6/08/2020	0.0
7/08/2020	0.0
8/08/2020	0.0
9/08/2020	0.0
10/08/2020	1.0
11/08/2020	1.5
12/08/2020	4.3
13/08/2020	2.5
14/08/2020	3.0
15/08/2020	4.7
16/08/2020	4.7
17/08/2020	2.5
18/08/2020	2.3
19/08/2020	3.0
20/08/2020	1.2
21/08/2020	1.3
22/08/2020	1.1
23/08/2020	1.2
24/08/2020	1.3
25/08/2020	2.1
26/08/2020	4.7
27/08/2020	3.6
28/08/2020	6.8
29/08/2020	6.4
30/08/2020	7.5
31/08/2020	7.3
<b>Monthly Average</b>	<b>2.4</b>

*In accordance with Condition 18 of Schedule 3 within Project Approval 06\_0193: The Proponent must ensure that the dust emissions generated by the project do not cause additional exceedances of the criteria listed below*

<b>Pollutant</b>	<b>Averaging Period</b>	<b>Criterion</b>
Particulate Matter <10 um (PM10)	Annual	25 ug/m3
Particulate Matter <10 um (PM10)	24 hour	50 ug/m3



**East Guyong Quarry PM10 data (2020)**

Date	PM10 (ug/m2)
1/09/2020	9.2
2/09/2020	11.3
3/09/2020	15.0
4/09/2020	8.6
5/09/2020	8.6
6/09/2020	11.2
7/09/2020	10.9
8/09/2020	8.3
9/09/2020	8.3
10/09/2020	3.2
11/09/2020	2.4
12/09/2020	7.8
13/09/2020	4.9
14/09/2020	4.9
15/09/2020	9.8
16/09/2020	9.8
17/09/2020	8.2
18/09/2020	14.6
19/09/2020	13.3
20/09/2020	9.9
21/09/2020	13.2
22/09/2020	5.3
23/09/2020	3.7
24/09/2020	2.0
25/09/2020	1.5
26/09/2020	1.1
27/09/2020	2.1
28/09/2020	4.1
29/09/2020	8.2
30/09/2020	7.5
Monthly Average	7.6

*In accordance with Condition 18 of Schedule 3 within Project Approval 06\_0193: The Proponent must ensure that the dust emissions generated by the project do not cause additional exceedances of the criteria listed below*

<b>Pollutant</b>	<b>Averaging Period</b>	<b>Criterion</b>
Particulate Matter <10 um (PM10)	Annual	25 ug/m3
Particulate Matter <10 um (PM10)	24 hour	50 ug/m3

**East Guyong Quarry PM10 data (2020)**

Date	PM10 (ug/m2)
1/10/2020	5.5
2/10/2020	5.0
3/10/2020	12.0
4/10/2020	10.4
5/10/2020	10.4
6/10/2020	11.3
7/10/2020	18.2
8/10/2020	12.4
9/10/2020	1.9
10/10/2020	2.2
11/10/2020	2.9
12/10/2020	8.3
13/10/2020	7.9
14/10/2020	12.4
15/10/2020	6.4
16/10/2020	6.4
17/10/2020	13.2
18/10/2020	6.0
19/10/2020	8.8
20/10/2020	13.9
21/10/2020	15.0
22/10/2020	9.4
23/10/2020	13.5
24/10/2020	7.3
25/10/2020	2.1
26/10/2020	1.1
27/10/2020	1.9
28/10/2020	4.6
29/10/2020	4.6
30/10/2020	6.3
31/10/2020	9.3
Monthly Average	8.1

*In accordance with Condition 18 of Schedule 3 within Project Approval 06\_0193: The Proponent must ensure that the dust emissions generated by the project do not cause additional exceedances of the criteria listed below*

<b>Pollutant</b>	<b>Averaging Period</b>	<b>Criterion</b>
Particulate Matter <10 um (PM10)	Annual	25 ug/m3
Particulate Matter <10 um (PM10)	24 hour	50 ug/m3

**East Guyong Quarry PM10 data (2020)**

Date	PM10 (ug/m2)
1/11/2020	2.7
2/11/2020	4.6
3/11/2020	8.4
4/11/2020	4.2
5/11/2020	4.2
6/11/2020	1.0
7/11/2020	5.1
8/11/2020	6.6
9/11/2020	5.0
10/11/2020	8.9
11/11/2020	8.5
12/11/2020	13.2
13/11/2020	7.9
14/11/2020	2.7
15/11/2020	2.6
16/11/2020	8.3
17/11/2020	6.6
18/11/2020	9.8
19/11/2020	20.9
20/11/2020	13.8
21/11/2020	13.7
22/11/2020	10.9
23/11/2020	7.4
24/11/2020	9.7
25/11/2020	14.0
26/11/2020	12.6
27/11/2020	19.6
28/11/2020	17.1
29/11/2020	8.6
30/11/2020	8.8
<b>Monthly Average</b>	<b>8.9</b>

*In accordance with Condition 18 of Schedule 3 within Project Approval 06\_0193: The Proponent must ensure that the dust emissions generated by the project do not cause additional exceedances of the criteria listed below*

<b>Pollutant</b>	<b>Averaging Period</b>	<b>Criterion</b>
Particulate Matter <10 um (PM10)	Annual	25 ug/m3
Particulate Matter <10 um (PM10)	24 hour	50 ug/m3

**East Guyong Quarry PM10 data (2020)**

Date	PM10 (ug/m2)
1/12/2020	22.9
2/12/2020	7.9
3/12/2020	13.6
4/12/2020	8.3
5/12/2020	8.3
6/12/2020	7.1
7/12/2020	4.9
8/12/2020	2.0
9/12/2020	4.2
10/12/2020	9.9
11/12/2020	5.4
12/12/2020	2.8
13/12/2020	2.7
14/12/2020	3.4
15/12/2020	2.7
16/12/2020	2.9
17/12/2020	8.6
18/12/2020	7.5
19/12/2020	6.8
20/12/2020	3.9
21/12/2020	7.2
22/12/2020	1.8
23/12/2020	4.1
24/12/2020	4.9
25/12/2020	13.8
26/12/2020	8.4
27/12/2020	8.2
28/12/2020	3.1
29/12/2020	3.3
30/12/2020	1.4
31/12/2020	4.7
Monthly Average	6.3

*In accordance with Condition 18 of Schedule 3 within Project Approval 06\_0193: The Proponent must ensure that the dust emissions generated by the project do not cause additional exceedances of the criteria listed below*

<b>Pollutant</b>	<b>Averaging Period</b>	<b>Criterion</b>
Particulate Matter <10 um (PM10)	Annual	25 ug/m3
Particulate Matter <10 um (PM10)	24 hour	50 ug/m3