

CBased Environmental Pty Limited ABN 62 611 924 264



Calga Quarry

Environmental Monitoring

Dust Deposition, Surface Water, Groundwater and Meteorological Data

March 2021

Colin Davies BSc MEIA CENVP

Environmental Scientist

Date: 20 April 2021

© CBased Environmental Pty Limited 2020. This document was prepared solely for the original recipient and no third party must rely on or use any information without the consent of CBased Environmental Pty Limited. CBased Environmental Pty Limited and the author accept no responsibility to any third party who uses or relies upon the information contained in this report.

Executive Summary

CBased Environmental is contracted by Hanson Quarry Products to conduct environmental monitoring at the Calga Sand Quarry.

The monitoring includes:

- Dust deposition:
- Surface water: and
- A meteorological data.

This report was prepared by CBased Environmental and includes the following results for March 2021:

- Dust deposition:
- Surface water quality; and
- Meteorological parameters.

The March 2021 dust deposition results for insoluble solids showed:

- Decreased levels when compared to February 2021 with exception to CD1 which has increased levels in comparison.
- No excessively contaminated dust gauges; and
- Rolling annual averages below the Air Quality Management Plan criteria of 3.7g/m².month.

Monthly surface water samples were collected at sites A, C1, C2, D and F. Samples were not collected from site B due to the site being dry at the time of sampling. The samples were collected and analysed for a monthly sampling event. Results show pH within the slightly acidic range, low electrical conductivity, low total dissolved solids and low total suspended solids. Oil and grease was not detected at sites A, C1, C2, D and F in March 2021.

The Calga Quarry weather station data recovery in March 2021 was approximately 100%. A summary of rainfall comparison is provided below.

Location	Rainfall (mm)
Calga Quarry	431.6mm
BOM Peats Ridge*	NA
BOM Gosford*	467.6mm
BOM Peats Ridge long-term mean for March*	135.9mm

Notes: NA = Not Available

*Data sourced from Bureau of Meteorology (BOM) website: www.bom.gov.au

BOM stations report rainfall at 9am

Calga Quarry station reports rainfall at midnight.

1.0 Sampling Programme

Hanson Calga Quarry conducts environmental monitoring in accordance to Development Consent, OEH (EPA) licence and Environmental Management Plans. CBased Environmental are contracted to undertake dust deposition gauge, surface water, groundwater and meteorological monitoring for the project. CBased Environmental commenced monitoring from the April 2006 monitoring period.

Dust deposition gauges are operated to the Australian Standard AS3580.10.1 "Methods for sampling and analysis of ambient air method. Determination of particulates- deposited matter- gravimetric method". Sampling is undertaken every 30 +/- 2 days and each gauge is analysed for insoluble solids and ash residue. The results are reported as g/m².month.

Six (6) dust deposition gauges are monitored as follows:

- CD1 installed 1 May 2006. Gauges air quality impacts to the east of site operations;
- CD2c located on a rehabilitated section of land between the extraction area and adjacent resident. Gauges air quality impacts to the north of site operations. Replaces former gauges CD2a and CD2b;
- CD3 installed prior to May 2006. Gauges air quality impacts to the south of site operations;
- CD4 installed 3 October 2006. Gauges air quality impacts to the south of site operations;
- CD5 installed 14 December 2006. Gauges air quality impacts to the south of site operations; and
- CD6 installed 14 December 2006. Gauges air quality impacts to the south of the operations.

Dust gauge CD2a was discontinued at the start of August 2006 due to quarry operations "mining out" the site of the gauge. The replacement gauge, CD2b, was located in a position adjacent to the boundary between B. Kashouli and F. & J. Gazzana in conformance with the Air Quality Management Plan. CD2b was discontinued at the end of January 2010 due to contamination of the gauge by non-quarry related vehicle movements on a track adjacent to the gauge. CD2b was replacement by dust gauge CD2c.

Surface water is sampled in accordance with Australian Standards:

- AS5667.1 "Guidance on the design of sample programs, sampling techniques and the preservation and handling of samples";
- AS5667.6 "Water quality sampling—guidance on sampling of rivers and streams"; and
- AS5667.4 "Water quality sampling—guidance on sampling from lakes, natural and man-made".

Surface water monitoring sites include local streams and dams. Laboratory analysis includes pH, electrical conductivity, total suspended solids, total dissolved solids and total oil and grease. Monitoring is conducted monthly at Sites A and F (dams) and

when Sites B, C and D are flowing. Additional samples are collected when daily rainfall exceeds 50mm.

Groundwater is sampled in accordance with Australian Standards:

- AS5667.1 "Guidance on the design of sample programs, sampling techniques and the preservation and handling of samples"; and
- AS5667.11 "Water quality sampling—guidance on sampling of ground waters".

Groundwater monitoring sites are sampled bi-monthly for depth and water quality. Groundwater monitoring loggers continuously record water levels in a selection of bores.

Meteorological monitoring is conducted at the quarry and displayed on the site computer with a real-time display. Metrological parameters are measured according to Australian Standard AS3580.14 "Methods for sampling and analysis of ambient air. Meteorological monitoring for ambient air quality monitoring applications"

The weather station has the following sensor configuration:

- Air temperature;
- Humidity;
- Rainfall:
- Atmospheric pressure;
- · Evaporation;
- Solar radiation;
- Wind speed; and
- Wind direction.

CBased Environmental continued to operate the monitoring equipment and utilise site collections at their existing locations.

The locations of monitoring points are provided in Figure 1.




Figure 1: Hanson Calga Quarry Environmental Monitoring Locations

2.0 Results

2.1 Dust Deposition

The results for March 2021 and the project 12-month rolling average are provided **Table 1**.

Dust deposition charts for all dust gauge sites appear in **Figure 2** below. The field sheet, chain of custody documentation and laboratory analysis certificates are provided in **Appendix 1**.

Table 1: Dust Deposition Results: 4 March 2021 – 1 April 2021 (29 days)

Site	Monthly Insoluble Solids	Monthly Ash Residue	Monthly Combustible Matter	Monthly Ash Residue/ Insoluble Solids %	Rolling Annual Average Insoluble Solids
CD1	2.2	1.3	0.9	59	1.5
CD2c	0.5	0.2	0.3	40	0.8
CD3	0.6	0.1	0.5	17	1.2
CD4	0.3	0.1	0.2	33	0.7
CD5	0.4	0.2	0.2	50	0.8
CD6	0.4	0.1	0.3	25	0.7

Notes:

Units in g/m².month unless indicated

Insoluble solid results marked with an * indicate an excessively contaminated gauge. Contamination can include bird droppings, vegetation (such as plant matter, algae, pollen and seeds) and insects
Results in **bold** indicate insoluble solids levels above 3.7g/m².month; the Development Consent's

annual average amenity criteria at residential locations

The current rolling annual average is calculated from April 2020 to March 2021




Figure 2: Summary Monthly/Annual Dust Deposition Results for Insoluble Solids

2.2 Surface Water (Monthly)

Monthly surface water monitoring was conducted on 4 March 2021 and results are provided in **Table 2**. The field sheet, chain of custody documentation and laboratory analysis certificates are provided in **Appendix 1**.

Samples were collected at sites A, C1, C2, D and F.

 Table 2:
 Monthly Surface Water Monitoring Results – March 2021

Site	Observed Flow Rate* (visual)	Water Colour* (visual)	Turbidity* (visual)	рН	EC (µS/cm)	TDS (mg/L)	TSS (mg/L)	Oil and Grease (mg/L)
Α	Dam	Clear	Clear	5.86	87	63	<5	<5
В				No fl	ow			
C1	Dam	Clear	Clear	6.42	88	49	9	<5
C2	Trickle	Clear	Clear	6.14	103	54	5	<5
D	Still	Clear	Clear	5.09	88	56	6	<5
F	Dam	Clear	Clear	6.1	94	58	<5	<5

^{*} Indicates field measurements. All other results are laboratory analysed

2.2.1 Non-Routine Surface Water Sampling

No non-routine surface water sampling was completed in March 2021.

EC = Electrical conductivity

TDS = Total dissolved solids

TSS = Total suspended solids

2.3 Meteorological Data

The Calga Quarry weather station data recovery for March 2021 was approximately 100%.

The weather station data follows and includes:

- Monthly rainfall comparison between quarry data and BOM data. Refer to Table 4;
- Monthly data summary. Refer to Table 5;
- Weather charts of air temperature, humidity, heat index and wind chill, atmospheric pressure, solar radiation, evapotranspiration, rain, wind speed and data reception. Refer to Figures 7 – 10; and
- Wind rose (frequency distribution diagram of wind speed and direction). Refer to Figure 10.

A summary of rainfall comparison is provided in **Table 4**.

Table 4: Comparison of Local Rainfall – March 2021

Location	Rainfall (mm)
Calga Quarry	431.6mm
BOM Peats Ridge*	NA
BOM Gosford*	467.6mm
BOM Peats Ridge long-term mean for March*	135.9mm

Notes: NA = Not Available

*Data sourced from Bureau of Meteorology (BOM) website: www.bom.gov.au BOM stations report rainfall at 9am


Calga Quarry station reports rainfall at midnight.


An annual calibration was undertaken on the weather station during April 2020 and is next due in April 2021. Please refer to **Appendix 1**.

Table 5: Summary of Monthly Meteorological Data – March 2021

Date	Temperature Min	Temperature Avg	Max	Relative Humidity Min			Rain	Evapotrans piration	Wind Speed Min	Wind Speed Avg	Wind Speed Max	Wind Chill Min	Heat Index Max	Atmospheric Pressure Min	Atmospheric Pressure Avg	Atmospheric Pressure Max	Solar Radiation Min	Solar Radiation Avg	Solar Radiation Max	Data Min	Data Avg	Data Max
1/03/2021	19.7	25.8	33.5	45.0	74.0	97.0	0.0	4.9	0.0	0.9	6.7	19.8	37.0	1000.9	1004.8	1008.5	0.0	271.4	930.0	70.3	82.6	96.8
2/03/2021	16.9	20.8	25.3	53.0	78.0	93.0	0.0	4.1	0.0	1.7	10.3	17.0	24.9	1003.7	1007.8	1011.7	0.0	224.1	1076.0	74.1	84.3	97.8
3/03/2021	16.3	18.4	22.6	64.0	80.5	93.0	0.0	2.2	0.0	1.1	7.6	16.4	22.7	1010.3	1011.7	1013.1	0.0	123.2	742.0	73.5	84.4	99.4
4/03/2021	13.6	20.2	29.1	43.0	73.8	92.0	0.0	4.5	0.0	1.1	7.6	13.6	29.2	1003.7	1008.5	1012.5	0.0	270.3	1025.0	69.7	84.7	100.0
5/03/2021	14.4	19.5	23.7	62.0	73.2	90.0	0.0	3.7	0.0	1.2	10.3	14.4	23.7	1001.9	1004.5	1007.9	0.0	198.2	953.0	74.4	84.6	100.0
6/03/2021	16.8	19.2	22.8	58.0	72.1	81.0	0.0	3.1	0.0	1.2	6.7	16.9	22.7	1007.0	1009.0	1011.6	0.0	153.9	793.0	74.4	81.7	92.1
7/03/2021	14.9	20.3	26.4	57.0	75.2	89.0	0.0	3.9	0.0	1.7	8.5	14.9	26.8	1007.8	1010.3	1012.4	0.0	207.1	953.0	78.2	84.5	98.4
8/03/2021	16.3	21.2	29.7	58.0	83.3	96.0	1.0	2.7	0.0	1.1	8.0	16.4	31.7	1004.4	1007.2	1009.5	0.0	150.8	920.0	70.0	84.2	98.7
9/03/2021	20.1	22.8	30.5	42.0	76.4	86.0	0.0	3.8	0.4	2.1	9.4	20.2	30.6	1005.6	1008.9	1014.5	0.0	189.8	893.0	54.6	84.2	98.7
10/03/2021	19.7	21.8	25.3	68.0	79.9	88.0	0.0	3.6	0.0	2.3	9.4	19.2	25.8	1014.3	1016.4	1018.5	0.0	180.0	817.0	56.2	87.6	100.0
11/03/2021	18.3	21.7	26.2	71.0	81.7	92.0	0.0	3.0	0.0	2.4	10.3	18.3	27.1	1014.6	1017.0	1019.0	0.0	133.0	674.0	43.8	89.5	100.0
12/03/2021	19.6	22.3	27.8	71.0	85.1	93.0	1.0	2.5	0.0	1.3	8.5	19.7	30.2	1011.2	1013.7	1015.8	0.0	135.0	812.0	60.6	84.9	98.7
13/03/2021	18.3	24.2	32.7	54.0	82.0	97.0	0.6	3.9	0.0	1.5	8.0	18.3	37.4	1006.0	1009.2	1012.0	0.0	213.6	1006.0	66.9	83.4	95.3
14/03/2021	13.3	18.0	24.2	81.0	93.3	97.0	35.8	0.6	0.0	2.1	13.0	12.5	25.5	1004.8	1010.9	1017.9	0.0	28.3	147.0	37.2	70.5	92.4
15/03/2021	13.1	17.0	22.6	63.0	79.0	94.0	0.0	3.4	0.0	1.7	7.2	12.7	22.7	1017.2	1018.6	1021.0	0.0	199.6	949.0	35.0	88.5	100.0
16/03/2021	12.6	16.7	21.5	76.0	88.4	96.0	5.2	1.4	0.0	0.7	7.6	12.6	21.9	1019.8	1021.1	1023.2	0.0	92.8	504.0	51.7	90.0	100.0
17/03/2021	16.7	18.1	20.8	77.0	87.5	96.0	17.4	1.6	0.0	2.1	11.6	16.1	21.4	1019.2	1020.5	1021.9	0.0	86.8	433.0	54.6	80.4	94.3
18/03/2021	17.2	17.9	18.7	92.0	96.3	98.0	71.4	0.3	0.0	2.1	12.1	15.3	19.8	1018.7	1020.1	1021.9	0.0	14.1	135.0	27.1	80.0	98.4
19/03/2021	18.1	19.8	22.8	77.0	89.5	97.0	5.8	1.8	0.0	2.1	9.8	17.3	23.4	1019.6	1020.8	1022.4	0.0	96.5	955.0	77.0	95.0	100.0
20/03/2021	18.1	19.0	20.4	94.0	97.0	98.0	112.8	0.6	0.9	4.0	17.4	15.9	21.8	1016.0	1017.9	1019.6	0.0	33.8	265.0	65.0	82.3	93.1
21/03/2021	16.8	18.2	19.4	96.0	97.2	98.0	130.2	0.4	1.3	4.7	14.8	14.7	20.6	1018.1	1019.8	1021.4	0.0	23.1	123.0	71.0	84.5	93.4
22/03/2021	16.7	17.6	18.9	94.0	96.9	98.0	23.6	0.5	0.4	2.8	11.6	14.2	19.9	1013.5	1017.4	1020.4	0.0	34.3	169.0	70.0	86.3	95.9
23/03/2021	17.1	18.6	20.6	94.0	96.6	98.0	20.0	0.8	0.4	3.3	12.5	14.9	21.9	995.6	1002.3	1013.1	0.0	51.5	291.0	53.6	89.4	100.0
24/03/2021	18.9	22.7	27.7	47.0	71.9	94.0	0.0	5.2	0.0	3.5	13.9	18.7	27.3	995.0	996.3	999.3	0.0	244.7	896.0	59.6	88.6	100.0
25/03/2021	17.3	20.9	27.4	50.0	70.3	87.0	2.0	4.2	0.0	2.2	8.9	17.3	27.5	997.8	1000.9	1007.3	0.0	210.4	876.0	75.4	92.0	98.7
26/03/2021	13.4	18.7	25.2	45.0	74.5	92.0	0.2	4.0	0.0	0.9	5.8	13.4	25.3	1007.3	1009.4	1011.5	0.0	245.8	864.0	66.2	94.5	100.0
27/03/2021	15.4	19.9	26.3	43.0	73.1	96.0	0.0	3.7	0.0	1.0	6.3	15.4	25.7	1007.5	1009.4	1011.1	0.0	219.4	908.0	91.2	97.2	100.0
28/03/2021	13.7	19.1	25.7	48.0	76.3	93.0	0.0	3.5	0.0	0.8	6.7	13.7	25.3	1010.7	1013.0	1015.3	0.0	207.2	997.0	89.9	97.5	100.0
29/03/2021	14.9	19.3	26.2	52.0	80.5	97.0	0.8	3.7	0.0	0.8	6.7	15.0	26.1	1014.3	1016.3	1019.1	0.0	226.4	970.0	74.1	96.3	100.0
30/03/2021	14.3	17.4	21.8	57.0	79.4	93.0	1.4	2.6	0.0	1.0	6.7	14.4	21.6	1018.1	1019.6	1020.9	0.0	158.3	684.0	72.6	93.2	100.0
31/03/2021	13.8	17.2	22.8	50.0	81.7	96.0	2.4	2.9	0.0	1.0	7.2	13.8	23.0	1019.1	1020.4	1021.7	0.0	177.2	1021.0	47.0	88.7	100.0
Monthly	12.6	19.8	33.5	42	82	98	431.6	87.1	0.0	1.8	17.4	12.5	37.4	995.0	1012.4	1023.2	0.0	154.9	1076.0	27.1	86.9	100.0
Unit	De	egrees Celcius (°C)	Percenta	ge Relative	Humidity	mm	mm	Metres	per secon	d (m/s)	°C	°C	He	ector Pascals (h	Pa)	Watts pe	r square metr	re (W/m²)	F	Percentage (%)

10 of 14









Figure 7 Summary of Monthly Temperature, Humidity and Heat Index Results








Figure 8 Summary of Monthly Wind Speed, Solar Radiation and Atmospheric Pressure Results








Figure 9 Summary of Monthly Rainfall, Evapotranspiration and Data Reception Results

Frequency plot of the average wind speed and average direction over each 15-minute sampling period. Wind is considered to be calm when at less than a 15-minute average of 1m/s.

Hanson - Windrose

00:15 1 March 2021 to 23:45, 31 March 2021




Figure 10: Monthly Windrose Plot – March 2021

The predominant wind for March was from the East with most frequent, strongest winds from the East. The maximum wind speed was 17.4 m/s from the East-North-East.

Appendix 1

Field Sheets
Chain of Custody Documentation
Laboratory Analysis Certificates



Client: Hanson Calga Quarry

Date Installed: 4.3.7(

Date Collected:

Sampled By: ALEX SMITH
LEESA KING.

Site	Time	Water	Insolut		erial (= slight, = = mod etc)		Water	Water	Stand Level	Funnel Level	New Funnel	Comments
	Collected	Level (mL)	Insects	Bird droppings	Vegetation	Dust	Turbidity	Colour	(Y/N)	(Y/N)	Diameter (mm)	PROPERTY OF THE STATE OF THE ST
CD1	12.00	1999					O ST	O Bn Gn Gy	4	Y	-	
CD2C	12:40	1999	1		/	1	O ST	O Bn Gn Gy	Y	7		0.5 00
CD3	9:15.	1999			/	1	Ø ST	O Bn Gn Gy	Y	Y		
CD4	11:45	1999	/		/	1	 S T	©O Bn Gn Gy	YA	Y	У	
CD5	10:55	1999	/			/	SST	O Bn Gn Gy	Y	Υ.		
CD6	10:00	1999			_	_	ОЗТ	O Bn Gn Gy	7	Y		
		3										
			191									
						e						
(4)	3						1	er E				
											Ж	
		8					120°	920				
	(2)											
		450	e in	4								
						D.						

Turbidity: C=Clear, S= Slight, T=Turbid (CIRCLE)

Colour: C=Colourless, O=Orange, Bn=Brown, Gn=Green, Gy = Grey (CIRCLE)

Report broken funnels and replacement diameters

Signed:

CHAIN OF CUSTODY DOCUMENTATION															Australian Laboratory Servic								
CLIENT: CBased Environmental Pty L	Ltd					l	LABO	RATO	RYE	ATCH NO	D.:		41 17 17					以				Pty Ltd	
POSTAL ADDRESS: 47 Boomerang	St CESSNOCK	NSW 2325					SAMP	LERS	: A	LEN	5N	V DA	+	LE	ECA	K	126	, 6					
SEND REPORT TO: monitoringresults@cbased.com.au			DICE TO: acc a@cbased.co	ounts@cbased.com.au, m.au			PHON	IE: 02	6571	3334		E-MAIL:	6) -1	ngresult	@cbase	d.com.	au						
DATA NEEDED BY: 7 working days		REPORT N	EEDED BY:	7 working days		F	REPO	RT F	ORM	AT: HAR	D: Yes	FAX:		DISK:	BULL	LETIN	BOARD:		E-MA	AL: Yes	š		
PROJECT ID: Hanson Calga Dusts	QUOTE NO.:	SYBQ 403-1	8			. (QC LE	VEL:		QCS1:		QC	S2:		осва: У	es		QC	CS4:				
P.O. NO.:	COMMENTS	/SPECIAL HA	ANDLING/STO	DRAGE OR DIPOSAL:											ANALY	SIS R	EQUIRE	D					
FOR LAB USE ONLY COOLER SEAL						-	Soldis	e	e Matte														
Yes No	Total unless s	specified					ple	side	tabl		1 1							1 1			1 '		
Broken Intact COOLER TEMP: deg.C						=	nsoluable	Ash Residue	Combustable Matt													TON	res
	PLE DATA			*CONTAINER I	ΣΑΤΑ	-			- 0		+ +		+			+	_		\dashv		+	110	120
SAMPLE ID	MATRIX	DATE ON	DATE OFF	TYPE & PRESERVATIVE	NO.		- 1				1		+		\vdash	\dashv			-+	- 1	+-		
CD1	Dust .		1.4.71	TITE & FILESERVATIVE	NO.	\neg	х	x	×		+	_	++	+								-	
			1.4.21		-	-	1000	x	×	-	+		++	+	Er	nviro	onme	ntal	Divis	sion	-		
CD2c	Dust Dust	3.4.21				-	x	×	X		+	_	++	-			astle					-	
CD3	_	21620	1.4.2			\dashv	X	X	X	-	+	_	++	-	140	Wor	k Orde	r Ref	erend	e	-		
CD4	Dust		1.4.2			\rightarrow	X	X	×		+		+	-			N2	10	25	60	-	-	
CD5 CD6	Dust Dust		1.4.21			\rightarrow	X	X	×		+	-+-	+	-			IVZ	10	20	oo		-	
CD6	Dust	2.4.0	1.4.0		-	-+					+	_	++	-							-	-+-	
	+					_					+	_	+	+		100	日間川中	R449. 1	WY a f		\vdash	\vdash	
		-				\rightarrow	-	_	_			_		-			I William	11.00	****				
	+					\neg					+	_	+	+			1				-	\vdash	
	+	 					_				1		1	-			III	400					
			-											_			I K.V.	LT.	245				
	1		-			-					+			_						2000 1 11 1			
						_					1 1			_	Те	elephor	ne: +61	2 4014	2500				
	1					\neg							11										
	—												\top		IT	\top					\top		
													\Box										
		RELINQUISH	ED BY:									RECE	IVED BY									METHOD	OF SHIPMENT
NAME: A' SMITH +	- LIKINI	DATE:	1.4.2			1	NAME	: /	MI	M	01	104	21		DA	TE:						CONSIGN	MENT NOTE NO.
OF: CBased Environmental		77	TIME: /7:	30			OF:					1 1			TI	IME: 🧲	5.3	10	2				
NAME :			DATE:				NAME	1								TE:						TRANSPO	RT CO. NAME.
OF:			TIME				OF:				14				TI	IME:							
*Container Type and Preservative Co VC = Hydrochloric Acid Preserved Via																							

AUSTRALIAN LABORATORY SERVICES P/L



CERTIFICATE OF ANALYSIS

Work Order : EN2102560

: CBASED ENVIRONMENTAL PTY LTD

Contact : All Deliverables

Address : Unit 3 2 Enterprise Cres

Singleton NSW 2330

Telephone : +61 02 6571 3334
Project : Hanson Calga Dusts

Order number : ----

C-O-C number : ----

Sampler : ALEX SMITH, Leesa King

Site

Client

Quote number : SYBQ/403/18 - COMPASS

No. of samples received : 6
No. of samples analysed : 6

Page : 1 of 4

Laboratory : Environmental Division Newcastle

Contact :

Address : 5/585 Maitland Road Mayfield West NSW Australia 2304

Telephone : +61 2 4014 2500

Date Samples Received : 01-Apr-2021 17:34

Date Analysis Commenced : 08-Apr-2021

Issue Date : 14-Apr-2021 14:06

Accreditation No. 825
Accredited for compliance with
ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories Position Accreditation Category

Zoran Grozdanovski Laboratory Operator Newcastle - Inorganics, Mayfield West, NSW

Page : 2 of 4
Work Order : EN2102560

Client : CBASED ENVIRONMENTAL PTY LTD

Project : Hanson Calga Dusts



General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key: CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting


- ^ = This result is computed from individual analyte detections at or above the level of reporting
- ø = ALS is not NATA accredited for these tests.
- ~ = Indicates an estimated value.
- Analysis as per AS3580.10.1-2016. Samples passed through a 1mm sieve prior to analysis. NATA accreditation does not apply for results reported in g/m².mth as sampling data was provided by the client.

Page : 3 of 4 Work Order : EN2102560

Client : CBASED ENVIRONMENTAL PTY LTD

Project : Hanson Calga Dusts

Analytical Results






Page : 4 of 4 Work Order : EN2102560

Client : CBASED ENVIRONMENTAL PTY LTD

Project : Hanson Calga Dusts

Analytical Results





CBASED ENVIRONMENTAL PTY LIMITED



Date: 4.3.21 ·

Client:

Hanson Calga

Project:

	¬ – A		VW / W	TEDO
		II Been	W/W// //	TERS
~ D II II II			W W And	

Site	Flow Rate	Odour	Sampling Time	Bottles	Water Turbidity	Water Colour	Comments
4	DAM	N	9:40	1x 250ml GP, 1x 500mL GP, 1x PG	Ø ST	⊘ LO O B G	
3			9:45.	1x 250ml GP, 1x 500ml GP, 1x PG	CST	CLOOB6	DRY
C1	DAM	1	10:45	1x 250ml GP, 1x 500mL GP, 1x PG	⊘ S T	1 S LOOBG	
C2	TRICKY.	~	10:40	1x 250ml GP, 1x 500mL GP, 1x PG	⊘ ST	₩ LO O B G	
)	STILL	N	10:20	1x 250ml GP, 1x 500mL GP, 1x PG	ØST	⊘ LO O B G	
F	DAM	N	9:35	1x 250ml GP, 1x 500mL GP, 1x PG	⊘ ST	⊘ LO O B G	
			В.				

Turbidity: C=Clear, S= Slight, T=Turbid (CIRCLE)

Colour: C=Clear, LO=Light Orange, O=Orange, B=Brown, G=Green (CIRCLE)

Sampled by: A. SMITH
L. KING

CHAIN OF CUSTO		OCUIV	IENI	ATION		GASSIEL IN		VANTAL INCOME.	ALCOHOLDS:	MENOS MINOS		FEC. 10 10 10 10 10 10 10 10 10 10 10 10 10		OF THE RESIDENCE OF THE PARTY O		Marie Control				more companies was	and the state of t		an Laboratory
CLIENT: CBased Environmental Pty						CHAPT ASSOCIATION	A STATE OF THE PARTY OF THE PAR	ORY E			NAME OF TAXABLE PARTY.		#		and the	/		444	Harris L.			Services	Pty Ltd
OSTAL ADDRESS: PO Box 245 CI	ESSNOCK NS	SW 2325				SAME	LER	S:CBa	sed E	nviro	nmenta	Pty L	td						-				
SEND REPORT TO: nonitoringresults@cbased.com.au		SEND INV		renae.mikka@cbased.com.au; com.au		PHON	NE: 02	265713	3334			E-MA	NL: mor	nitoringres	ults@cl	oased.	com.au						
OATA NEEDED BY: 5 working days		REPORT	NEEDED	BY: 5 working days		REPO	REPORT FO		AT: H	HARD	Yes	F	AX:	DIS	K:	BULLE	ETIN BO	ARD:		E-MAIL:	Yes		
PROJECT ID: Hanson Quarry SW	QUOTE NO.:	: SYBQ-403-	-18			QC LI	EVEL:		QCS	S1:			QCS2:		QCS	3: Yes			QCS4	l:			
.O. NO.:	COMMENTS	S/SPECIAL H	ANDLIN	G/STORAGE OR DIPOSAL:											ANA	LYSIS	REQU	RED					
OR LAB USE ONLY																							
OOLER SEAL NO NO																					- 1		
∌s	Total unless								ı			1											
oken Intact				NAME OF THE OWNER OWNER OWNER OF THE OWNER OWNE		-	0	TSS	TDS	9													
OOLER TEMP: deg.C						PH	EC	ř	F	0			\perp	\vdash								NC	TES
SAMPLE	E DATA			*CONTAINER DATA							_	_											
SAMPLE ID	MATRIX	DATE		TYPE & PRESERVATIVE	NO.						_												
Α	Water	43.21	9240	1x 250mlGP,1x 500mLGP,1xPG		х	х	х	х	х													
B	-Water-		-	1x 250mIGP,1x 500mLGP,1xPG		— X—	X	_X_	_ <u>X</u> _	-X-	,												
. C1	Water	4-3.21	1014	1x 250mlGP,1x 500mLGP,1xPG	3	Х	Х	Х	Х	х													
C2	Water	4.3.21	10:4	1x 250mlGP,1x 500mLGP,1xPG	3	х	Х	Х	х	х													
D	Water	4.3.2	10220	1x 250mlGP,1x 500mLGP,1xPG	3	х	Х	х	Х	х													
F	Water	4.3.2	19:35	1x 250mlGP,1x 500mLGP,1xPG	-	Х	х	х	Х	х		-			_			_					
			-					\sqcup				_			_						_		
		-						\square			_	_		\vdash				_				\vdash	
								\vdash			_	-	_		-		-	_					
		-	-					\vdash		_	-	+	+	+	-	-	-	_			_		
		-	-			_		\vdash			-	-	-	+	_	-	-	-	-		_		
		+						\dashv	-	-	-	+	+-	+-	+	+	-		-	-	-		
	-	-						-	-	-	-+	-	_	++-	+	\vdash		+	+		_		
			1							\neg	_	-	+	\vdash	_		_	+		-	_		
		-		TOTAL BOTTLES:			-				+	+		-	+				_				
	PEI	.INQUISHED) RY:	TOTAL DOTTLEO								REC	EIVED	RY					+			METHOR	OF SHIPMENT
ME: A. SMIVH 4	1 - 10	INCh	DAT	E: 4.3.21		NAME	11	C.			-	ALU	LIVED	01		DATE	4.	3-2	71				NMENT NOTE N
: CBased Environmental	/			IME: /2:10		OF:	1	9-C	-5					-		TIME	17	110	孙	-		CONGIG	WILLIAM NOTEN
ME :				ATE:		NAME	:	400.000						**		DATE		10	\$	001		TRANSP	ORT CO. NAME
-:				TIME:		OF:										TIME			7				00. 10 WIL
ontainer Type and Preservative Co = Hydrochloric Acid Preserved Via = Other.																			ttle;				

AUSTRALIAN LABORATORY SERVICES P/L

Environmental Division Sydney Work Order Reference ES2107683



Telephone: +61-2-8784 8555



CERTIFICATE OF ANALYSIS

Work Order : ES2107683

: CBASED ENVIRONMENTAL PTY LTD

Contact : All Deliverables

Address Address : Unit 3 2 Enterprise Cres

Singleton NSW 2330

Telephone : +61 02 6571 3334 Project : HANSON QUARRY SW

Order number

C-O-C number

Sampler · CARBON BASED ENVIRONMENTAL PTY LTD

Site

Client

Quote number : SYBQ/403/18 - COMPASS

No. of samples received : 5 : 5 No. of samples analysed

Page : 1 of 2

Laboratory : Environmental Division Sydney

Contact : Customer Services ES

: 277-289 Woodpark Road Smithfield NSW Australia 2164

Telephone : +61-2-8784 8555

Date Samples Received : 04-Mar-2021 12:10

Date Analysis Commenced : 04-Mar-2021

Issue Date · 10-Mar-2021 15:24



ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with **Quality Review and Sample Receipt Notification.**

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories Accreditation Category Position

Ankit Joshi Inorganic Chemist Sydney Inorganics, Smithfield, NSW Neil Martin Team Leader - Chemistry Chemistry, Newcastle West, NSW

Page : 2 of 2 Work Order : ES2107683

Client : CBASED ENVIRONMENTAL PTY LTD

Project : HANSON QUARRY SW

General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key: CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

- ^ = This result is computed from individual analyte detections at or above the level of reporting
- ø = ALS is not NATA accredited for these tests.
- ~ = Indicates an estimated value.
- TDS by method EA-015 may bias high for various samples due to the presence of fine particulate matter, which may pass through the prescribed GF/C paper.

Analytical Results

Sub-Matrix: WATER (Matrix: WATER)			Sample ID	Α	C1	C2	D	F
		Sampli	ng date / time	04-Mar-2021 09:40	04-Mar-2021 10:45	04-Mar-2021 10:40	04-Mar-2021 10:20	04-Mar-2021 09:35
Compound	CAS Number	LOR	Unit	ES2107683-001	ES2107683-002	ES2107683-003	ES2107683-004	ES2107683-005
				Result	Result	Result	Result	Result
EA005: pH								
pH Value		0.01	pH Unit	5.86	6.42	6.57	5.14	5.46
EA010P: Conductivity by PC Titrator								
Electrical Conductivity @ 25°C		1	μS/cm	87	91	94	96	84
EA015: Total Dissolved Solids dried at	180 ± 5 °C							
Total Dissolved Solids @180°C		10	mg/L	63	68	59	76	67
EA025: Total Suspended Solids dried a	t 104 ± 2°C							
Suspended Solids (SS)		5	mg/L	<5	20	9	<5	6
EP020: Oil and Grease (O&G)								
Oil & Grease		5	mg/L	<5	<5	<5	<5	<5

Inter-Laboratory Testing

Analysis conducted by ALS Newcastle - Water, NATA accreditation no. 825, site no. 1656 (Chemistry) 9854 (Biology).

(WATER) EA005: pH

