

## **CBased Environmental** Pty Limited ABN 62 611 924 264



## Calga Quarry

## **Environmental Monitoring**

Dust Deposition, Surface Water, Groundwater and Meteorological Data

February 2022

Colin Davies BSc MEIA CENVP

**Environmental Scientist** Date: 18 March 2022

© CBased Environmental Pty Limited 2020. This document was prepared solely for the original recipient and no third party must rely on or use any information without the consent of CBased Environmental Pty Limited. CBased Environmental Pty Limited and the author accept no responsibility to any third party who uses or relies upon the information contained in this report.

## **Executive Summary**

CBased Environmental is contracted by Hanson Quarry Products to conduct environmental monitoring at the Calga Sand Quarry.

The monitoring includes:

- Dust deposition;
- Surface water:
- Ground water and
- Meteorological data.

This report was prepared by CBased Environmental and includes the following results for February 2022:

- Dust deposition;
- Surface water quality;
- Meteorological parameters; and
- Ground water quality.

The February 2022 dust deposition results for insoluble solids showed:

- Decreased levels when compared to January 2021 except for CD4, CD5 and CD6 which were slightly increased.
- Rolling annual averages below the Air Quality Management Plan criteria of 3.7g/m².month.

Monthly surface water samples were collected at sites A, C1, C2, D and F. Surface water site B was not flowing at the time of sampling. The samples that were collected were analysed for a monthly sampling event. Results show pH within the slightly acidic range, low electrical conductivity, low total dissolved solids and low total suspended solids. Oil and grease were not detected at sites A, C1, C2, D and F in February 2022.

The Calga Quarry weather station data recovery in February 2022 was approximately 100%. A summary of rainfall comparison is provided below.

Location	Rainfall (mm)
Calga Quarry	305.2mm
BOM Gosford*	390.4mm

Notes: NA = Not Available

\*Data sourced from Bureau of Meteorology (BOM) website: www.bom.gov.au BOM stations report rainfall at 9am

Calga Quarry station reports rainfall at midnight.

## 1.0 Sampling Programme

Hanson Calga Quarry conducts environmental monitoring in accordance with Development Consent, OEH (EPA) licence and Environmental Management Plans. CBased Environmental are contracted to undertake dust deposition gauge, surface water, groundwater and meteorological monitoring for the project. CBased Environmental commenced monitoring from the April 2006 monitoring period.

Dust deposition gauges are operated to the Australian Standard AS3580.10.1 "Methods for sampling and analysis of ambient air method. Determination of particulates- deposited matter- gravimetric method". Sampling is undertaken every 30 +/- 2 days and each gauge is analysed for insoluble solids and ash residue. The results are reported as g/m².month.

Six (6) dust deposition gauges are monitored as follows:

- CD1 installed 1 May 2006. Gauges air quality impacts to the east of site operations;
- CD2c located on a rehabilitated section of land between the extraction area and adjacent resident. Gauges air quality impacts to the north of site operations. Replaces former gauges CD2a and CD2b;
- CD3 installed prior to May 2006. Gauges air quality impacts to the south of site operations;
- CD4 installed 3 October 2006. Gauges air quality impacts to the south of site operations;
- CD5 installed 14 December 2006. Gauges air quality impacts to the south of site operations; and
- CD6 installed 14 December 2006. Gauges air quality impacts to the south of the operations.

Dust gauge CD2a was discontinued at the start of August 2006 due to quarry operations "mining out" the site of the gauge. The replacement gauge, CD2b, was located in a position adjacent to the boundary between B. Kashouli and F. & J. Gazzana in conformance with the Air Quality Management Plan. CD2b was discontinued at the end of January 2010 due to contamination of the gauge by non-quarry related vehicle movements on a track adjacent to the gauge. CD2b was replacement by dust gauge CD2c.

Surface water is sampled in accordance with Australian Standards:

- AS5667.1 "Guidance on the design of sample programs, sampling techniques and the preservation and handling of samples";
- AS5667.6 "Water quality sampling—guidance on sampling of rivers and streams"; and
- AS5667.4 "Water quality sampling—guidance on sampling from lakes, natural and man-made".

Surface water monitoring sites include local streams and dams. Laboratory analysis includes pH, electrical conductivity, total suspended solids, total dissolved solids and total oil and grease. Monitoring is conducted monthly at Sites A and F (dams) and

when Sites B, C and D are flowing. Additional samples are collected when daily rainfall exceeds 50mm.

Groundwater is sampled in accordance with Australian Standards:

- AS5667.1 "Guidance on the design of sample programs, sampling techniques and the preservation and handling of samples"; and
- AS5667.11 "Water quality sampling—guidance on sampling of ground waters".

Groundwater monitoring sites are sampled bi-monthly for depth and water quality. Groundwater monitoring loggers continuously record water levels in a selection of bores.

Meteorological monitoring is conducted at the quarry and displayed on the site computer with a real-time display. Metrological parameters are measured according to Australian Standard AS3580.14 "Methods for sampling and analysis of ambient air. Meteorological monitoring for ambient air quality monitoring applications".

The weather station has the following sensor configuration:

- Air temperature;
- Humidity;
- Rainfall:
- Atmospheric pressure;
- Evaporation;
- Solar radiation;
- Wind speed; and
- Wind direction.

CBased Environmental continued to operate the monitoring equipment and utilise site collections at their existing locations.

The locations of monitoring points are provided in Figure 1.




Figure 1: Hanson Calga Quarry Environmental Monitoring Locations

#### 2.0 Results

#### 2.1 Dust Deposition

The results for February 2022 and the project 12-month rolling average are provided **Table 1**.

Dust deposition charts for all dust gauge sites appear in **Figure 2** below. The field sheet, Chain of Custody documentation and laboratory analysis certificates are provided in **Appendix 1**.

**Table 1:** Dust Deposition Results: 3 February 2022 – 3 March 2022 (28 days)

Site	Monthly Insoluble Solids	Monthly Ash Residue	Monthly Combustible Matter	Monthly Ash Residue/ Insoluble Solids %	Rolling Annual Average Insoluble Solids
CD1	3.6	1.8	1.8	50	1.8
CD2c	0.8	0.3	0.5	38	0.9
CD3	1.5	0.4	1.1	27	1.4
CD4	1.2	0.3	0.9	25	0.6
CD5	1.1	0.5	0.6	45	0.6
CD6	0.8	0.4	0.4	50	0.5

#### Notes:

Units in a/m<sup>2</sup>.month unless indicated

Insoluble solid results marked with an \* indicate an excessively contaminated gauge. Contamination can include bird droppings, vegetation (such as plant matter, algae, pollen and seeds) and insects

Results in **bold** indicate insoluble solids levels above 3.7g/m<sup>2</sup>.month; the Development Consent's annual average amenity criteria at residential locations

The current rolling annual average is calculated from March 2021 to February 2022




Figure 2: Summary Monthly/Annual Dust Deposition Results for Insoluble Solids

## 2.2 Surface Water (Monthly)

Monthly surface water monitoring was conducted on 3 February 2022 and results are provided in **Table 2**. The field sheet, chain of custody documentation and laboratory analysis certificates are provided in **Appendix 1**.

Samples were collected at sites A, C1, C2, D and F.

Table 2: Monthly Surface Water Monitoring Results – February 2022

Site	Observed Flow Rate* (visual)	Water Colour* (visual)	Turbidity* (visual)	рН	EC (μS/cm)	TDS (mg/L)	TSS (mg/L)	Oil and Grease (mg/L)
Α	Dam	Brown	Clear	6.06	65	65	8	<5
В				Dry	/			
C1	Dam	Colourless	Clear	6.78	78	63	8	<5
C2	Trickle	Colourless	Clear	6.82	86	65	10	<5
D	Still	Colourless	Clear	5.34	75	70	<b>&lt;</b> 5	<5
F	Dam	Colourless	Slight	7.85	69	70	24	<5

<sup>\*</sup> Indicates field measurements. All other results are laboratory analysed

## 2.2.1 Non-Routine Surface Water Sampling

No non-routine surface water sampling was completed in February 2022.

EC = Electrical conductivity

TDS = Total dissolved solids

TSS = Total suspended solids

## 2.3 Meteorological Data

The Calga Quarry weather station data recovery for February 2022 was approximately 100%.

The weather station data follows and includes:

- Monthly rainfall comparison between quarry data and BOM data. Refer to **Table 3**:
- Monthly data summary. Refer to Table 4;
- Weather charts of air temperature, humidity, heat index and wind chill, atmospheric pressure, solar radiation, evapotranspiration, rain, wind speed and data reception. Refer to **Figures 3 5**; and
- Wind rose (frequency distribution diagram of wind speed and direction). Refer to Figure 6.

A summary of rainfall comparison is provided in **Table 3**.

**Table 3:** Comparison of Local Rainfall – February 2022

Location	Rainfall (mm)
Calga Quarry	305.2mm
BOM Gosford*	390.4mm

Notes: NA = Not Available

\*Data sourced from Bureau of Meteorology (BOM) website: www.bom.gov.au BOM stations report rainfall at 9am

Calga Quarry station reports rainfall at midnight.

**CBased Environmental Pty Limited** 

 Table 4:
 Summary of Monthly Meteorological Data – February 2022

Date	Temperature Min	Temperature Avg	Temperature Max	Relative Humidity Min	Avg	Relative Humidity Max	Rain	Evapotrans piration	Wind Speed Min	Wind Speed Avg	Wind Speed Max	Wind Chill Min	Heat Index Max	Atmospheric Pressure Min	•		Solar Radiation Min	Solar Radiation Avg	Solar Radiation Max	Data Min	Data Avg	Data Max
1/02/2022	20.6	25.9	35.8	39.0	80.6	97.0	11.8	4.9	0.0	8.0	14.3	20.6	40.9	994.7	998.2	1001.7	0.0	278.8	1246.0	29.0	55.3	74.4
2/02/2022	17.2	20.2	23.8	91.0	95.4	97.0	10.8	8.0	0.0	1.7	9.4	17.2	25.4	996.8	1001.2	1005.4	0.0	41.3	152.0	30.0	61.2	90.5
3/02/2022	16.2	18.9	23.2	65.0	81.4	97.0	0.4	4.3	1.8	3.7	13.4	15.5	23.6	1003.0	1004.5	1007.9	0.0	226.1	1079.0	33.4	64.6	87.4
4/02/2022	14.4	17.4	20.6	68.0	82.5	93.0	12.6	2.9	0.4	2.6	12.1	13.7	21.3	1008.0	1011.7	1015.1	0.0	157.7	846.0	63.4	77.2	91.8
5/02/2022	15.9	18.5	23.4	61.0	81.0	93.0	9.2	3.5	0.0	1.9	10.7	16.1	23.4	1013.9	1015.3	1017.0	0.0	184.4	1137.0	40.1	72.2	90.9
6/02/2022	16.4	18.8	22.8	64.0	83.1	95.0	12.6	3.4	0.0	2.4	12.5	14.3	23.2	1016.4	1018.5	1019.8	0.0	184.2	1263.0	59.6	73.6	86.8
7/02/2022	15.7	18.0	21.9	70.0	89.2	97.0	10.6	2.7	0.0	1.4	11.2	15.4	22.3	1015.7	1017.6	1019.3	0.0	170.3	882.0	45.4	72.9	86.1
8/02/2022	14.9	18.4	25.8	66.0	87.0	97.0	2.4	3.1	0.0	1.8	6.7	14.7	26.3	1008.8	1012.2	1015.6	0.0	183.0	879.0	47.3	72.9	87.7
9/02/2022	14.6	22.6	32.3	33.0	67.6	96.0	0.0	6.1	0.0	1.8	7.6	14.6	32.5	1005.6	1007.7	1009.6	0.0	318.8	1028.0	50.8	71.0	86.8
10/02/2022	16.6	24.5	34.6	32.0	65.1	94.0	3.8	5.9	0.0	1.5	11.6	16.6	36.6	1006.3	1008.2	1011.8	0.0	288.1	999.0	29.7	69.4	90.2
11/02/2022	18.7	20.6	24.7	78.0	89.9	97.0	10.2	2.6	0.0	1.9	10.3	18.7	25.8	1009.7	1012.3	1013.9	0.0	153.1	1046.0	55.8	76.1	89.0
12/02/2022	17.2	19.8	24.6	63.0	84.8	97.0	4.6	3.2	0.0	1.4	8.9	17.2	24.9	1012.3	1014.7	1017.4	0.0	177.4	1226.0	46.4	75.0	86.8
13/02/2022	16.8	19.6	24.3	66.0	84.2	98.0	1.4	3.4	0.0	1.7	8.5	16.8	24.9	1016.6	1018.3	1020.1	0.0	185.1	958.0	66.9	78.4	87.7
14/02/2022	14.3	21.0	27.6	60.0	79.2	96.0	0.0	5.5	0.0	2.8	9.4	14.4	28.7	1019.2	1020.5	1022.0	0.0	291.2	1136.0	47.9	74.0	92.1
15/02/2022	16.3	22.3	29.0	56.0	78.8	97.0	0.0	5.9	0.0	2.9	9.8	16.3	30.9	1017.7	1019.3	1021.0	0.0	321.1	1158.0	50.8	78.5	93.4
16/02/2022	16.3	22.1	29.1	54.0	79.0	97.0	0.0	5.1	0.0	2.4	8.9	16.3	30.3	1010.2	1014.2	1017.8	0.0	272.6	1125.0	55.5	80.6	95.6
17/02/2022	16.6	24.1	35.8	34.0	74.5	96.0	1.0	5.4	0.0	1.6	13.0	16.7	37.2	1002.2	1006.3	1010.1	0.0	283.8	1164.0	36.3	72.9	100.0
18/02/2022	19.1	23.8	32.0	53.0	78.5	95.0	15.2	5.4	0.0	2.2	8.9	19.2	34.8	1004.3	1007.2	1013.3	0.0	297.1	1008.0	46.7	66.6	84.2
19/02/2022	18.8	20.5	22.6	74.0	83.2	92.0	3.0	1.8	0.0	1.6	9.8	18.8	23.2	1013.3	1015.1	1017.6	0.0	80.5	295.0	63.1	74.2	92.4
20/02/2022	16.3	22.7	31.1	57.0	80.5	97.0	0.0	5.0	0.0	1.9	9.4	16.4	35.3	1002.3	1007.3	1013.2	0.0	289.4	1003.0	46.4	74.7	92.4
21/02/2022	19.2	24.1	31.8	46.0	73.9	97.0	59.2	4.9	0.0	3.0	13.4	18.3	33.7	1001.9	1005.1	1010.6	0.0	233.5	1161.0	46.7	66.0	100.0
22/02/2022	19.5	20.6	21.7	93.0	97.3	98.0	46.0	0.7	0.0	0.9	7.2	19.6	23.0	1009.4	1012.7	1015.3	0.0	45.7	302.0	35.6	59.9	95.0
23/02/2022	19.2	22.5	28.1	70.0	91.0	99.0	17.0	3.6	0.0	1.7	8.9	19.2	30.8	1013.1	1014.5	1015.9	0.0	221.1	1091.0	31.5	64.1	85.2
24/02/2022	20.1	22.6	26.9	79.0	93.7	99.0	17.8	2.2	0.0	1.6	8.5	19.4	29.8	1011.9	1013.2	1014.8	0.0	134.4	735.0	39.4	64.4	95.9
25/02/2022	19.9	22.4	26.6	75.0	91.9	98.0	14.8	2.3	0.0	1.6	7.6	19.9	28.8	1009.3	1010.9	1012.2	0.0	128.3	644.0	44.8	60.5	80.4
26/02/2022	18.9	19.8	21.1	92.0	96.6	98.0	18.2	1.0	0.0	1.0	8.5	18.6	22.6	1010.2	1011.3	1012.4	0.0	70.1	317.0	59.9	75.1	83.0
27/02/2022	18.5	20.3	22.9	88.0	96.1	99.0	14.4	1.5	0.0	0.6	5.4	18.6	23.9	1009.0	1010.5	1011.8	0.0	99.0	477.0	53.9	74.7	85.5
28/02/2022	18.6	20.7	25.4	82.0	94.6	99.0	8.2	2.1	0.0	1.1	9.8	18.7	27.0	1008.9	1010.0	1011.2	0.0	131.9	652.0	36.0	63.2	83.0
Monthly	14.3	21.2	35.8	32	84	99	305.2	98.7	0.0	1.8	14.3	13.7	40.9	994.7	1011.4	1022.0	0.0	194.6	1263.0	29.0	70.3	100.0
Unit	De	grees Celcius (°	°C)	Percentag	ge Relative	Humidity	mm	mm	Metres	per secon	d (m/s)	°C	°C	Не	ector Pascals (hi	Pa)	Watts per	r square metr	re (W/m <sup>2</sup> )	F	Percentage (%	6)








Figure 3: Summary of Monthly Temperature, Humidity and Heat Index Results









**Figure 4:** Summary of Monthly Wind Speed, Solar Radiation and Atmospheric Pressure Results







**Figure 5:** Summary of Monthly Rainfall, Evapotranspiration and Data Reception Results

Frequency plot of the average wind speed and average direction over each 15-minute sampling period. Wind is considered to be calm when at less than a 15-minute average of 1m/s.




Figure 6: Monthly Windrose Plot – February 2022

The predominant wind for February 2022 was from the East with most frequent, strongest winds, also from the East. The maximum wind speed was 14.3 m/s from the South-West.

# **Appendix 1**

Field Sheets
Chain of Custody Documentation
Laboratory Analysis Certificates

Client: ...... Hanson Calga Quarry .......

ate Installed: 3/2/22

Sampled

Sampled By: SA LK

Site	Time	Water	Insolu	ble Material (✓ =	slight, 🗸 🗸 = n	od etc)	Water	Water	Stand Level	Funnel Level	New Funnel	Comments
	Collected	Level (mL)	Insects	Bird droppings	Vegetation	Dust	Turbidity	Colour	(Y/N)	(Y/N)	Diameter (mm)	
D1	9.10	1999	11		111	1	<b>⊘</b> S T	O Bn Gn Gy			1,	
CD2C	10-20	1999	/		11	11		O Bn Gn Gy			T	
D3	9.05	1999	11		"	1		Bn Gn Gy				
DD4	9.40		1		1	1		O Bn Gn Gy				
D5	9.50	1995	1			1		O Bn Gn Gy				
CD6	10.00		/			1		OO Bn Gn Gy		1		
		1-1-5-1										
					-							
			/				/ = = V					
					947 19							

Turbidity: C=Clear, S= Slight, T=Turbid (CIRCLE)

Colour: C=Colourless, O=Orange, Bn=Brown, Gn=Green, Gy = Grey (CIRCLE)

Report broken funnels and replacement diameters

Signed:

CHAIN OF CUSTO	DOY DO	<u> DCUM</u>	<u>1EN</u>	TAT	ION																		M. P 10-100 THE ST. P. L.		Australian Laboratory Se
LIENT: CBased Environmental Pty L								LABO	RATC	RY 6		Ġ.				10 1 1 4 £ r				1111		1111		₩.	Pty Ltd
OSTAL ADDRESS: 47 Boomerang S	St CESSNOCK	NSW 2329	5					SAME	LERS	<u>:</u>	4	<u>L</u>		4											
END REPORT TO: onitoringresults@cbased.com.au		SEND IN renae.mił			ounts@cbased.com.au, m.au			PHON	VE: 02	65713	334		E-I	MAIL: i	monito	ringresul	ts@cba	ased.co	om.au						
ATA NEEDED BY: 7 working days		REPORT	NEED	ED BY:	7 working days			REPO	RTF	ORMA	T: HA	RD: Y	es .	FAX:		DISK:	В	ULLET	IN BOA	RD:	-	E-MAIL	Yes		
ROJECT ID: Hanson Calga Dusts	QUOTE NO.:							QC LE	EVEL:		QCS1:			QC:	S2:	.,	QCS3	: Yes			QCS4	1:			
O, NO.:	COMMENTS	SPECIAL I	HANDL	ING/ST	DRAGE OR DIPOSAL:												AN.	ALYSIS	REQU	IRED					
26 2 26 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1								ddis		Matter		Т													
are e dibieti	Total unless	cnonified						Insoluable Soldis	Ash Residue	able 4		1			ll		1	ł		- 1					
ing a light of the state of the	Total unless	specified						luab	Res	Combustable													1		
								OSLI	Ash	Com							İ								NOTES
SAM	LE DATA	4.0			'CONTAINER I	DATA						1					1						$\top$		
SAMPLE ID	MATRIX	EDATE O	N DA	TE OFF	TYPE & PRESERVATIVE	NO.																			
( CD1	Dust	3-2-2	23	<u>·3·u</u>				X.	х	х		Т													
<b>2</b> CD2c	Dust	1		1				x	х	х															
<b>3</b> CD3	Dust	1						х	х	х				<u> </u>											
it CD4	Dust							x	х	×		┵		<u> </u>						_ _			44		
5 CD5	Dust							х	х	х	_	_		ļ			4	╁	$\sqcup$	_	_	_	+	_	
€ CD6	Dust	1					_	х	х	x	+	+		╁	$\vdash$		-	╫	$\vdash$	+	_	+	+	-	
		+	+								-			╁	$\vdash$	+	+	+				┽	+ +	$\dashv$	
		<del>                                      </del>									-	+	+	╁	┢		+	╁	$\vdash$		+	+	+ +		
	<u> </u>	<del></del>								_		╁	<del>-  </del>	$\vdash$	$\vdash$	十	+	+		$\neg$	$\top$	$\top$	+	_	
		1				<b></b>		_				$\top$	$\top$	T			1	十一				$\top$	<del>1 1</del>		
						<u> </u>						┪		<b>—</b>			·	T							
												$\perp$							Ш						
		ļ.,	_			ļ					_	+		ـ	$\sqcup$		4	-	$\vdash$	$\perp$		+	+		
w.		<u> </u>	—				_		Ш			+	+	┼			+	+	$\vdash$	$\dashv$	$\rightarrow$	+	+	_	
	L			n. 7	<u></u>								٠ـــــــــــــــــــــــــــــــــــــ		VED B						$\dashv$			٠	L METHOD OF SHIPMENT
****	}	RELINQUIS		SY:				NAME		10	X.			RECEI	AED 8	1		DATE	u·	3-7	77			_	CONSIGNMENT NOTE N
AME:		DATE	:: TIME:	· .			_	OF:	-		AŲ	_						TIME	<del>7</del> .	120	<del></del>			ľ	CONSIGNMENT NOTE IN
F: CBased Environmental  AME:		-	THVIC	DATE				NAME			<i>,</i> , , , ,	<u> </u>						DATE		1-4	-			_	TRANSPORT CO. NAME.
ANE: F:				TIME				OF:	<u>··</u>									TIME			$\dashv$				
Container Type and Preservative Co	des: P = Neutra	al Plastic: N	I ≂ Nitri			xide Pres	erved; c	l = Sol	vent V	Vashe	d Acid F	linced	Jar; S	= Solve	ent Wa	shed Ac	id Rinc			e;					
C = Hydrochloric Acid Preserved Vis	t; VS ≃ Sulfuri	c Acid Pres	erved V	/ial, BS	Suffuric Acid Preserved G	lass Bottl	e; Z = Z	inc Ac	etate i	Preser	ved Bot	ile; E :	EDTA	Prese	erved B	ottles; S	T = Ste	rile Bo	ttle;						

AUSTRALIAN LABORATORY SERVICES P/L

Environmental Division Newcastle Work Order Reference EN2201917



Telephone: +61 2 4014 2500



#### **CERTIFICATE OF ANALYSIS**

Work Order : EN2201917

: CBASED ENVIRONMENTAL PTY LTD

Contact : All Deliverables

Address : Unit 3 2 Enterprise Cres

Singleton NSW 2330

Telephone : +61 02 6571 3334
Project : Hanson Calga Dusts

Order number : ---C-O-C number : ----

Sampler : S Morrison

Site

Client

Quote number : SYBQ/403/21 and PLANNED EVENTS

No. of samples received : 6
No. of samples analysed : 6

Page : 1 of 4

Laboratory : Environmental Division Newcastle

Contact :

Address : 5/585 Maitland Road Mayfield West NSW Australia 2304

Telephone : +61 2 4014 2500
Date Samples Received : 04-Mar-2022 14:12

Date Analysis Commenced : 07-Mar-2022

Issue Date : 15-Mar-2022 16:52



This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

#### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories Position Accreditation Category

Thomas Regan Laboratory Technician Newcastle - Inorganics, Mayfield West, NSW

Page : 2 of 4
Work Order : EN2201917

Client : CBASED ENVIRONMENTAL PTY LTD

Project : Hanson Calga Dusts

#### **General Comments**

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key: CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

- ^ = This result is computed from individual analyte detections at or above the level of reporting
- ø = ALS is not NATA accredited for these tests.
- ~ = Indicates an estimated value.
- Analysis as per AS3580.10.1-2016. Samples passed through a 1mm sieve prior to analysis. NATA accreditation does not apply for results reported in g/m².mth as sampling data was provided by the client.
- The dust gauges for all samples were full when received by the laboratory. They may have overflowed in the field. Results for these gauges are thus reported on an 'as received' basis.
- For dust analysis, the Limit of Reporting (LOR) referenced in the reports for deposited matter parameters represents the reporting increment rather than reporting limit.




Page : 3 of 4
Work Order : EN2201917

Client : CBASED ENVIRONMENTAL PTY LTD

Project : Hanson Calga Dusts

#### Analytical Results






Page : 4 of 4
Work Order : EN2201917

Client : CBASED ENVIRONMENTAL PTY LTD

Project : Hanson Calga Dusts

#### Analytical Results







3.2.22

Client: Project: Hanson Calga

**SURFACE WATERS** 

Site	Flow Rate	Odour	Sampling Time	Bottles	Water Turbidity	Water Colour	Comments
A	DAM	N	8.20	1x 250ml GP, 1x 500mL GP, 1x PG	ØST.	C LO O BG	
В		-	8.10	4x 260ml GP, 1x 500mL GP, 1x PG	CST	CLOOBG	NOT FLOWING.
C1	DAM	N.	13:45	1x 250ml GP, 1x 500mL GP, 1x PG	<b>Ø</b> ST	<b>O</b> LO O B G	
C2	Trickle	10	13:55	1x 250ml GP, 1x 500mL GP, 1x PG	<b>O</b> ST	(C)LOOBG	
D 2	STILL	N	9:45	1x 250ml GP, 1x 500mL GP, 1x PG	<b>O</b> ST	<b>⊘</b> LO O B G	
F	Dam	N	8.75	1x 250ml GP, 1x 500mL GP, 1x PG	CS)T	©LO O B G	
			at a serie e and for minerally				
18							

Turbidity: C=Clear, S= Slight, T=Turbid (CIRCLE)

Colour: C=Clear, LO=Light Orange, O=Orange, B=Brown, G=Green (CIRCLE)

Sampled by: Meddie, Alex, Steve

CHAIN OF CUSTO	DDY DO	OCUM	ENT	ATION																1, 0	Australian Laboratory
CLIENT: CBased Environmental Pty	Ltd				LAB	ORA	TORY	BAT	CHN	O.:		10			10 70 d						Services Pty Ltd
POSTAL ADDRESS: PO Box 245 C	ESSNOCK NS	W 2325			SAN	IPLE	RS:C	Base	d Envi	onmen	tal Pty	Ltd									
SEND REPORT TO: monitoringresults@cbased.com.au		SEND INV		renae.mikka@cbased.com.au; om.au	PHO	NE:	02657	71333	34		E-N	//AIL: mo	onitoring	results(	gcbased	.com.a					
DATA NEEDED BY: 5 working days		REPORT	NEEDED	BY: 5 working days	REF	ORT	FOR	MAT:	HAF	D: Yes	3	FAX:	D	ISK:	BULL	ETIN B	OARD:		E-MAIL:	Yes	
PROJECT ID: Hanson Quarry SW	QUOTE NO.	SYBQ-403-	18		QC	LEVI	EL:	Q	CS1:			QCS2	:	Q	33: Ye	S		QCS4	k		
P,O. NO.:	COMMENTS	SPECIAL H	ANDLING	STORAGE OR DIPOSAL:										Α	NALYSI	REQU	JIRED				
FOR LAB USE ONLY						T							1 1	- 30							
0									н.				1 1								
es S No	Total unless	specified								)))			1 1						11 12		
Broken						1.		0 0	2 4	)									9 9		
COOLER TEMP: deg.C					- F		EC	2 4	SOI		1.0										NOTES
SAMPL	E DATA			CONTAINER DATA			7/17	4							18.7		HIII)				
SAMPLE ID	MATRIX	DATE	TIME	TYPE & PRESERVATIVE NO	).	Т		F					1 1 1				100			- 10	
A	Water	3.2.2	4-X: 20	1x 250mlGP,1x 500mLGP,1xPG	x	1	K X	)	CX								= 1 E		100		
	-Water		Enn	1x 250mlGP, 1x 500mLGP, 1xPG	X	1	× -×	-													
C1	Water		13:45	1x 250mlGP,1x 500mLGP,1xPG	X	1	K X	_		_	-5.					1					
C2	Water			1x 250mlGP,1x 500mLGP,1xPG	х	,		_	_	_			100								
D	Water			1x 250mlGP,1x 500mLGP,1xPG	х	1		_											1.5	100	
F	Water			1x 250mlGP,1x 500mLGP,1xPG	x	1	_	_	_	_										- (1)	
	******		0 .0					7					10.5						124		
									1		111	7 7 6	77.14								
											JE!		3 13			-					
			1						10				1 11		Y	Ugg (			137		
					54	Т	9	1 5		P				50		7		1900	100		
											1										
			1000			1		V =	1 -		461	4.1	1 14			1		50			
				TOTAL BOTTLES:							32.7		113								
10 0 -	REL	INQUISHED								****	RE	CEIVED	BY								METHOD OF SHIPMENT
NAME:	7,120		DAT	E: 3.2.22	NAN	E:	K	5							DAT	3.	2.10	2			CONSIGNMENT NOTE N
OF: CBased Environmental				ME: 16:45	OF:		1	RA	1						TIMI		+146				CONTRACTOR DESCRIPTION OF THE PERSON
NAME :			D	ATE:	NAN	1E :									DATI						TRANSPORT CO. NAME
DF:				IME:	OF:										TIMI	:					

\*Container Type and Preservative Codes: P = Neutral Plastic; N = Nitric Acid Preserved; C = Sodium Hydroxide Preserved; J = Solvent Washed Acid Rinced Jar; S = Solvent Washed Acid Rinced Glass Bottle VC = Hydrochloric Acid Preserved Vial; VS = Sulfuric Acid Preserved Vial; BS = Sulfuric Acid Preserved Glass Bottle; Z = Zinc Acetate Preserved Bottle; E = EDTA Preserved Bottles; ST = Sterile Bottle; O = Other.

**AUSTRALIAN LABORATORY SERVICES P/L** 

Environmental Division Sydney Work Order Reference ES2203771



Telephone - 61-2-8784 8554



#### **CERTIFICATE OF ANALYSIS**

Work Order : ES2203771

Page : 1 of 2

Client : CBASED ENVIRONMENTAL PTY LTD

Laboratory : Environmental Division Sydney

Contact : All Deliverables
Address : Unit 3.2 Enterprise

Contact : Helen Simpson

: Unit 3 2 Enterprise Cres

Address 277-289 Woodnark

Singleton NSW 2330

Address

: 277-289 Woodpark Road Smithfield NSW Australia 2164

Accreditation No. 825

Accredited for compliance with

Telephone : +61 02 6571 3334
Project : Hanson Quarry SW

Telephone : +61 2 8784 8555

Order number ----

Date Samples Received : 03-Feb-2022 16:48

C-O-C number · ----

Date Analysis Commenced : 03-Feb-2022

Sampler CARBON BASED ENVIRONMENTAL PTY LTD

Issue Date : 10-Feb-2022 13:21

Site

Quote number : SYBQ/403/18

No. of samples received : 5
No. of samples analysed : 5

No. of samples analysed : 5

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

#### Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories Position Accreditation Category

Ankit Joshi Inorganic Chemist Sydney Inorganics, Smithfield, NSW Katie Draper Quality Coordinator Sydney Inorganics, Smithfield, NSW Chemistry, Newcastle West, NSW

Page : 2 of 2 Work Order : ES2203771

Client : CBASED ENVIRONMENTAL PTY LTD

Project : Hanson Quarry SW

#### **General Comments**

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key: CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

- ^ = This result is computed from individual analyte detections at or above the level of reporting
- ø = ALS is not NATA accredited for these tests.
- ~ = Indicates an estimated value.
- TDS by method EA-015 sample 1-5 may bias high due to the presence of fine particulate matter, which may pass through the prescribed GF/C paper.

#### Analytical Results

		Sample ID	Α	C1	C2	D	F
	Sampli	ng date / time	03-Feb-2022 08:20	03-Feb-2022 13:45	03-Feb-2022 13:55	03-Feb-2022 09:45	03-Feb-2022 08:15
CAS Number	LOR	Unit	ES2203771-001	ES2203771-002	ES2203771-003	ES2203771-004	ES2203771-005
			Result	Result	Result	Result	Result
	0.01	pH Unit	6.06	6.78	6.82	5.34	7.85
	1	μS/cm	65	78	86	75	69
180 ± 5 °C							
	10	mg/L	65	63	65	70	70
nt 104 ± 2°C							
	5	mg/L	8	8	10	<5	24
	5	mg/L	<5	<5	<5	<5	<5
	 180 ± 5 °C  at 104 ± 2°C	CAS Number LOR  0.01  1  180 ± 5 °C  10  11 104 ± 2°C  5	Sampling date / time  CAS Number LOR Unit  0.01 pH Unit  1 μS/cm  180 ± 5 °C  10 mg/L  at 104 ± 2°C  5 mg/L	Sampling date / time         03-Feb-2022 08:20           CAS Number         LOR         Unit         ES2203771-001           Result            1         μS/cm         65           180 ± 5 °C            10         mg/L         65           at 104 ± 2°C            5         mg/L         8	Sampling date / time   03-Feb-2022 08:20   03-Feb-2022 13:45     CAS Number   LOR   Unit   ES2203771-001   ES2203771-002     Result   Result       0.01   pH Unit   6.06   6.78       1   μS/cm   65   78       10   mg/L   65   63     t 104 ± 2°C     5   mg/L   8   8	Sampling date / time   03-Feb-2022 08:20   03-Feb-2022 13:45   03-Feb-2022 13:55     CAS Number   LOR   Unit   ES2203771-001   ES2203771-002   ES2203771-003     Result   Result   Result   Result       1	Sampling date / time   03-Feb-2022 08:20   03-Feb-2022 13:45   03-Feb-2022 13:55   03-Feb-2022 09:45     CAS Number   LOR   Unit   ES2203771-001   ES2203771-002   ES2203771-003   ES2203771-004     Result   Result   Result   Result   Result       0.01   pH Unit   6.06   6.78   6.82   5.34       1   μS/cm   65   78   86   75     180 ± 5 °C     10   mg/L   65   63   65   70     1104 ± 2 °C     5   mg/L   8   8   10   <5

#### Inter-Laboratory Testing

Analysis conducted by ALS Newcastle - Water, NATA accreditation no. 825, site no. 1656 (Chemistry) 9854 (Biology).

(WATER) EA005: pH





Date:

Client : Project:

Hanson Calga **Bi-Monthly Bores**  **GROUNDWATERS** 

Site	Time	DEPTH	Typical	Odour	Water	Water		1		2	Downloaded	Comments
			Depth (m)		Turbidity	Colour	pH	EC	рН	EC	Logger? (Y/N)*	
CQ3	8.30	10.68	10.74	2	<b>O</b> ST	©LO O B G	6.13	109.805		100.6	-	LOGGER REMOVED
CQ4	12:00	11:40	11.19	N	(C)ST	COLOOBG	4.67	116-6us	4.63	1178us	V	
CQ5	12:10	6.79	8.04	70	(C)ST	CLOOBG	4.15	233.3uc	4.17	236-45		
CQ7	12:25	\$5.80	6.61	N	(C)S T	(GLOOBG	4.98	124 6ms	4.94	130.7us		THE STATE OF THE S
CQ8	12:35	5.86	6.93	N	ØS T	<b>⊘</b> LO O B G	4.34	121.145	4.32	122.3US		LOGGER REMOVED
CQ10	9.15	24.70	25.86	$\sim$	(C)S T	LOOBG	4.85	128.905		125 05	Y	
CQ11S	11:45	11.76	12.1	Ν,	(C)S T	CLOOBG	5.80	140.9us		41.49	ν	
CQ11D	11:50	12.85	12.98	N	OST	<b>O</b> LO O B G	5.23	132.7us		134.6 65		
CQ12	12:45	3.88	5.46	N	C)S T	(C)LOOBG	4.19	150. Tus	421	149.6us	Y	
CQ13	12:00	13.29	14.42	Nı	C)S T	CLOOBG	4.34	137.7 us	4.33	137.3 W	<b>Y</b>	
CP4	13:10	6.22	10.56	N	(C)ST	(6400BG	4.51	164-726	4.52	164.4cm		
CP5	13:20	6.96	7.95	N	ØS T	<b>O</b> LO O B G	5.38	106445	5.31	105.0us		
CP6	13:15	9.19	10.73	N	(C)S T	CLOOBG	4.37	134.5mg	4.35	134.75		
CP7	13:35	2.44	3.47	N	OST	OLOOBG	5.76	106.6WS	5-78	112-1WS	V i	
CP8	14.35	20.74	22.36	N	<b>⊘</b> S T	<b>O</b> LO O B G	4-46	105.003	4.93	103.905		
CP13**	14:20	10.75	13.4	N	(C)ST	(C)OOBG	4.60	129.44	4.54	113.44		
CP15	14:05	2.59	3.01	N	OST	CLOOBG	5.73	129.4WS		178745		
MW7	102:12 -	12:12	15.3	N.	CST	CLOOBG	5-78	29.445	5.91	52.5 W	_	LOGGER REMOVED
MW8	16-00	6.61	7.66	P	(C)ST	CLOOBG	4.78	SZ. Jus	4.68	55.14	V	
MW9	9:30	23.2	24.09	^/	C)S T	CLOOBG	4.52	70.245	4.68	71.805	1	
MW10	05:01	10.43	11.44	N	<b>O</b> ST	CLOOBG	4.30	94.0ms	4.29	102-4-us	V	
MW13	10:06	7.71	7.71	N	OST	LOOBG	4.75	81.3US	4.63	82.100		
MW16	10:05	8.13	8.29	N	€S T	C)OOBG	4.52		4.53	96.305		
MW17	10:45	10.06	9.93	N	ØS T	CLOOBG	4.84	103.7us		106.Sus		

Turbidity: C=Clear, S= Slight, T=Turbid (CIRCLE)
pH/EC meter #:
Laptop ID #:
Signed: TPK003

Colour: C=Clear, LO=Light Orange, O=Orange, B=Brown, G=Green (CIRCLE)

\*If unable to download logger please provide comment/ explanation above

\*\*Contact Wynston 15 min prior to access on: 0414 900 555

Sampled by: A. SMITH, M. BROWN, + S. MORRISON.