

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



**SITE NAME:
SANCROX QUARRY**

**LICENCE NO.
5289**

MONITORING LOCATION: DISCHARGE POINT

**CONCENTRATION
LIMITS:**

pH: 6.5-8.5

**TSS: 30mg/L
(15/2/21 - 23/1/22)
50mg/L (24/1/22
onwards)**

Oil and Grease: 5mg/l &/or Not Visible

Date	Test Type	Site	Sample location	pH	TSS	Oil & Grease	Comments	EPA contact
17 Mar 2021	B2 Water	Sancrox Quarry	EPL Point 1	7.8	<3	Not visible		
18 Mar 2021	B2 Water	Sancrox Quarry	EPL Point 1	7.7	32	Not visible	Following 40mm rain	EPA Hotline
19 Mar 2021	B2 Water	Sancrox Quarry	EPL Point 1	7.9	36	Not visible	Following 70mm rain	EPA Hotline
22 Mar 2021	B2 Water	Sancrox Quarry	EPL Point 1	7.7	13	Not visible		
23 Mar 2021	B2 Water	Sancrox Quarry	EPL Point 1	7.7	10	Not visible		
24 Mar 2021	B2 Water	Sancrox Quarry	EPL Point 1	7.7	4	Not visible		
25 Mar 2021	B2 Water	Sancrox Quarry	EPL Point 1	7.8	5	Not visible		
26 Mar 2021	B2 Water	Sancrox Quarry	EPL Point 1	7.8	<3	Not visible		
31 Mar 2021	B2 Water	Sancrox Quarry	EPL Point 1	7.8	4	Not visible		
01 Apr 2021	B2 Water	Sancrox Quarry	EPL Point 1	7.9	4	Not visible		
08 Apr 2021	B2 Water	Sancrox Quarry	EPL Point 1	7.8	6	Not visible		
09 Apr 2021	B2 Water	Sancrox Quarry	EPL Point 1	7.8	<3	Not visible		
13 Apr 2021	B2 Water	Sancrox Quarry	EPL Point 1	8	<3	Not visible		
14 Apr 2021	B2 Water	Sancrox Quarry	EPL Point 1	7.8	<3	Not visible		
15 Apr 2021	B2 Water	Sancrox Quarry	EPL Point 1	7.9	<3	Not visible		
16 Apr 2021	B2 Water	Sancrox Quarry	EPL Point 1	7.8	<3	Not visible		
20 Apr 2021	B2 Water	Sancrox Quarry	EPL Point 1	8	<3	Not visible		
21 Apr 2021	B2 Water	Sancrox Quarry	EPL Point 1	7.8	<3	Not visible		
21 Jul 2021	B2 Water	Sancrox Quarry	EPL Point 1	7.8	<4	Not visible		
22 Jul 2021	B2 Water	Sancrox Quarry	EPL Point 1	7.7	5	Not visible		
23 Jul 2021	B2 Water	Sancrox Quarry	EPL Point 1	7.7	5	Not visible		
26 Jul 2021	B2 Water	Sancrox Quarry	EPL Point 1	7.8	5	Not visible		
27 Jul 2021	B2 Water	Sancrox Quarry	EPL Point 1	7.9	5	Not visible		
29 Jul 2021	B2 Water	Sancrox Quarry	EPL Point 1	7.8	4	Not visible		
30 Jul 2021	B2 Water	Sancrox Quarry	EPL Point 1	7.9	4	Not visible		
05 Nov 2021	B2 Water	Sancrox Quarry	EPL Point 1	7.9	3	Not visible		
08 Nov 2021	B2 Water	Sancrox Quarry	EPL Point 1	7.9	<3	Not visible		
09 Nov 2021	B2 Water	Sancrox Quarry	EPL Point 1	7.9	3	Not visible		

HANSON EPA LICENSE CONDITIONS - Public Monitoring Register



**SITE NAME:
SANCROX QUARRY**

**LICENCE NO.
5289**

MONITORING LOCATION: DISCHARGE POINT

**CONCENTRATION
LIMITS:**

pH: 6.5-8.5

**TSS: 30mg/L
(15/2/21 - 23/1/22)
50mg/L (24/1/22
onwards)**

Oil and Grease: 5mg/l &/or Not Visible

Date	Test Type	Site	Sample location	pH	TSS	Oil & Grease	Comments	EPA contact
10 Nov 2021	B2 Water	Sancrox Quarry	EPL Point 1	7.9	4	Not visible		
11 Nov 2021	B2 Water	Sancrox Quarry	EPL Point 1	7.9	5	Not visible		
01 Dec 2021	B2 Water	Sancrox Quarry	EPL Point 1	8	7	Not visible		
02 Dec 2021	B2 Water	Sancrox Quarry	EPL Point 1	8	8	Not visible		
03 Dec 2021	B2 Water	Sancrox Quarry	EPL Point 1	8.2	9	Not visible		
04 Dec 2021	B2 Water	Sancrox Quarry	EPL Point 1	8.4	9	Not visible		
05 Dec 2021	B2 Water	Sancrox Quarry	EPL Point 1	8.1	20	Not visible		
06 Dec 2021	B2 Water	Sancrox Quarry	EPL Point 1	8.1	20	Not visible		
07 Dec 2021	B2 Water	Sancrox Quarry	EPL Point 1	7.9	17	Not visible		
08 Dec 2021	B2 Water	Sancrox Quarry	EPL Point 1	8.3	13	Not visible		
09 Dec 2021	B2 Water	Sancrox Quarry	EPL Point 1	8.3	17	Not visible		
10 Dec 2021	B2 Water	Sancrox Quarry	EPL Point 1	8.1	15	Not visible		
11 Dec 2021	B2 Water	Sancrox Quarry	EPL Point 1	8.3	19	Not visible		
19 Jan 2022	B2 Water	Sancrox Quarry	EPL Point 1	7.9	6	Not visible		
20 Jan 2022	B2 Water	Sancrox Quarry	EPL Point 1	7.4	12	Not visible		
21 Jan 2022	B2 Water	Sancrox Quarry	EPL Point 1	7.8	13	Not visible		
24 Jan 2022	B2 Water	Sancrox Quarry	EPL Point 1	7.7	4	Not visible		
31 Jan 2022	B2 Water	Sancrox Quarry	EPL Point 1	7.7	<3	Not visible		
14 Feb 2022	B2 Water	Sancrox Quarry	EPL Point 1	7.6	3	Not visible		