

**HANSON EPA LICENSE CONDITIONS - Public Monitoring Register**



**SITE NAME:  
SANCROX QUARRY**

**LICENCE NO. 5289**

**MONITORING LOCATION: DISCHARGE POINT**

**CONCENTRATION  
LIMITS:**

**pH: 6.5-8.5**

**TSS: 30mg/l**

**Oil and Grease: 5mg/l &/or Not Visible**

| Date        | Test Type | Site           | Sample location | pH  | TSS | Oil & Grease | Comments | EPA contact |
|-------------|-----------|----------------|-----------------|-----|-----|--------------|----------|-------------|
| 14 Feb 2022 | B2 Water  | Sancrox Quarry | Discharge point | 7.6 | 3   | Not visible  |          |             |
| 16 Mar 2022 | B2 Water  | Sancrox Quarry | Discharge point | 7.7 | 7   | Not visible  |          |             |
| 07 Apr 2022 | B2 Water  | Sancrox Quarry | Discharge point | 7.8 | 6   | Not visible  |          |             |
| 26 Apr 2022 | B2 Water  | Sancrox Quarry | Discharge point | 7.7 | 4   | Not visible  |          |             |
| 19 May 2022 | B2 Water  | Sancrox Quarry | Discharge point | 7.9 | 4   | Not visible  |          |             |
| 20 Jun 2022 | B2 Water  | Sancrox Quarry | Discharge point | 7.8 | 4   | Not visible  |          |             |
| 02 Aug 2022 | B2 Water  | Sancrox Quarry | Discharge point | 7.9 | 6   | Not visible  |          |             |
| 29 Sep 2022 | B2 Water  | Sancrox Quarry | Discharge point | 7.8 | 7   | Not visible  |          |             |