

Asbestos Fibre Air Sampling & Analysis Report

Our Ref: C107605:J177344-03.001-AFM-East-Guyong-Quarry-20221209
Client: Hanson Construction Materials Pty Ltd
Client Address: Locked Bag 5260, Parramatta NSW 2124
Attention: Chris Cooke – Quarry Manager
Job Location: East Guyong Quarry, 3410 Mitchell Highway, East Guyong NSW 2798
Report Date: Friday, 9 December 2022
Analysis Date: Friday, 9 December 2022
Sampling Date: Friday, 9 December 2022
Sampling Type: Control (Static)
Sampled By: **Start:** Simon Day **Finish:** Simon Day
Location of Analysis: Field laboratory - East Guyong Quarry, 3410 Mitchell Highway, East Guyong NSW 2798
 (Site Office, Training Room)

Licensed Asbestos Removal Contractor: N/A **Notification No:** N/A

Method: Sample collection and analysis conducted in accordance with Safe Work Australia’s Guidance Note on the Membrane Filter Method for the Estimation of Airborne Asbestos Fibres, 2nd Edition, 2005 [NOHSC:3003(2005)] and as described in supplementary work instruction in-house method LAB03.

Any and all services carried out by GreenCap for the Client are subject to the Terms and Conditions listed on the GreenCap website at <https://www.greencap.com.au/terms-conditions> and are governed by our statements of limitation available at <https://www.greencap.com.au/statements-limitation>.

Sample Filter No.	Test Type Sample Location	Sampling Period Start-Finish	Sampling Rate (avg) (L/min)	Fibres/Fields	Result(s) Fibres/mL
87633	Field Blank (25 mm)	–	–	0.0/100	–
87645	Field Lab - Site Office, Training Room, East – On window ledge	0835 – 1330	1.50	2.0/100	< 0.01
Background asbestos fibre air monitoring throughout various locations across the site.					
87634	Location 1 – Near Southern Boundary of Site, Access road to residence (No.3472) off Mitchell Hwy, approx. 120m North of South site boundary – On barbed wire fence	0733 – 1248	1.50	0.0/100	< 0.01
87644	Location 2 – Near Southern Boundary (South-east Corner) of site, Adj new access road entry (No. 3410) off Mitchell Hwy, approx. 30m of South site boundary – On barbed wire fence	0729 – 1238	1.50	0.0/100	< 0.01
87642	Location 3 – Near Eastern Boundary (near South-east Corner) of site, approx. 70 m West of shed, Access road – On barbed wire fence	0735 – 1246	1.50	1.0/100	< 0.01
87635	Location 4 – Near Eastern Boundary (near Centre) of site, approx. 50 m West of East site boundary – On fencing post	0741 – 1249	1.50	0.5/100	< 0.01
87632	Location 5 – South-eastern Boundary of quarry pit (near residence boundary) – On barbed wire fence	0751 – 1258	1.50	2.0/100	< 0.01
94332	Location 6 – Western Boundary of quarry pit (near Northwest Corner) of site – On sign	0756 – 1302	1.50	0.0/100	< 0.01
87643	Location 7 – Near Northern Boundary of Site (near North-east corner site) – On gate	0801 – 1312	1.50	0.0/100	< 0.01

Note: In accordance with p26 of NOHSC:3003(2005), if the fibre count is less than 10 fibres/100 graticule areas (fields), then the count is not considered significantly above that of background.




Approved Counter: Simon Day
Asbestos Assessor Licence No. LAA001418



Approved Signatory: Simon Day
Asbestos Assessor Licence No. LAA001418

Figure 1 – Air Monitoring Locations



**Air Monitoring Sampling Plan
East Guyong Quarry Site**

**Monitoring Date:
Friday 9th December 2022**

Legend

- X 1** Air monitoring locations
- Project Boundary
- Quarry Boundary
- Infrastructure Area Boundary

Air Monitoring Location Coordinates

Location 1:	709,104mE ; 6300,660mN	Location 5:	708,803mE ; 6301,185mN
Location 2:	709,601mE ; 6300,370mN	Location 6:	708,824mE ; 6301,587mN
Location 3:	709,729mE ; 6300,716mN	Location 7:	709,465mE ; 6301,633mN
Location 4:	709,870mE ; 6300,905mN		

Weather Conditions

General	Sunny	Wind Direction	NE
Rainfall	Nil	Wind Speed	13 km/h