

**HANSON EPA LICENSE CONDITIONS - Public Monitoring Register**



**SITE NAME:  
SANCROX QUARRY**

**LICENCE NO. 5289**

**MONITORING LOCATION: DISCHARGE POINT**

**CONCENTRATION  
LIMITS:**

**pH: 6.5-8.5**

**TSS: 30mg/l**

**Oil and Grease: 5mg/l &/or Not Visible**

Date	Test Type	Site	Sample location	pH	TSS	Oil & Grease	Comments	EPA contact
14 Feb 2022	B2 Water	Sancrox Quarry	Discharge point	7.6	3	Not visible		
16 Mar 2022	B2 Water	Sancrox Quarry	Discharge point	7.7	7	Not visible		
07 Apr 2022	B2 Water	Sancrox Quarry	Discharge point	7.8	6	Not visible		
26 Apr 2022	B2 Water	Sancrox Quarry	Discharge point	7.7	4	Not visible		
19 May 2022	B2 Water	Sancrox Quarry	Discharge point	7.9	4	Not visible		
20 Jun 2022	B2 Water	Sancrox Quarry	Discharge point	7.8	4	Not visible		
02 Aug 2022	B2 Water	Sancrox Quarry	Discharge point	7.9	6	Not visible		
29 Sep 2022	B2 Water	Sancrox Quarry	Discharge point	7.8	7	Not visible		
24 Oct 2022	B2 Water	Sancrox Quarry	Discharge point	7.7	9	Not visible		